Bay West
Customer-Focused Environmental & Industrial Solutions

SUPPLEMENTAL PHASE II ENVIRONMENTAL SITE ASSESSMENT

Clinton Place Addition
6700 Block of Main Street
Duluth, Minnesota 55807

MPCA Agency Interest ID 27685
Brownfields Preferred ID BF0001563
EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES) ID 243154
BAY WEST PROJECT NO. J200956

December 30, 2020

Prepared by:

Bay West LLC
5 Empire Drive
St. Paul, Minnesota 55103
Phone: 651-291-0456

Prepared for:

Minnesota Pollution Control Agency (MPCA)
Remediation Division
520 Lafayette Road, St. Paul, MN 55155
Phone: 651-757-2697

TABLE OF CONTENTS

1.0 INTRODUCTION 1-1
1.1 Purpose 1-1
1.2 Background 1-1
1.3 Scope of Work 1-2
2.0 PHASE II INVESTIGATION APPROACH 2-1
2.1 Field Investigation and Sampling Methods 2-1
2.1.1 Soil Borings 2-1
2.1.2 Soil Sampling 2-1
3.0 PHASE II INVESTIGATION RESULTS 3-1
3.1 Field Screening Results 3-1
3.2 Soil Sampling Results 3-1
3.2.1 DRO 3-1
3.2.2 VOCs 3-2
3.2.3 PAHs 3-2
3.2.4 Metals 3-2
4.0 CONCLUSIONS 4-1
5.0 RECOMMENDATIONS 5-1

List of Tables

Table 1 Soil Analytical Results

List of Figures

Figure 1 Site Location Map
Figure 2 Sampling Location Map

List of Appendices

Appendix A Soil Boring Logs
Appendix B Laboratory Analytical Reports

1.0 INTRODUCTION

1.1 Purpose

Bay West LLC (Bay West) completed a Phase II Environmental Site Assessment (ESA) at the Clinton Place Addition property, MPCA Site ID BF0001563 and EPA ACRES ID 243154, located at 6700 Main Street, Duluth, Minnesota (the Site). This Phase II ESA was performed in accordance with Bay West Proposal No. P200956. The parcels comprising the Site are owned by the City of Duluth and St. Louis County. The City of Duluth requested assistance from the MPCA through a Minnesota Targeted Brownfield Assessment Program (MNTBAP) Grant from the United States Environmental Protection Agency (USEPA). The primary objective of this Phase II ESA was to assess for the presence or absence of contaminants and will be used to support development of a Response Action Plan (RAP) in order to address known and potential contamination present at the Site associated with historical use and nearby properties. The Site location and parcels are shown on **Figure 1** and the supplemental Phase II ESA sampling locations are shown on **Figure 2.**

1.2 Background

The Site consists of seven adjoining vacant land parcels comprising approximately 6.39 acres; at present, the Site is covered by unmanaged native vegetation and contains various informal ATV and walking trails. Immediately northwest of the Site is the abandoned Duluth Winnipeg and Pacific (DWP) railroad that currently functions as a paved walking and biking path. The Site parcels include St. Louis County Parcel IDs 010-0580-00210, 010-4220-02790, 010-4220-02950, 010-0580-00700, 010-0580-00700, 010-0580-00440, and 010-0580-00340. Based on the City of Duluth survey, the Site can also be described as Blocks 3, 4, and Lots 5 through 16 of Block 5 of the Clinton Place Addition and Blocks 19 and 20 of the Stowell's Addition to West Duluth. The Site is currently owned by the City of Duluth and the State of Minnesota C278 L35 (tax forfeiture land).

On June 10, 2020, the City of Duluth submitted a request for MNTBAP assistance at the Site to the MPCA, and the MPCA requested Bay West to provide a proposal to perform a Phase I, prepare a Sampling and Analysis Plan (SAP), and complete Phase II site assessment services through the MNTBAP program with previously-acquired funds that are scheduled to expire on September 30, 2020.

The proposal for ESA services was approved on August 14, 2020. The Phase II services were completed August 31, 2020 through September 2, 2020, prior to the completion of the Phase I report.

The Phase I ESA report was completed on September 30, 2020. The Phase I ESA report indicated two Recognized Environmental Concerns (RECs) at the Property. Historical database records show railroad tracks and rail yard operations including fueling, engine repair, and maintenance at the Site which are considered to represent a REC in association with the Site. The documented presence of lead, copper, and polynuclear aromatic hydrocarbon (PAH) contamination in the soil related to the Duluth Winnipeg Pacific railroad (DWP) and Duluth Brass & Aluminum operations southwest of the Site along with institutional controls in place represent a Controlled Recognized Environmental Concern (CREC) in association with several parcels within the Site.

Following the initial Phase II, the City of Duluth requested additional sampling to obtain better aerial coverage of the Site and further characterize soil quality in the areas of proposed residential development. A proposal for a supplemental Phase II ESA was approved on October 27, 2020,

with an active start date of October 30, 2020. The supplemental Phase II services were completed on November 18 through November 19, 2020.

1.3 Scope of Work

Bay West conducted the following activities as part of this supplemental Phase II ESA:

- Prepared a Sampling and Analysis Plan that included a summary of previous environmental assessments at the Site; detailed scope and methodology pertaining to the supplemental Phase II ESA; and figures and tables necessary to detail the sampling scope and rationale.

- Prepared a project Site Safety and Health Plan (SSHP), coordinated utility clearances, coordinated with drilling and laboratory subcontractors, and maintained client communications;

- Advanced eleven soil borings (SB-12 through SB-22) to depths of up to 10 feet below the ground surface (bgs) across the property to assess soil quality and classification related to the Site's historical use.

- Continuously logged soil and screened for field observable indications of contamination and organic vapors with a photoionization detector (PID).

- Collected and submitted a total of 22 soil samples to Pace Laboratories of Minneapolis, Minnesota for laboratory analysis of diesel range organics (DRO), volatile organic compounds (VOCs), polynuclear aromatic hydrocarbons (PAHs), and the 8 Resource Conservation and Recovery Act (RCRA) metals. At each boring, Bay West collected one soil sample from each boring in the 0 to 5-foot direct contact interval and a second soil sample from a depth of 7.5-10-feet bgs. Two duplicate soil samples were also collected for quality control and assurance.

- Preparation of this supplemental Phase II ESA Report.

2.0 PHASE II INVESTIGATION APPROACH

2.1 Field Investigation and Sampling Methods

The following sections describe the methods and procedures used to conduct soil boring advancement and soil sampling.

2.1.1 Soil Borings

On November 18 and19, 2020, 11 soil borings (SB-12 through SB-22) were advanced by Range Environmental Drilling under the supervision of Bay West with a direct-push macro-core drill rig. Soil boring locations are shown on **Figure 2.** The soil borings were advanced to approximately 10 feet bgs. Each soil boring was abandoned per Minnesota Department of Health (MDH) rules after samples were collected and all soil cuttings were thin-spread on-site.

2.1.2 Soil Sampling

Soil samples were collected from the soil borings using stainless steel core samplers equipped with a disposable acetate liner advanced to the desired depth. The core sampler produced discrete soil samples approximately 2 inches in diameter and 5 feet long. Soil samples were collected continuously at 5-foot intervals to the termination depth of each boring. The steel core samplers were decontaminated before beginning a new boring in a new location.

The acetate liner of each sample was cut open and the respective soil samples were placed into the appropriate containers for field screening and laboratory analysis. A new, clean pair of disposable nitrile gloves was worn for each sample. Samples were collected for field screening from each boring. Soil samples collected were placed in a new, clean, quart-size, labeled, re-sealable bag. The bags used for field screening were used for one sample only. Soil clumps were manually agitated, and the bags were shaken vigorously at the beginning and end of the headspace development period. A Rae Environmental Instruments® MiniRAE-3000 PID equipped with a 10.7-electronvolt bulb calibrated to 100 parts per million (ppm) isobutylene was inserted into a small opening in the bag and the highest reading was recorded. A portion of each sample was reserved for description in the field in general conformance with American Society for Testing and Materials (ASTM) D 2488. In addition to soil headspace screening, the soil samples were observed for other indications of contamination (e.g., debris, staining, odors, and sheen). Boring logs were prepared for each soil boring and are included in **Appendix A**.

The collected soil samples were labeled corresponding to the soil boring number from which they were collected (e.g., SB-12). Additionally, soil samples were labeled for the depth from which they were collected (in feet bgs) and the sample media type. For example, a soil sample collected from the 0 to 5-foot depth in SB-12 was labeled “SB-12-SS (0-5)”.

Soil sample containers were placed in a cooler with ice and protected from sunlight. The samples were then transported to Pace within 72 hours of their collection with proper chain-of-custody documentation. Trip blanks and temperature blanks were submitted with the soil samples.

A total of twenty-two soil samples were collected from the soil borings and submitted for laboratory analysis. Two soil samples were collected from each of the soil borings and were analyzed by Pace using the following methods:

- Diesel range organics (DRO; Wisconsin Modified DRO);
- Volatile organic compounds (VOCs; EPA Method 8260D);

- Polycyclic aromatic hydrocarbons (PAHs) by selective ion monitoring (EPA Method 8270E by SIM); and
- Resource Conservation and Recovery Act (RCRA) 8 Total Metals (arsenic, barium, cadmium, chromium, lead, mercury, selenium, and silver) by EPA Method 6010D, with mercury by EPA Method 7471B.

Soil analytical results are described in **Section 3.2**.

3.0 PHASE II INVESTIGATION RESULTS

The results of this Phase II ESA are discussed below.

3.1 Field Screening Results

Soil encountered beneath surface materials mainly consisted of dense to soft silty red and brown clay with pockets of poorly graded gravel and sand. Bedrock was not encountered in any of the soil borings. No indications of potentially impacted fill material (e.g., debris, ash, staining) or indications of contamination associated with on-site features (e.g. staining, odors, product) were observed in the soil borings.

Groundwater was encountered at two boring locations at depths of approximately 7 feet bgs (SB-12) and 6 feet bgs (SB-13).

Elevated PID readings (greater than 10 parts per million (ppm)) were not noted in any of the samples collected from the eleven boring locations and did not exceed 3 ppm. Soil boring logs are included in **Appendix A**.

Soil Boring PID Readings

Depth	SB-12	SB-13	SB-14	SB-15	SB-16	SB-17	SB-18	SB-19	SB-20	SB-21	SB-22
0-3	1.9	2.0	2.2	2.0	1.1	2.9	1.5	1.8	1.5	1.5	1.4
3-8	0.9	2.8	2.4	1.7	1.0	2.0	1.9	1.7	1.3	1.5	1.4
8-10	0.8	NR	2.3	1.6	1.0	1.8	2.1	1.7	1.2	1.4	1.4

PID readings in part per million by volume.
Depths in feet below grade.
NR = not recorded for interval

3.2 Soil Sampling Results

Soil samples were collected from intervals 0-5 ft and 7.5-10 ft bgs from each boring. Soil samples were analyzed for the parameters listed in **Section 2.1.2**.

Analytical results were compared to Minnesota Pollution Control Agency (MPCA) Soil Leaching Values (SLVs), MPCA 2009 Tier 1 Residential Soil Reference Values (SRVs), 2009 Tier 2 Industrial SRVs, and the September 2016 Draft SRVs. SRVs have not been established for DRO; however, the MPCA has defined limits for DRO in the Guidance Document C-REM1-01, “Best Management Practices for the Off-Site Reuse of Unregulated Fill” (MPCA, 2012) of 100 milligrams per kilogram (mg/kg) in soil.

Table 1 presents a summary of the soil analytical results that were compared to MPCA soil leachate screening values (SLVs), 2016 Draft Tier 1 Final Chronic Residential soil reference values (SRVs) and 2016 Draft Tier 2 Final Chronic Industrial SRVs. Laboratory analytical reports are included in **Appendix C**.

3.2.1 DRO

DRO was not detected exceeding the Unregulated Fill criteria of 100 mg/kg in the 22 samples analyzed. The highest DRO concentration reported was 34.2 mg/kg (estimated) at soil boring SB-14 (0-5).

3.2.2 VOCs

VOCs were not detected at concentrations exceeding the laboratory reporting or method detection limits in any of the submitted soil samples; therefore, none of the collected soil samples contained VOCs exceeding their respective screening criteria for VOCs.

3.2.3 PAHs

Various PAH compounds were detected in soil samples collected from SB-14 (0-5), SB-21 (0-5), and SB-22 (0-5) at concentrations above laboratory reporting limits but below their respective MPCA SLVs and SRVs. PAHs were detected in several other samples at estimated concentrations above laboratory detection levels but below their respective reporting limits.

3.2.4 Metals

Arsenic, barium, cadmium, chromium, lead, and selenium were detected in one or more samples at concentrations above laboratory reporting limits but below their respective MPCA SLVs or SRVs. Mercury and silver were detected in one or more soil samples at estimated concentrations above the laboratory detection limit but below their respective laboratory reporting limits.

4.0 CONCLUSIONS

At the request of the City of Duluth, Bay West conducted this supplemental Phase II ESA of seven parcels in the Clinton Place Addition located at 6700 Main Street, Duluth, Minnesota to screen for the presence or absence of potential soil contamination at the Site. Based on the results of the investigation, Bay West presents the following conclusions:

Soil Assessment

No obvious indications of contamination (e.g., debris, staining, odors) were noted during the field activities. PID screening of soil samples collected at each soil boring did not indicate a presence of elevated organic vapors (>10 ppm).

The following summarizes laboratory analytical contaminant detections in soils across the Property:

- DRO was not detected in the 22 soil samples at concentrations exceeding the Unregulated Fill Criteria of 100 mg/kg.
- VOCs were not detected at concentrations exceeding their respective detection or reporting limits any of the submitted soil samples.
- PAHs were detected above laboratory reporting limits in soil samples collected from SB-14 (DUP), SB-21 and SB-22 but did not exceed their respective screening criteria in any of the submitted soil samples.
- The metals arsenic, barium, cadmium, lead, and selenium were detected in one or more samples at concentrations above their respective laboratory reporting limits but below their respective screening criteria.

Based on the limited field screening readings and laboratory analytical results, Bay West did not identify evidence of significant soil contamination on the Site.

5.0 RECOMMENDATIONS

Based on the results of the investigation and an assumed residential future use of the Property, Bay West recommends the following:


- This Supplemental Phase II assessment was completed to provide additional focused site-specific assessment for the specific area of potential residential redevelopment at the Site. Given the Site's extensive historical use as a railroad corridor contrasted with the findings of this investigation, Bay West recommends preparation of a construction contingency plan (CCP) to serve as an immediate guide for the initial handling of potentially unanticipated gross contamination or hazardous materials found during redevelopment.
- Prior to redevelopment, the City of Duluth should inform the MPCA of any anticipated disturbance to the subsurface on parcels 010-0580-00210, 010-4220-02790, 010-0580-00440, and 010-4220-02950 under restrictive use covenant as discussed in Bay West's 2020 Phase I ESA. The MPCA may require development of a RAP to address previously-identified contamination above guidance values associated with the aforementioned parcels, part of the larger DWP Railroad Site (VP 4142).

Tables

Table 1
Soil Analytical Results
Supplemental Phase II ESA
Clinton Place Addition
Bay West Job Number J200956

Sample ID				SB-12-SS (0-5)	SB-12-SS (7.5-10)	SB-13-SS (0-5)	SB-13-SS (5-10)	SB-14-SS (0-5)	SB-14-SS (0-5) DUP	SB-14-SS (7.5-10)	SB-15-SS (0-5)	SB-15-SS (7.5-10)	SB-16-SS (0-5)	SB-16-SS (7.5-10)	SB-17-SS (0-5)	SB-17-SS (7.5-10)	SB-18-SS (0-5)	SB-18-SS (7.5-10)	SB-19-SS (0-5)	SB-19-SS (0-5) DUP	SB-19-SS (7.5-10)	SB-20-SS (0-5)	SB-20-SS (7.5-10)	SB-21-SS (0-5)	SB-21-SS (7.5-10)	SB-22-SS (0-5)	SB-22-SS (7.5-10)	TB-01
Sample Date				11/18/2020	11/18/2020	11/18/2020	11/18/2020	11/18/2020	11/18/2020	11/18/2020	11/18/2020	11/18/2020	11/19/2020	11/19/2020	11/19/2020	11/19/2020	11/18/2020	11/18/2020	11/18/2020	11/18/2020	11/18/2020	11/18/2020	11/18/2020	11/18/2020	11/18/2020	11/18/2020	11/18/2020	11/18/2020	11/18/2020
Parameter	MPCA Screening SLV	MPCA Residential SRV [1]	MPCA Industrial SRV [2]	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result
Petroleum - WI MOD DRO (mg/kg)																												
WDRO C10-C28	100 [3]	NE	NE	11 J	<10.4	**16.7**	3.2 J	12.8 J	34.2 J	3.2 J	<11.2	3.2 J	<9	<10.6	<12.7	<12.9	<11	<11.7	<11.2	<11.3	<12.2	3.2 J	<10.6	7.9 J	<10.5	5.2 J	<11.6	---
Metals - EPA 6010D & SW7471B (mg/kg)																												
Arsenic	5.8	9	9	**2.6**	**1.9**	**2.2**	**2.1**	2 J	2.5 J	**1.8**	**2.6**	**2.6**	**1.9**	2.2 J	2.4 J	2.7 J	**1.8**	2.5 J	2.4 J	**2.2**	2.4 J	1.3 J	2.3 J	**2.1**	1.7 J	2.5 J	**1.7**	---
Barium	1700	3000	35000	167 J	**132**	**175**	**162**	46.3 J	59.1 J	**87**	**146**	**170**	**130**	**264**	142 J	**280**	**155**	**160**	**158**	**138**	**245**	**148**	**141**	**142**	**242**	**136**	---
Cadmium	8.8	1.6	23	<0.36	<0.19	<0.19	<0.19	**0.17**	<0.17	<0.18	<0.18	0.041 J	<0.18	<0.39	<1	<1	<0.18	<0.39	<0.37	<0.19	<0.39	<0.91	<0.35	0.15 J	<0.35	<0.38	<0.19	---
Chromium	NE	NE	NE	**37.8**	**37.5**	**33.2**	**30**	**16.2**	**19.7**	**29.6**	**35**	**54**	**30.6**	**41.3**	**41.5**	**49.4**	**40.1**	**43.3**	**39.3**	**34.6**	**43.2**	**46.3**	**42.5**	**41.6**	**42.9**	**41.9**	**45.2**	---
Lead	2700	300	700	**14.7**	**9.6**	**32.7**	**25.8**	39 J	149 J	**10.5**	**8.2**	**10.7**	**10.3**	**10.4**	**11.7**	**13.8**	**7.4**	**11.1**	**11.1**	**9.1**	**11.2**	**10.3**	**10.6**	**24.6**	**8.2**	**15.5**	**8.5**	---
Selenium	2.6	77	1200	<2.4	<1.2	<1.3	<1.2	<1.1	<1.1	0.66 J	<1.2	**1.5**	<1.2	*<2.6*	*<6.7*	*<6.7*	0.47 J	*<2.6*	<2.5	<1.3	*<2.6*	*<6.1*	<2.4	1.1 J	<2.3	<2.5	<1.3	---
Silver	7.9	77	1200	<1.2	<0.62	<0.64	<0.62	<0.56	<0.56	<0.6	<0.61	0.077 J	<0.61	<1.3	<3.4	<3.4	<0.6	<1.3	<1.2	<0.63	<1.3	<3	<1.2	<0.61	<1.2	<1.3	<0.64	---
Mercury	3.3	3.1	3.1	<0.024	0.011 J	<0.026	<0.025	0.045 J	0.037 J	<0.024	<0.024	0.037 J	0.016 J	<0.026	<0.026	<0.026	0.014 J	<0.026	<0.025	<0.025	<0.027	0.018 J	<0.023	0.04 J	0.015 J	0.017 J	<0.025	---
PAHs - EPA 8270E BY SIM (ug/kg)																												
Acenaphthene	81000	1300000	19000000	<12.5	<13.4	<13.7	<12.5	2.8 J	5.0 J	<12.1	<12.7	<13.2	<12.3	<14.0	<14.2	<14.4	<12.7	<13.3	<13.3	<12.9	<13.9	<12.4	<12.4	2.0 J	<12.0	0.94 J	<13.7	---
Acenaphthylene	NE	NE	NE	<12.5	<13.4	<13.7	<12.5	6.0 J	10.0 J	<12.1	<12.7	<13.2	<12.3	<14.0	<14.2	<14.4	<12.7	<13.3	<13.3	<12.9	<13.9	<12.4	<12.4	9.3 J	<12.0	1.7 J	<13.7	---
Anthracene	1300000	6500000	97000000	<12.5	<13.4	<13.7	<12.5	**17.3**	**24.5**	0.44 J	0.73 J	<13.2	<12.3	<14.0	<14.2	<14.4	<12.7	<13.3	<13.3	<12.9	<13.9	<12.4	<12.4	**14.2**	<12.0	3.6 J	<13.7	---
Benzo(a)anthracene	NE	NE	NE	0.56 J	0.84 J	<13.7	0.95 J	**57.3**	**93.8**	1.7 J	1.4 J	<13.2	1.6 J	<14.0	1.1 J	<14.4	<12.7	<13.3	1.0 J	0.57 J	<13.9	0.78 J	0.60 J	**61.3**	1.7 J	**15.8**	<13.7	---
Benzo(a)pyrene	1400	1000	14000	<12.5	<13.4	<13.7	0.86 J	**69.5**	**122**	1.7 J	1.8 J	<13.2	1.5 J	<14.0	<14.2	<14.4	<12.7	<13.3	0.99 J	<12.9	<13.9	<12.4	<12.4	**62.5**	1.1 J	**18.5**	<13.7	---
Benzo(b)fluoranthene	NE	NE	NE	<12.5	1.4 J	<13.7	1.4 J	**94.2**	**188**	3.1 J	4.7 J	0.92 J	2.5 J	<14.0	0.95 J	<14.4	<12.7	<13.3	1.3 J	0.68 J	<13.9	0.91 J	0.62 J	**78.3**	2.6 J	**28.1**	<13.7	---
Benzo(g,h,i)perylene	NE	NE	NE	<12.5	<13.4	<13.7	0.66 J	**48.4**	**82.6**	1.5 J	2.7 J	<13.2	1.2 J	<14.0	<14.2	<14.4	<12.7	<13.3	<13.3	<12.9	<13.9	<12.4	<12.4	**33.0**	0.83 J	11.6 J	<13.7	---
Benzo(k)fluoranthene	NE	NE	NE	<12.5	<13.4	<13.7	<12.5	**42.7**	**66.7**	<12.1	1.5 J	<13.2	0.97 J	<14.0	0.84 J	<14.4	<12.7	<13.3	0.65 J	<12.9	<13.9	<12.4	<12.4	**43.7**	0.96 J	9.5 J	<13.7	---
Chrysene	NE	NE	NE	<12.5	0.75 J	1.6 J	1.4 J	**70.2**	**123**	2.3 J	2.5 J	<13.2	2.0 J	<14.0	0.99 J	<14.4	<12.7	<13.3	1.3 J	<12.9	<13.9	0.69 J	<12.4	**66.8**	2.3 J	**20.5**	<13.7	---
Dibenz(a,h)anthracene	NE	NE	NE	<12.5	<13.4	<13.7	<12.5	**13.4**	<12.0	<12.1	<12.7	<13.2	<12.3	<14.0	<14.2	<14.4	<12.7	<13.3	<13.3	<12.9	<13.9	<12.4	<12.4	**12.8**	<12.0	<13.7	<13.7	---
Fluoranthene	670000	510000	6700000	<12.5	1.2 J	<13.7	2.0 J	**87.8**	**135**	4.1 J	3.2 J	1.0 J	3.3 J	<14.0	1.7 J	<14.4	<12.7	<13.3	2.5 J	0.98 J	<13.9	1.3 J	0.83 J	**115**	3.9 J	**32.4**	<13.7	---
Fluorene	110000	860000	13000000	<12.5	<13.4	<13.7	<12.5	4.9 J	9.2 J	<12.1	<12.7	<13.2	<12.3	<14.0	<14.2	<14.4	<12.7	<13.3	<13.3	<12.9	<13.9	<12.4	<12.4	2.6 J	<12.0	1.2 J	<13.7	---
Indeno(1,2,3-cd)pyrene	NE	NE	NE	<12.5	<13.4	<13.7	<12.5	**39.4**	**69.4**	1.2 J	2.0 J	<13.2	1.0 J	<14.0	<14.2	<14.4	<12.7	<13.3	<13.3	<12.9	<13.9	<12.4	<12.4	**29.4**	0.86 J	9.4 J	<13.7	---
Naphthalene	4500	81000	120000	<12.5	<13.4	0.74 J	<12.5	**17.2**	**44.1**	0.57 J	0.70 J	<13.2	0.66 J	<14.0	<14.2	<14.4	<12.7	<13.3	<13.3	<12.9	<13.9	<12.4	<12.4	3.9 J	<12.0	5.0 J	<13.7	---
Phenanthrene	NE	NE	NE	<12.5	<13.4	1.3 J	1.2 J	**41.5**	**68.9**	2.3 J	2.6 J	<13.2	1.8 J	<14.0	<14.2	<14.4	<12.7	<13.3	1.4 J	<12.9	<13.9	<12.4	<12.4	**38.0**	1.0 J	**18.4**	<13.7	---
Pyrene	440000	44000	44000	<12.5	0.98 J	<13.7	1.6 J	**69.5**	**116**	3.1 J	2.4 J	<13.2	2.4 J	<14.0	1.3 J	<14.4	<12.7	<13.3	1.8 J	<12.9	<13.9	1.0 J	<12.4	**93.7**	2.4 J	**24.8**	<13.7	---
VOCs - SW8260B (mg/kg)																												
1,1,1,2-Tetrachloroethane	0.41	300	680	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
1,1,1-Trichloroethane	56	640	640	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
1,1,2,2-Tetrachloroethane	0.012	39	230	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
1,1,2-Trichloro-1,2,2-trifluoroethane	17000	0.93	1.3	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
1,1,2-Trichloroethane	0.014	900	900	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
1,1-Dichloroethane	0.41	510	1700	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
1,1-Dichloroethene	1.4	480	1200	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
1,1-Dichloropropene	NE	NE	NE	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
1,2,3-Trichlorobenzene	NE	NE	NE	<0.315	<0.335	<0.344	<0.313	<0.294	<0.299	<0.305	<0.320	<0.329	<0.308	<0.352	<0.355	<0.363	<0.320	<0.334	<0.335	<0.323	<0.351	<0.313	<0.312	<0.312	<0.303	<0.344	<0.343	<0.250
1,2,3-Trichloropropane	0.27	NE	NE	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
1,2,4-Trichlorobenzene	0.23	25	36	<0.315	<0.335	<0.344	<0.313	<0.294	<0.299	<0.305	<0.320	<0.329	<0.308	<0.352	<0.355	<0.363	<0.320	<0.334	<0.335	<0.323	<0.351	<0.313	<0.312	<0.312	<0.303	<0.344	<0.343	<0.250
1,2,4-Trimethylbenzene	2.7	32	46	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
1,2-Dibromo-3-Chloropropane	NE	NE	NE	<0.315	<0.335	<0.344	<0.313	<0.294	<0.299	<0.305	<0.320	<0.329	<0.308	<0.352	<0.355	<0.363	<0.320	<0.334	<0.335	<0.323	<0.351	<0.313	<0.312	<0.312	<0.303	<0.344	<0.343	<0.250
1,2-Dibromoethane	0.000015	0.83	1.4	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
1,2-Dichlorobenzene	11	380	380	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
1,2-Dichloroethane	0.0038	5.8	33	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
1,2-Dichloropropane	0.024	19	26	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
1,3,5-Trimethylbenzene	2.7	180	180	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
1,3-Dichlorobenzene	10	300	300	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
1,3-Dichloropropane	NE	NE	NE	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
1,4-Dichlorobenzene	0.17	55	83	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
2,2-Dichloropropane	NE	NE	NE	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
2-Butanone (MEK)	8.8	8700	28000	<1.57	<1.68	<1.72	<1.57	<1.47	<1.49	<1.52	<1.60	<1.64	<1.54	<1.76	<1.78	<1.81	<1.60	<1.67	<1.68	<1.62	<1.75	<1.56	<1.56	<1.56	<1.52	<1.72	<1.71	<1.25
2-Chlorotoluene	NE	430	910	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
3-Chloropropene	0.15	NE	NE	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
4-Chlorotoluene	NE	1500	2800	<1.57	<1.68	<1.72	<1.57	<1.47	<1.49	<1.52	<1.60	<1.64	<1.54	<1.76	<1.78	<1.81	<1.60	<1.67	<1.68	<1.62	<1.75	<1.56	<1.56	<1.56	<1.52	<1.72	<1.71	<1.25
4-Isopropyltoluene	NE	18000	100000	<1.57	<1.68	<1.72	<1.57	<1.47	<1.49	<1.52	<1.60	<1.64	<1.54	<1.76	<1.78	<1.81	<1.60	<1.67	<1.68	<1.62	<1.75	<1.56	<1.56	<1.56	<1.52	<1.72	<1.71	<1.25
4-Methyl-2-pentanone (MIBK)	0.76	NE	NE	<0.315	<0.335	<0.344	<0.313	<0.294	<0.299	<0.305	<0.320	<0.329	<0.308	<0.352	<0.355	<0.363	<0.320	<0.334	<0.335	<0.323	<0.351	<0.313	<0.312	<0.312	<0.303	<0.344	<0.343	<0.250
Acetone	8.4	14	100	<0.0252	<0.0268	<0.0275	<0.0251	<0.0236	<0.0239	<0.0244	<0.0256	<0.0263	<0.0246	<0.0282	<0.0284	<0.0290	<0.0256	<0.0267	<0.0268	<0.0259	<0.0280	<0.0250	<0.0250	<0.0250	<0.0243	<0.0275	<0.0274	<0.0200
Benzene	0.017	NE	NE	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
Bromobenzene	NE	NE	NE	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
Bromochloromethane	0.28	130	730	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
Bromodichloromethane	0.021	360	730	<0.315	<0.335	<0.344	<0.313	<0.294	<0.299	<0.305	<0.320	<0.329	<0.308	<0.352	<0.355	<0.363	<0.320	<0.334	<0.335	<0.323	<0.351	<0.313	<0.312	<0.312	<0.303	<0.344	<0.343	<0.250
Bromoform	0.13	13	31	<0.315	<0.335	<0.344	<0.313	<0.294	<0.299	<0.305	<0.320	<0.329	<0.308	<0.352	<0.355	<0.363	<0.320	<0.334	<0.335	<0.323	<0.351	<0.313	<0.312	<0.312	<0.303	<0.344	<0.343	<0.250
Bromomethane	0.036	14	120	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
Carbon tetrachloride	0.0077	150	310	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
Chlorobenzene	1.2	2100	2100	<0.315	<0.335	<0.344	<0.313	<0.294	<0.299	<0.305	<0.320	<0.329	<0.308	<0.352	<0.355	<0.363	<0.320	<0.334	<0.335	<0.323	<0.351	<0.313	<0.312	<0.312	<0.303	<0.344	<0.343	<0.250
Chloroethane	NE	150	540	<0.315	<0.335	<0.344	<0.313	<0.294	<0.299	<0.305	<0.320	<0.329	<0.308	<0.352	<0.355	<0.363	<0.320	<0.334	<0.335	<0.323	<0.351	<0.313	<0.312	<0.312	<0.303	<0.344	<0.343	<0.250
Chloroform	0.11	420	590	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
Chloromethane	0.11	28	420	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
cis-1,2-Dichloroethene	0.21	NE	NE	<0.315	<0.335	<0.344	<0.313	<0.294	<0.299	<0.305	<0.320	<0.329	<0.308	<0.352	<0.355	<0.363	<0.320	<0.334	<0.335	<0.323	<0.351	<0.313	<0.312	<0.312	<0.303	<0.344	<0.343	<0.250
cis-1,3-Dichloropropene	NE	93	540	<0.315	<0.335	<0.344	<0.313	<0.294	<0.299	<0.305	<0.320	<0.329	<0.308	<0.352	<0.355	<0.363	<0.320	<0.334	<0.335	<0.323	<0.351	<0.313	<0.312	<0.312	<0.303	<0.344	<0.343	<0.250
Dibromochloromethane	0.034	17	26	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
Dibromomethane	NE	410	650	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
Dichlorodifluoromethane	37	NE	NE	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
Dichlorofluoromethane	NE	NE	NE	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
Diethylether	1	190	340	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
Ethylbenzene	0.037	17	17	<0.315	<0.335	<0.344	<0.313	<0.294	<0.299	<0.305	<0.320	<0.329	<0.308	<0.352	<0.355	<0.363	<0.320	<0.334	<0.335	<0.323	<0.351	<0.313	<0.312	<0.312	<0.303	<0.344	<0.343	<0.250
Hexachlorobutadiene	9.5	270	270	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
Isopropylbenzene	NE	NE	NE	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
Methyl tert-butyl ether	0.017	120	1300	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
Methylene Chloride	4.5	81	120	<0.315	<0.335	<0.344	<0.313	<0.294	<0.299	<0.305	<0.320	<0.329	<0.308	<0.352	<0.355	<0.363	<0.320	<0.334	<0.335	<0.323	<0.351	<0.313	<0.312	<0.312	<0.303	<0.344	<0.343	<0.250
Naphthalene	NE	110	110	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
n-Butylbenzene	NE	260	260	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0641	<0.0658	<0.0615	<0.0704	<0.0711	<0.0725	<0.0639	<0.0667	<0.0670	<0.0647	<0.0701	<0.0626	<0.0624	<0.0624	<0.0606	<0.0688	<0.0686	<0.0500
n-Propylbenzene	NE	NE	NE	<0.0630	<0.0671	<0.0687	<0.0627	<0.0589	<0.0598	<0.0610	<0.0

Figures




Y:\Clients\MPCA\Clinton_Place_Addition\MapDocs\J200606\001_Phase_I_ESA\J200606 FIG 1 Site Location Map.mxd

Figure 1

Site Location Map

Clinton Place Addition
Supp Ph II ESA

6700 Main Street
Duluth, MN 55807



Map Projection: NAD 1983 UTM Zone 15 N, Meters
Basemap: National Geographic Society, i-cubed

0 2,000 4,000 Feet
0 600 1,200 Meters

1 inch = 2,000 feet

★ Site Location

Bay West
Customer-Focused Environmental & Industrial Solutions

Drawn By: N.J. Date Drawn/Revised:11/4/2020 Project No. J200956

PARCEL NUMBER	COUNTY PID
1	010-0580-00210
2	010-4220-02790
3	010-0580-00440
4	010-0580-00340
5	010-4220-02950
6	010-0580-00500
7	010-0580-00700

SB-07-SS
SB-08-SS & GW
SB-04-SS
2
5
SB-03-SS
SB-15
3
SB-14
SB-05-SS
SB-05-SG
SB-02-SG
SB-13
SB-02-SS (10-15)
SB-02-SS (0-5)
SB-16
1
SB-12
SB-01-SG
SB-01-SS & GW
SB-17
4
SB-09-SS
SB-09-SG
6
SB-18
SB-11-SS
SB-21
7
SB-19
SB-22
SB-20
SB-06-SS
SB-10-SS
SB-10-SG


Y:\Clients\MPCA\Clinton_Place_Addition\MapDocs\J200956\001_SAP_Supplemental_Phase_II_ESA\J200956 FIG 2 Sampling Locations.mxd

Figure 2

Sampling Locations

Clinton Place Addition

6700 Main Street
Duluth, MN 55807



Map Projection: NAD 1983 UTM Zone 15 N, Meters
Basemap: Saint Louis County Aerial Imagery WMS, 2019

0 50 100 150 200 Feet
0 10 20 30 40 50 60 Meters

- Soil Boring (November 2020)
- Previous Soil Boring
- Previous Soil Gas
- Previous Soil and Groundwater Boring
- Historic Railroad Building Location (1958-1989)
- Site Boundary
- Parcel Boundaries

Bay West
Customer-Focused Environmental & Industrial Solutions

Drawn By: N.J. Date Drawn/Revised: 12/18/2020 Project No.J200956

Appendix A

Soil Boring Logs

Bay West
Customer-Focused Environmental & Industrial Solutions

Bay West
5 Empire Drive
St. Paul, MN 55103
Telephone: 800-279-0456
Fax: 651-291-0099

SOIL BORING LOG

BOREHOLE LOCATION SKETCH MAP



BOREHOLE NO. **SB-12**		
PROJECT NO. / NAME **J200956 / Clinton Place Addition, Supp. Phll**	LOCATION **6700 Main Street**	
APPROVED BY **Erik Nimlos**	**Duluth, MN**	
DRILLING CONTRACTOR **Range**	DRILLER'S NAME **Matt**	
DRILLING EQUIPMENT / METHOD **Geoprobe / Direct Push**	SIZE / TYPE OF BIT **2"**	START - FINISH DATE **11/18/20 - 11/18/20**
LOGGED BY **BWF**	SAMPLING METHOD **Macro core**	
ELEVATION OF: GROUND SURFACE (FT. ABOVE MSL)	GW SURFACE '	GW ELEVATION DATE

Depth, ft bgs	Graphic Log	Visual Description	Analytical Sample Number	Sample Interval	Headspace Values (ppm) PID
1		15" Tan, fine-med sand w/ sparse gravel (moist).			
2					
3		13" Red clay, medium firm to firm (damp).			1.9
4					
5					
6					0.9
7		Some mottling (wet inside MC).			
8					
9		Some mottling (wet inside MC).			0.8
10					
		End of boring at 10' bgs.			

SOIL BORING LOG CLINTON PLACE ADDITION J200956.GPJ BAY WEST BORING LOG TEMPLATE.GDT 12/28/20

Bay West
Customer-Focused Environmental & Industrial Solutions

Bay West
5 Empire Drive
St. Paul, MN 55103
Telephone: 800-279-0456
Fax: 651-291-0099

SOIL BORING LOG

BOREHOLE LOCATION SKETCH MAP



BOREHOLE NO. **SB-13**		
PROJECT NO. / NAME **J200956 / Clinton Place Addition, Supp. Phll**	LOCATION **6700 Main Street**	
APPROVED BY **Erik Nimlos**	**Duluth, MN**	
DRILLING CONTRACTOR **Range**	DRILLER'S NAME **Matt**	
DRILLING EQUIPMENT / METHOD **Geoprobe / Direct Push**	SIZE / TYPE OF BIT **2"**	START - FINISH DATE **11/18/20 - 11/18/20**
LOGGED BY **BWF**	SAMPLING METHOD **Macro core**	
ELEVATION OF: GROUND SURFACE (FT. ABOVE MSL)	GW SURFACE '	GW ELEVATION DATE

Depth, ft bgs	Graphic Log	Visual Description	Analytical Sample Number	Sample Interval	Headspace Values (ppm) PID
1		Large gravel at surface hindering recovery.			
2		Red clay, firm, damp, slight mottling.			
3					2
4					
5					
6		Wet inside MC, firm.			
7					
8					2.8
9					
10					
		End of boring at 10' bgs.			

SOIL BORING LOG CLINTON PLACE ADDITION J200956.GPJ BAY WEST BORING LOG TEMPLATE.GDT 12/28/20

Bay West
Customer-Focused Environmental & Industrial Solutions

Bay West
5 Empire Drive
St. Paul, MN 55103
Telephone: 800-279-0456
Fax: 651-291-0099

SOIL BORING LOG

BOREHOLE LOCATION SKETCH MAP



BOREHOLE NO. **SB-14**		
PROJECT NO. / NAME **J200956 / Clinton Place Addition, Supp. Phll**	LOCATION **6700 Main Street**	
APPROVED BY **Erik Nimlos**	**Duluth, MN**	
DRILLING CONTRACTOR **Range**	DRILLER'S NAME **Matt**	
DRILLING EQUIPMENT / METHOD **Geoprobe / Direct Push**	SIZE / TYPE OF BIT **2"**	START - FINISH DATE **11/18/20 - 11/18/20**
LOGGED BY **BWF**	SAMPLING METHOD **Macro core**	
ELEVATION OF: GROUND SURFACE (FT. ABOVE MSL)	GW SURFACE '	GW ELEVATION DATE

Depth, ft bgs	Graphic Log	Visual Description	Analytical Sample Number	Sample Interval	Headspace Values (ppm) PID
1		Grass/weeds at surface. Brown, silty sand.			
2		Gravel/ballast layer.			
3		Tan, fine-med sand.			
4		Brown to red clay, firm, slightly mottled.			2.2
5					
6		Brown to red, clay, medium firm to firm.			
7					2.4
8					
9					2.3
10					
		End of boring at 10' bgs.			

SOIL BORING LOG CLINTON PLACE ADDITION J200956.GPJ BAY WEST BORING LOG TEMPLATE.GDT 12/28/20

Bay West
Customer-Focused Environmental & Industrial Solutions

Bay West
5 Empire Drive
St. Paul, MN 55103
Telephone: 800-279-0456
Fax: 651-291-0099

SOIL BORING LOG

BOREHOLE LOCATION SKETCH MAP



BOREHOLE NO. **SB-15**		
PROJECT NO. / NAME **J200956 / Clinton Place Addition, Supp. Phll**	LOCATION **6700 Main Street**	
APPROVED BY **Erik Nimlos**	**Duluth, MN**	
DRILLING CONTRACTOR **Range**	DRILLER'S NAME **Matt**	
DRILLING EQUIPMENT / METHOD **Geoprobe / Direct Push**	SIZE / TYPE OF BIT **2"**	START - FINISH DATE **11/18/20 - 11/18/20**
LOGGED BY **BWF**	SAMPLING METHOD **Macro core**	
ELEVATION OF: GROUND SURFACE (FT. ABOVE MSL)	GW SURFACE '	GW ELEVATION DATE

Depth, ft bgs	Graphic Log	Visual Description	Analytical Sample Number	Sample Interval	Headspace Values (ppm) PID
1		Grass/weeds at surface. Tan, fine-med sand w/ gravel; damp.			
2		Red, clay, firm, small rootlets, slightly mottled, damp.			
3					2
4					
5					
6		Red, clay, firm, slightly mottled.			
7					1.7
8		More of a brown color now, softer.			
9					1.6
10					
		End of boring at 10' bgs.			

SOIL BORING LOG CLINTON PLACE ADDITION J200956.GPJ BAY WEST BORING LOG TEMPLATE.GDT 12/28/20

Bay West
Customer-Focused Environmental & Industrial Solutions

Bay West
5 Empire Drive
St. Paul, MN 55103
Telephone: 800-279-0456
Fax: 651-291-0099

SOIL BORING LOG

BOREHOLE LOCATION SKETCH MAP



BOREHOLE NO. **SB-16**		
PROJECT NO. / NAME **J200956 / Clinton Place Addition, Supp. Phll**	LOCATION **6700 Main Street**	
APPROVED BY **Erik Nimlos**	**Duluth, MN**	
DRILLING CONTRACTOR **Range**	DRILLER'S NAME **Matt**	
DRILLING EQUIPMENT / METHOD **Geoprobe / Direct Push**	SIZE / TYPE OF BIT **2"**	START - FINISH DATE **11/19/20 - 11/19/20**
LOGGED BY **BWF**	SAMPLING METHOD **Macro core**	
ELEVATION OF: GROUND SURFACE (FT. ABOVE MSL)	GW SURFACE '	GW ELEVATION DATE

Depth, ft bgs	Graphic Log	Visual Description	Analytical Sample Number	Sample Interval	Headspace Values (ppm) PID
1		Dark brown silty clay, soft; wet. Drilled in a wetland.			
		Red clay, first 8" softer, rest firmed up, slightly mottled, moist/damp.			
2					
3					1.1
4					
5					
		Red clay, firm, slight mottling.			
6					
7					1
8					
9					1
10					
		End of boring at 10' bgs.			

Bay West
Customer-Focused Environmental & Industrial Solutions

Bay West
5 Empire Drive
St. Paul, MN 55103
Telephone: 800-279-0456
Fax: 651-291-0099

SOIL BORING LOG

BOREHOLE LOCATION SKETCH MAP



BOREHOLE NO. **SB-17**		
PROJECT NO. / NAME **J200956 / Clinton Place Addition, Supp. Phll**	LOCATION **6700 Main Street**	
APPROVED BY **Erik Nimlos**	**Duluth, MN**	
DRILLING CONTRACTOR **Range**	DRILLER'S NAME **Matt**	
DRILLING EQUIPMENT / METHOD **Geoprobe / Direct Push**	SIZE / TYPE OF BIT **2"**	START - FINISH DATE **11/19/20 - 11/19/20**
LOGGED BY **BWF**	SAMPLING METHOD **Macro core**	
ELEVATION OF: GROUND SURFACE (FT. ABOVE MSL)	GW SURFACE '	GW ELEVATION DATE

Depth, ft bgs	Graphic Log	Visual Description	Analytical Sample Number	Sample Interval	Headspace Values (ppm) PID
1		Brown, silty clay.			
		Red clay, firm, slight mottling, damp.			
2					
3					2.9
4					
5					
		Red clay, firm, slight mottling.			
6					
7					2
8					
9					1.8
10					
		End of boring at 10' bgs.			

SOIL BORING LOG CLINTON PLACE ADDITION J200956.GPJ BAY WEST BORING LOG TEMPLATE.GDT 12/28/20

Bay West
Customer-Focused Environmental & Industrial Solutions

Bay West
5 Empire Drive
St. Paul, MN 55103
Telephone: 800-279-0456
Fax: 651-291-0099

SOIL BORING LOG

BOREHOLE LOCATION SKETCH MAP



BOREHOLE NO. **SB-18**		
PROJECT NO. / NAME **J200956 / Clinton Place Addition, Supp. Phll**	LOCATION **6700 Main Street**	
APPROVED BY **Erik Nimlos**	**Duluth, MN**	
DRILLING CONTRACTOR **Range**	DRILLER'S NAME **Matt**	
DRILLING EQUIPMENT / METHOD **Geoprobe / Direct Push**	SIZE / TYPE OF BIT **2"**	START - FINISH DATE **11/18/20 - 11/18/20**
LOGGED BY **BWF**	SAMPLING METHOD **Macro core**	
ELEVATION OF: GROUND SURFACE (FT. ABOVE MSL)	GW SURFACE '	GW ELEVATION DATE

Depth, ft bgs	Graphic Log	Visual Description	Analytical Sample Number	Sample Interval	Headspace Values (ppm) PID
1		Brown, silty clay.			
		Red, clay, firm, moist.			
2					
3					1.5
4					
5					
		Red, clay, firm, damp.			
6					
7					1.9
8					
9					2.1
10					
		End of boring at 10' bgs.			

Bay West
Customer-Focused Environmental & Industrial Solutions

Bay West
5 Empire Drive
St. Paul, MN 55103
Telephone: 800-279-0456
Fax: 651-291-0099

SOIL BORING LOG

BOREHOLE LOCATION SKETCH MAP



BOREHOLE NO. **SB-19**		
PROJECT NO. / NAME **J200956 / Clinton Place Addition, Supp. Phll**	LOCATION **6700 Main Street**	
APPROVED BY **Erik Nimlos**	**Duluth, MN**	
DRILLING CONTRACTOR **Range**	DRILLER'S NAME **Matt**	
DRILLING EQUIPMENT / METHOD **Geoprobe / Direct Push**	SIZE / TYPE OF BIT **2"**	START - FINISH DATE **11/18/20 - 11/18/20**
LOGGED BY **BWF**	SAMPLING METHOD **Macro core**	
ELEVATION OF: GROUND SURFACE (FT. ABOVE MSL)	GW SURFACE '	GW ELEVATION DATE

Depth, ft bgs	Graphic Log	Visual Description	Analytical Sample Number	Sample Interval	Headspace Values (ppm) PID
1		Brown, silty clay.			
		Red, clay, firm, damp/moist.			
2					
3					1.8
4					
5					
6					1.7
7		Firm, damp.			
8					
9					1.7
10		End of boring at 10' bgs.			

SOIL BORING LOG CLINTON PLACE ADDITION J200956.GPJ BAY WEST BORING LOG TEMPLATE.GDT 12/28/20

Bay West
Customer-Focused Environmental & Industrial Solutions

Bay West
5 Empire Drive
St. Paul, MN 55103
Telephone: 800-279-0456
Fax: 651-291-0099

SOIL BORING LOG

BOREHOLE LOCATION SKETCH MAP



BOREHOLE NO. **SB-20**		
PROJECT NO. / NAME **J200956 / Clinton Place Addition, Supp. Phll**	LOCATION **6700 Main Street**	
APPROVED BY **Erik Nimlos**	**Duluth, MN**	
DRILLING CONTRACTOR **Range**	DRILLER'S NAME **Matt**	
DRILLING EQUIPMENT / METHOD **Geoprobe / Direct Push**	SIZE / TYPE OF BIT **2"**	START - FINISH DATE **11/19/20 - 11/19/20**
LOGGED BY **BWF**	SAMPLING METHOD **Macro core**	
ELEVATION OF: GROUND SURFACE (FT. ABOVE MSL)	GW SURFACE '	GW ELEVATION DATE

Depth, ft bgs	Graphic Log	Visual Description	Analytical Sample Number	Sample Interval	Headspace Values (ppm) PID
1		Brown, silty clay.			
		Red, clay, firm, damp/moist.			
2					
3					1.5
4					
5					
		Firm, dry/damp.			
6					
7					1.3
8					
9					1.2
10					
		End of boring at 10' bgs.			

SOIL BORING LOG CLINTON PLACE ADDITION J200956.GPJ BAY WEST BORING LOG TEMPLATE.GDT 12/28/20

Bay West
Customer-Focused Environmental & Industrial Solutions

Bay West
5 Empire Drive
St. Paul, MN 55103
Telephone: 800-279-0456
Fax: 651-291-0099

SOIL BORING LOG

BOREHOLE LOCATION SKETCH MAP



BOREHOLE NO. **SB-21**		
PROJECT NO. / NAME **J200956 / Clinton Place Addition, Supp. Phll**	LOCATION **6700 Main Street**	
APPROVED BY **Erik Nimlos**	**Duluth, MN**	
DRILLING CONTRACTOR **Range**	DRILLER'S NAME **Matt**	
DRILLING EQUIPMENT / METHOD **Geoprobe / Direct Push**	SIZE / TYPE OF BIT **2"**	START - FINISH DATE **11/19/20 - 11/19/20**
LOGGED BY **BWF**	SAMPLING METHOD **Macro core**	
ELEVATION OF: GROUND SURFACE (FT. ABOVE MSL)	GW SURFACE '	GW ELEVATION DATE

Depth, ft bgs	Graphic Log	Visual Description	Analytical Sample Number	Sample Interval	Headspace Values (ppm) PID
1		Brown, silty caly, brittle, damp/dry, some rootlets and wood fragments near surface.			
2					
3					1.5
4					
5					
6		Red, clay, firmer, moist/damp, slightly mottled.			
7					1.5
8					
9					1.4
10					
		End of boring at 10' bgs.			

SOIL BORING LOG CLINTON PLACE ADDITION J200956.GPJ BAY WEST BORING LOG TEMPLATE.GDT 12/28/20

Bay West
Customer-Focused Environmental & Industrial Solutions

Bay West
5 Empire Drive
St. Paul, MN 55103
Telephone: 800-279-0456
Fax: 651-291-0099

SOIL BORING LOG

BOREHOLE LOCATION SKETCH MAP



BOREHOLE NO. **SB-22**		
PROJECT NO. / NAME **J200956 / Clinton Place Addition, Supp. Phll**	LOCATION **6700 Main Street**	
APPROVED BY **Erik Nimlos**	**Duluth, MN**	
DRILLING CONTRACTOR **Range**	DRILLER'S NAME **Matt**	
DRILLING EQUIPMENT / METHOD **Geoprobe / Direct Push**	SIZE / TYPE OF BIT **2"**	START - FINISH DATE **11/19/20 - 11/19/20**
LOGGED BY **BWF**	SAMPLING METHOD **Macro core**	
ELEVATION OF: GROUND SURFACE (FT. ABOVE MSL)	GW SURFACE '	GW ELEVATION DATE

Depth, ft bgs	Graphic Log	Visual Description	Analytical Sample Number	Sample Interval	Headspace Values (ppm) PID
1		Brown, silty clay w/ rootlets/vegetation.			
		Red, clay, medium firm, moist.			
2					
3					1.4
4					
5					
		Red, clay, dirm, damp.			
6					
7					1.4
8					
9					1.4
10					
		End of boring at 10' bgs.			

SOIL BORING LOG CLINTON PLACE ADDITION J200956.GPJ BAY WEST BORING LOG TEMPLATE.GDT 12/28/20

Appendix B

Laboratory Analytical Reports

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

December 08, 2020

Erik Nimlos
Bay West LLC
5 Empire Drive
Saint Paul, MN 55103

RE: Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Dear Erik Nimlos:

Enclosed are the analytical results for sample(s) received by the laboratory on November 19, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay
- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Colin Lynch
colin.lynch@pacelabs.com
(612)607-1700
Project Manager

Enclosures

cc: Ryan Riley, Bay West LLC
Jeff Smith, Pace Analytical Services, Inc
Gerrit Vanderwaal

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

CERTIFICATIONS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Pace Analytical Services - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab
A2LA Certification #: 2926.01*
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009*
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014*
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605*
Georgia Certification #: 959
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086*
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064*
Maryland Certification #: 322
Massachusetts DWP Certification #: via MN 027-053-137
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137*
Minnesota Dept of Ag Certifcation #: via MN 027-053-137
Minnesota Petrofund Certification #: 1240*
Mississippi Certification #: MN00064
Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081*
New Jersey Certification #: MN002
New York Certification #: 11647*
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification #: CL101
Oklahoma Certification #: 9507*
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001*
Pennsylvania Certification #: 68-00563*
Puerto Rico Certification #: MN00064
South Carolina Certification #:74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192*
Utah Certification #: MN00064*
Vermont Certification #: VT-027053137
Virginia Certification #: 460163*
Washington Certification #: C486*
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification #: via A2LA 2926.01
USDA Permit #: P330-19-00208
*Please Note: Applicable air certifications are denoted with an asterisk (*).

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150
Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

SAMPLE SUMMARY

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10539907001	**SB-12-SS(0-5)**	Solid	11/18/20 10:05	11/19/20 19:00
10539907002	**SB-12-SS(7.5-10)**	Solid	11/18/20 10:15	11/19/20 19:00
10539907003	**SB-13-SS(0-5)**	Solid	11/18/20 10:40	11/19/20 19:00
10539907004	**SB-13-SS(5-10)**	Solid	11/18/20 10:50	11/19/20 19:00
10539907005	**SB-14-SS(0-5)**	Solid	11/18/20 11:15	11/19/20 19:00
10539907006	**SB-14-SS(7.5-10)**	Solid	11/18/20 11:30	11/19/20 19:00
10539907007	**SB-15-SS(0-5)**	Solid	11/18/20 11:45	11/19/20 19:00
10539907008	**SB-15-SS(7.5-10)**	Solid	11/18/20 11:55	11/19/20 19:00
10539907009	**SB-21-SS(0-5)**	Solid	11/18/20 12:40	11/19/20 19:00
10539907010	**SB-21-SS(7.5-10)**	Solid	11/18/20 12:50	11/19/20 19:00
10539907011	**SB-22-SS(0-5)**	Solid	11/18/20 13:05	11/19/20 19:00
10539907012	**SB-22-SS(7.5-10)**	Solid	11/18/20 13:15	11/19/20 19:00
10539907013	**SB-18-SS(0-5)**	Solid	11/18/20 13:50	11/19/20 19:00
10539907014	**SB-18-SS(7.5-10)**	Solid	11/18/20 14:00	11/19/20 19:00
10539907015	**SB-19-SS(0-5)**	Solid	11/18/20 14:20	11/19/20 19:00
10539907016	**SB-19-SS(7.5-10)**	Solid	11/18/20 14:35	11/19/20 19:00
10539907017	**SB-20-SS(0-5)**	Solid	11/18/20 15:00	11/19/20 19:00
10539907018	**SB-20-SS(7.5-10)**	Solid	11/18/20 15:10	11/19/20 19:00
10539907019	**SB-16-SS(0-5)**	Solid	11/19/20 09:20	11/19/20 19:00
10539907020	**SB-16-SS(7.5-10)**	Solid	11/19/20 09:30	11/19/20 19:00
10539907021	**SB-17-SS(0-5)**	Solid	11/19/20 10:05	11/19/20 19:00
10539907022	**SB-17-SS(7.5-10)**	Solid	11/19/20 10:15	11/19/20 19:00
10539907023	**SB-14-SS(0-5)DUP**	Solid	11/18/20 11:20	11/19/20 19:00
10539907024	**SB-19-SS(0-5)DUP**	Solid	11/18/20 14:25	11/19/20 19:00
10539907025	**TB-01**	Solid	11/18/20 09:45	11/19/20 19:00

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

SAMPLE ANALYTE COUNT

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10539907001	**SB-12-SS(0-5)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	JZ	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907002	**SB-12-SS(7.5-10)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	JZ	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907003	**SB-13-SS(0-5)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	JZ	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907004	**SB-13-SS(5-10)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	JZ	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907005	**SB-14-SS(0-5)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	BTS	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	JZ	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907006	**SB-14-SS(7.5-10)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	JZ	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907007	**SB-15-SS(0-5)**	WI MOD DRO	TT2	2	PASI-M

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

SAMPLE ANALYTE COUNT

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	JZ	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907008	**SB-15-SS(7.5-10)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	BTS	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	JZ	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907009	**SB-21-SS(0-5)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	BTS	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	JZ	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907010	**SB-21-SS(7.5-10)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	JZ	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907011	**SB-22-SS(0-5)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	JZ	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907012	**SB-22-SS(7.5-10)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	JZ	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907013	**SB-18-SS(0-5)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

SAMPLE ANALYTE COUNT

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	JZ	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907014	**SB-18-SS(7.5-10)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	CH3	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907015	**SB-19-SS(0-5)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	CH3	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907016	**SB-19-SS(7.5-10)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	CH3	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907017	**SB-20-SS(0-5)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	CH3	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907018	**SB-20-SS(7.5-10)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	CH3	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907019	**SB-16-SS(0-5)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

SAMPLE ANALYTE COUNT

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	CH3	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907020	**SB-16-SS(7.5-10)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	CH3	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907021	**SB-17-SS(0-5)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	CH3	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907022	**SB-17-SS(7.5-10)**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	CH3	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907023	**SB-14-SS(0-5)DUP**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	BTS	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	CH3	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907024	**SB-19-SS(0-5)DUP**	WI MOD DRO	TT2	2	PASI-M
		EPA 6010D	DCF	7	PASI-M
		EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 8270E by SIM	CH3	18	PASI-M
		EPA 8260	MDS	70	PASI-G
10539907025	**TB-01**	EPA 8260	MDS	70	PASI-G

PASI-G = Pace Analytical Services - Green Bay
PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

PROJECT NARRATIVE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Method: **WI MOD DRO**
Description: WIDRO GCS
Client: Bay West LLC
Date: December 08, 2020

General Information:
24 samples were analyzed for WI MOD DRO by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:
The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:
The samples were prepared in accordance with WI MOD DRO with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):
All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:
All criteria were within method requirements with any exceptions noted below.

Surrogates:
All surrogates were within QC limits with any exceptions noted below.

Method Blank:
All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:
All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:
All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: 712152

T6: High boiling point hydrocarbons are present in the sample.

- SB-13-SS(0-5) (Lab ID: 10539907003)
  - WDRO C10-C28

QC Batch: 712266

T6: High boiling point hydrocarbons are present in the sample.

- SB-14-SS(0-5) (Lab ID: 10539907005)
  - WDRO C10-C28
- SB-14-SS(0-5)DUP (Lab ID: 10539907023)
  - WDRO C10-C28

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

PROJECT NARRATIVE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Method: **EPA 6010D**
Description: 6010D MET ICP
Client: Bay West LLC
Date: December 08, 2020

General Information:
24 samples were analyzed for EPA 6010D by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:
The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:
The samples were prepared in accordance with EPA 3050B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):
All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:
All criteria were within method requirements with any exceptions noted below.

Method Blank:
All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:
All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:
All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 713506

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 10539907001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 3809376)
  - Barium
- MSD (Lab ID: 3809377)
  - Selenium

QC Batch: 713507

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 10539907021

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 3809380)
  - Barium

R1: RPD value was outside control limits.

- MSD (Lab ID: 3809381)
  - Barium

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

PROJECT NARRATIVE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Method: **EPA 6010D**
Description: 6010D MET ICP
Client: Bay West LLC
Date: December 08, 2020

Analyte Comments:

QC Batch: 713506

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- SB-12-SS(0-5) (Lab ID: 10539907001)
  - Silver
  - Cadmium
  - Selenium
- SB-16-SS(7.5-10) (Lab ID: 10539907020)
  - Silver
  - Arsenic
  - Cadmium
  - Selenium
- SB-19-SS(0-5) (Lab ID: 10539907015)
  - Silver
  - Arsenic
  - Cadmium
  - Selenium
- SB-19-SS(7.5-10) (Lab ID: 10539907016)
  - Silver
  - Arsenic
  - Cadmium
  - Selenium
- SB-20-SS(0-5) (Lab ID: 10539907017)
  - Silver
  - Arsenic
  - Cadmium
  - Selenium
- SB-20-SS(7.5-10) (Lab ID: 10539907018)
  - Silver
  - Arsenic
  - Cadmium
  - Selenium
- SB-21-SS(7.5-10) (Lab ID: 10539907010)
  - Silver
  - Arsenic
  - Cadmium
  - Selenium
- SB-22-SS(0-5) (Lab ID: 10539907011)
  - Silver
  - Arsenic
  - Cadmium
  - Selenium

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

PROJECT NARRATIVE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Method: **EPA 6010D**
Description: 6010D MET ICP
Client: Bay West LLC
Date: December 08, 2020

Analyte Comments:

QC Batch: 713507

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- SB-17-SS(0-5) (Lab ID: 10539907021)
  - Silver
  - Arsenic
  - Cadmium
  - Selenium
- SB-17-SS(7.5-10) (Lab ID: 10539907022)
  - Silver
  - Arsenic
  - Cadmium
  - Selenium

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

PROJECT NARRATIVE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Method: **EPA 7471B**
Description: 7471B Mercury
Client: Bay West LLC
Date: December 08, 2020

General Information:
24 samples were analyzed for EPA 7471B by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:
The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:
The samples were prepared in accordance with EPA 7471B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):
All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:
All criteria were within method requirements with any exceptions noted below.

Method Blank:
All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:
All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: 713518

L1: Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.

- LCS (Lab ID: 3809405)
  - Mercury

QC Batch: 713520

L1: Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.

- LCS (Lab ID: 3809413)
  - Mercury

Matrix Spikes:
All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 713518

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 10539907001

M0: Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

- MS (Lab ID: 3809406)
  - Mercury
- MSD (Lab ID: 3809407)
  - Mercury

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

PROJECT NARRATIVE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Method: **EPA 7471B**
Description: 7471B Mercury
Client: Bay West LLC
Date: December 08, 2020

Additional Comments:

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

PROJECT NARRATIVE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Method: **EPA 8270E by SIM**
Description: 8270E MSSV PAH by SIM
Client: Bay West LLC
Date: December 08, 2020

General Information:
24 samples were analyzed for EPA 8270E by SIM by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:
The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:
The samples were prepared in accordance with EPA 3550C with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):
All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:
All criteria were within method requirements with any exceptions noted below.

Internal Standards:
All internal standards were within QC limits with any exceptions noted below.

Surrogates:
All surrogates were within QC limits with any exceptions noted below.

Method Blank:
All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:
All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:
All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

PROJECT NARRATIVE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Method: **EPA 8260**
Description: 8260 MSV Med Level Normal List
Client: Bay West LLC
Date: December 08, 2020

General Information:
25 samples were analyzed for EPA 8260 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:
The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:
The samples were prepared in accordance with EPA 5035/5030B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):
All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:
All criteria were within method requirements with any exceptions noted below.

QC Batch: 372136

v1: The continuing calibration verification was above the method acceptance limit. Any detection for the analyte in the associated samples may have a high bias.

- BLANK (Lab ID: 2152173)
  - 2,2-Dichloropropane
  - Dibromochloromethane
- LCS (Lab ID: 2152174)
  - Dibromochloromethane
- MS (Lab ID: 2152175)
  - Dibromochloromethane
- MSD (Lab ID: 2152176)
  - Dibromochloromethane
- SB-12-SS(0-5) (Lab ID: 10539907001)
  - 2,2-Dichloropropane
  - Dibromochloromethane
- SB-12-SS(7.5-10) (Lab ID: 10539907002)
  - 2,2-Dichloropropane
  - Dibromochloromethane
- SB-13-SS(0-5) (Lab ID: 10539907003)
  - 2,2-Dichloropropane
  - Dibromochloromethane
- SB-13-SS(5-10) (Lab ID: 10539907004)
  - 2,2-Dichloropropane
  - Dibromochloromethane
- SB-14-SS(0-5) (Lab ID: 10539907005)
  - 2,2-Dichloropropane
  - Dibromochloromethane
- SB-14-SS(7.5-10) (Lab ID: 10539907006)

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

PROJECT NARRATIVE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Method: **EPA 8260**
Description: 8260 MSV Med Level Normal List
Client: Bay West LLC
Date: December 08, 2020

QC Batch: 372136

v1: The continuing calibration verification was above the method acceptance limit. Any detection for the analyte in the associated samples may have a high bias.

- 2,2-Dichloropropane
- Dibromochloromethane

- SB-15-SS(0-5) (Lab ID: 10539907007)
  - 2,2-Dichloropropane
  - Dibromochloromethane
- SB-15-SS(7.5-10) (Lab ID: 10539907008)
  - 2,2-Dichloropropane
  - Dibromochloromethane
- SB-18-SS(0-5) (Lab ID: 10539907013)
  - 2,2-Dichloropropane
  - Dibromochloromethane
- SB-21-SS(0-5) (Lab ID: 10539907009)
  - 2,2-Dichloropropane
  - Dibromochloromethane
- SB-21-SS(7.5-10) (Lab ID: 10539907010)
  - 2,2-Dichloropropane
  - Dibromochloromethane
- SB-22-SS(0-5) (Lab ID: 10539907011)
  - 2,2-Dichloropropane
  - Dibromochloromethane
- SB-22-SS(7.5-10) (Lab ID: 10539907012)
  - 2,2-Dichloropropane
  - Dibromochloromethane

v2: The continuing calibration verification was below the method acceptance limit. The analyte was not detected in the associated samples and the sensitivity of the instrument was verified with a reporting limit check standard.

- BLANK (Lab ID: 2152173)
  - 1,1,2-Trichlorotrifluoroethane
  - Bromomethane
  - Chloroethane
  - Dichlorodifluoromethane
- SB-12-SS(0-5) (Lab ID: 10539907001)
  - 1,1,2-Trichlorotrifluoroethane
  - Bromomethane
  - Chloroethane
  - Dichlorodifluoromethane
- SB-12-SS(7.5-10) (Lab ID: 10539907002)
  - 1,1,2-Trichlorotrifluoroethane
  - Bromomethane
  - Chloroethane
  - Dichlorodifluoromethane
- SB-13-SS(0-5) (Lab ID: 10539907003)
  - 1,1,2-Trichlorotrifluoroethane
  - Bromomethane

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

PROJECT NARRATIVE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Method: **EPA 8260**
Description: 8260 MSV Med Level Normal List
Client: Bay West LLC
Date: December 08, 2020

QC Batch: 372136

v2: The continuing calibration verification was below the method acceptance limit. The analyte was not detected in the associated samples and the sensitivity of the instrument was verified with a reporting limit check standard.

- Chloroethane
- Dichlorodifluoromethane

- SB-13-SS(5-10) (Lab ID: 10539907004)
  - 1,1,2-Trichlorotrifluoroethane
  - Bromomethane
  - Chloroethane
  - Dichlorodifluoromethane
- SB-14-SS(0-5) (Lab ID: 10539907005)
  - 1,1,2-Trichlorotrifluoroethane
  - Bromomethane
  - Chloroethane
  - Dichlorodifluoromethane
- SB-14-SS(7.5-10) (Lab ID: 10539907006)
  - 1,1,2-Trichlorotrifluoroethane
  - Bromomethane
  - Chloroethane
  - Dichlorodifluoromethane
- SB-15-SS(0-5) (Lab ID: 10539907007)
  - 1,1,2-Trichlorotrifluoroethane
  - Bromomethane
  - Chloroethane
  - Dichlorodifluoromethane
- SB-15-SS(7.5-10) (Lab ID: 10539907008)
  - 1,1,2-Trichlorotrifluoroethane
  - Bromomethane
  - Chloroethane
  - Dichlorodifluoromethane
- SB-18-SS(0-5) (Lab ID: 10539907013)
  - 1,1,2-Trichlorotrifluoroethane
  - Bromomethane
  - Chloroethane
  - Dichlorodifluoromethane
- SB-21-SS(0-5) (Lab ID: 10539907009)
  - 1,1,2-Trichlorotrifluoroethane
  - Bromomethane
  - Chloroethane
  - Dichlorodifluoromethane
- SB-21-SS(7.5-10) (Lab ID: 10539907010)
  - 1,1,2-Trichlorotrifluoroethane
  - Bromomethane
  - Chloroethane
  - Dichlorodifluoromethane
- SB-22-SS(0-5) (Lab ID: 10539907011)

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

PROJECT NARRATIVE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Method: **EPA 8260**
Description: 8260 MSV Med Level Normal List
Client: Bay West LLC
Date: December 08, 2020

QC Batch: 372136

v2: The continuing calibration verification was below the method acceptance limit. The analyte was not detected in the associated samples and the sensitivity of the instrument was verified with a reporting limit check standard.

- 1,1,2-Trichlorotrifluoroethane
- Bromomethane
- Chloroethane
- Dichlorodifluoromethane

- SB-22-SS(7.5-10) (Lab ID: 10539907012)
  - 1,1,2-Trichlorotrifluoroethane
  - Bromomethane
  - Chloroethane
  - Dichlorodifluoromethane

v3: The continuing calibration verification was below the method acceptance limit. Any detection for the analyte in the associated samples may have a low bias.

- LCS (Lab ID: 2152174)
  - 1,1,2-Trichlorotrifluoroethane
  - Bromomethane
  - Chloroethane
  - Dichlorodifluoromethane
- MS (Lab ID: 2152175)
  - 1,1,2-Trichlorotrifluoroethane
  - Bromomethane
  - Chloroethane
  - Dichlorodifluoromethane
- MSD (Lab ID: 2152176)
  - 1,1,2-Trichlorotrifluoroethane
  - Bromomethane
  - Chloroethane
  - Dichlorodifluoromethane

QC Batch: 372394

v1: The continuing calibration verification was above the method acceptance limit. Any detection for the analyte in the associated samples may have a high bias.

- BLANK (Lab ID: 2153115)
  - Acetone
  - Dibromochloromethane
- LCS (Lab ID: 2153116)
  - Dibromochloromethane
- MS (Lab ID: 2153117)
  - Dibromochloromethane
- MSD (Lab ID: 2153118)
  - Dibromochloromethane
- SB-14-SS(0-5)DUP (Lab ID: 10539907023)
  - Acetone
  - Dibromochloromethane
- SB-16-SS(0-5) (Lab ID: 10539907019)
  - Acetone

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

PROJECT NARRATIVE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Method: **EPA 8260**
Description: 8260 MSV Med Level Normal List
Client: Bay West LLC
Date: December 08, 2020

QC Batch: 372394

v1: The continuing calibration verification was above the method acceptance limit. Any detection for the analyte in the associated samples may have a high bias.

- Dibromochloromethane
- SB-16-SS(7.5-10) (Lab ID: 10539907020)
  - Acetone
  - Dibromochloromethane
- SB-17-SS(0-5) (Lab ID: 10539907021)
  - Acetone
  - Dibromochloromethane
- SB-17-SS(7.5-10) (Lab ID: 10539907022)
  - Acetone
  - Dibromochloromethane
- SB-18-SS(7.5-10) (Lab ID: 10539907014)
  - Acetone
  - Dibromochloromethane
- SB-19-SS(0-5) (Lab ID: 10539907015)
  - Acetone
  - Dibromochloromethane
- SB-19-SS(0-5)DUP (Lab ID: 10539907024)
  - Acetone
  - Dibromochloromethane
- SB-19-SS(7.5-10) (Lab ID: 10539907016)
  - Acetone
  - Dibromochloromethane
- SB-20-SS(0-5) (Lab ID: 10539907017)
  - Acetone
  - Dibromochloromethane
- SB-20-SS(7.5-10) (Lab ID: 10539907018)
  - Acetone
  - Dibromochloromethane
- TB-01 (Lab ID: 10539907025)
  - Acetone
  - Dibromochloromethane

v2: The continuing calibration verification was below the method acceptance limit. The analyte was not detected in the associated samples and the sensitivity of the instrument was verified with a reporting limit check standard.

- BLANK (Lab ID: 2153115)
  - Bromomethane
  - Chloroethane
- SB-14-SS(0-5)DUP (Lab ID: 10539907023)
  - Bromomethane
  - Chloroethane
- SB-16-SS(0-5) (Lab ID: 10539907019)
  - Bromomethane
  - Chloroethane
- SB-16-SS(7.5-10) (Lab ID: 10539907020)

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

PROJECT NARRATIVE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Method: **EPA 8260**
Description: 8260 MSV Med Level Normal List
Client: Bay West LLC
Date: December 08, 2020

QC Batch: 372394

v2: The continuing calibration verification was below the method acceptance limit. The analyte was not detected in the associated samples and the sensitivity of the instrument was verified with a reporting limit check standard.

- Bromomethane
- Chloroethane
- SB-17-SS(0-5) (Lab ID: 10539907021)
  - Bromomethane
  - Chloroethane
- SB-17-SS(7.5-10) (Lab ID: 10539907022)
  - Bromomethane
  - Chloroethane
- SB-18-SS(7.5-10) (Lab ID: 10539907014)
  - Bromomethane
  - Chloroethane
- SB-19-SS(0-5) (Lab ID: 10539907015)
  - Bromomethane
  - Chloroethane
- SB-19-SS(0-5)DUP (Lab ID: 10539907024)
  - Bromomethane
  - Chloroethane
- SB-19-SS(7.5-10) (Lab ID: 10539907016)
  - Bromomethane
  - Chloroethane
- SB-20-SS(0-5) (Lab ID: 10539907017)
  - Bromomethane
  - Chloroethane
- SB-20-SS(7.5-10) (Lab ID: 10539907018)
  - Bromomethane
  - Chloroethane
- TB-01 (Lab ID: 10539907025)
  - Bromomethane
  - Chloroethane

v3: The continuing calibration verification was below the method acceptance limit. Any detection for the analyte in the associated samples may have a low bias.

- LCS (Lab ID: 2153116)
  - Bromomethane
  - Chloroethane
- MS (Lab ID: 2153117)
  - Bromomethane
  - Chloroethane
- MSD (Lab ID: 2153118)
  - Bromomethane
  - Chloroethane
- SB-16-SS(0-5) (Lab ID: 10539907019)
  - Bromomethane
  - Chloroethane

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

PROJECT NARRATIVE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Method: **EPA 8260**
Description: 8260 MSV Med Level Normal List
Client: Bay West LLC
Date: December 08, 2020

Internal Standards:
All internal standards were within QC limits with any exceptions noted below.

Surrogates:
All surrogates were within QC limits with any exceptions noted below.

Method Blank:
All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:
All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:
All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-12-SS(0-5) **Lab ID: 10539907001** Collected: 11/18/20 10:05 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**11.0J**	mg/kg	11.0	2.9	1	11/20/20 07:09	11/23/20 20:55		
Surrogates									
n-Triacontane (S)	101	%.	50-150		1	11/20/20 07:09	11/23/20 20:55	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**2.6**	mg/kg	2.4	0.49	2	12/01/20 15:30	12/03/20 11:08	7440-38-2	
Barium	**167**	mg/kg	1.2	0.19	2	12/01/20 15:30	12/03/20 11:08	7440-39-3	M1
Cadmium	**<0.36**	mg/kg	0.36	0.071	2	12/01/20 15:30	12/03/20 11:08	7440-43-9	D3
Chromium	**37.8**	mg/kg	1.2	0.24	2	12/01/20 15:30	12/03/20 11:08	7440-47-3	
Lead	**14.7**	mg/kg	1.2	0.27	2	12/01/20 15:30	12/03/20 11:08	7439-92-1	
Selenium	**<2.4**	mg/kg	2.4	0.78	2	12/01/20 15:30	12/03/20 11:08	7782-49-2	D3,M1
Silver	**<1.2**	mg/kg	1.2	0.086	2	12/01/20 15:30	12/03/20 11:08	7440-22-4	D3
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**<0.024**	mg/kg	0.024	0.0098	1	12/01/20 18:45	12/03/20 16:58	7439-97-6	L1,M0
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**20.6**	%	0.10	0.10	1		11/23/20 12:13		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<12.5**	ug/kg	12.5	0.56	1	11/20/20 10:40	11/24/20 15:03	83-32-9	
Acenaphthylene	**<12.5**	ug/kg	12.5	0.86	1	11/20/20 10:40	11/24/20 15:03	208-96-8	
Anthracene	**<12.5**	ug/kg	12.5	0.40	1	11/20/20 10:40	11/24/20 15:03	120-12-7	
Benzo(a)anthracene	**0.56J**	ug/kg	12.5	0.52	1	11/20/20 10:40	11/24/20 15:03	56-55-3	
Benzo(a)pyrene	**<12.5**	ug/kg	12.5	0.70	1	11/20/20 10:40	11/24/20 15:03	50-32-8	
Benzo(b)fluoranthene	**<12.5**	ug/kg	12.5	0.58	1	11/20/20 10:40	11/24/20 15:03	205-99-2	
Benzo(g,h,i)perylene	**<12.5**	ug/kg	12.5	0.58	1	11/20/20 10:40	11/24/20 15:03	191-24-2	
Benzo(k)fluoranthene	**<12.5**	ug/kg	12.5	0.60	1	11/20/20 10:40	11/24/20 15:03	207-08-9	
Chrysene	**<12.5**	ug/kg	12.5	0.50	1	11/20/20 10:40	11/24/20 15:03	218-01-9	
Dibenz(a,h)anthracene	**<12.5**	ug/kg	12.5	0.82	1	11/20/20 10:40	11/24/20 15:03	53-70-3	
Fluoranthene	**<12.5**	ug/kg	12.5	0.76	1	11/20/20 10:40	11/24/20 15:03	206-44-0	
Fluorene	**<12.5**	ug/kg	12.5	0.75	1	11/20/20 10:40	11/24/20 15:03	86-73-7	
Indeno(1,2,3-cd)pyrene	**<12.5**	ug/kg	12.5	0.67	1	11/20/20 10:40	11/24/20 15:03	193-39-5	
Naphthalene	**<12.5**	ug/kg	12.5	0.56	1	11/20/20 10:40	11/24/20 15:03	91-20-3	
Phenanthrene	**<12.5**	ug/kg	12.5	0.88	1	11/20/20 10:40	11/24/20 15:03	85-01-8	
Pyrene	**<12.5**	ug/kg	12.5	0.81	1	11/20/20 10:40	11/24/20 15:03	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	59	%.	30-138		1	11/20/20 10:40	11/24/20 15:03	321-60-8	
p-Terphenyl-d14 (S)	59	%.	30-143		1	11/20/20 10:40	11/24/20 15:03	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-12-SS(0-5) **Lab ID: 10539907001** Collected: 11/18/20 10:05 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<63.0**	ug/kg	63.0	15.1	1	11/23/20 08:30	11/23/20 15:12	630-20-6	
1,1,1-Trichloroethane	**<63.0**	ug/kg	63.0	16.1	1	11/23/20 08:30	11/23/20 15:12	71-55-6	
1,1,2,2-Tetrachloroethane	**<63.0**	ug/kg	63.0	22.8	1	11/23/20 08:30	11/23/20 15:12	79-34-5	
1,1,2-Trichloroethane	**<63.0**	ug/kg	63.0	22.9	1	11/23/20 08:30	11/23/20 15:12	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<63.0**	ug/kg	63.0	20.5	1	11/23/20 08:30	11/23/20 15:12	76-13-1	v2
1,1-Dichloroethane	**<63.0**	ug/kg	63.0	16.1	1	11/23/20 08:30	11/23/20 15:12	75-34-3	
1,1-Dichloroethene	**<63.0**	ug/kg	63.0	20.9	1	11/23/20 08:30	11/23/20 15:12	75-35-4	
1,1-Dichloropropene	**<63.0**	ug/kg	63.0	20.4	1	11/23/20 08:30	11/23/20 15:12	563-58-6	
1,2,3-Trichlorobenzene	**<315**	ug/kg	315	70.2	1	11/23/20 08:30	11/23/20 15:12	87-61-6	
1,2,3-Trichloropropane	**<63.0**	ug/kg	63.0	30.6	1	11/23/20 08:30	11/23/20 15:12	96-18-4	
1,2,4-Trichlorobenzene	**<315**	ug/kg	315	51.9	1	11/23/20 08:30	11/23/20 15:12	120-82-1	
1,2,4-Trimethylbenzene	**<63.0**	ug/kg	63.0	18.8	1	11/23/20 08:30	11/23/20 15:12	95-63-6	
1,2-Dibromo-3-chloropropane	**<315**	ug/kg	315	48.9	1	11/23/20 08:30	11/23/20 15:12	96-12-8	
1,2-Dibromoethane (EDB)	**<63.0**	ug/kg	63.0	17.3	1	11/23/20 08:30	11/23/20 15:12	106-93-4	
1,2-Dichlorobenzene	**<63.0**	ug/kg	63.0	19.5	1	11/23/20 08:30	11/23/20 15:12	95-50-1	
1,2-Dichloroethane	**<63.0**	ug/kg	63.0	14.5	1	11/23/20 08:30	11/23/20 15:12	107-06-2	
1,2-Dichloropropane	**<63.0**	ug/kg	63.0	15.0	1	11/23/20 08:30	11/23/20 15:12	78-87-5	
1,3,5-Trimethylbenzene	**<63.0**	ug/kg	63.0	20.3	1	11/23/20 08:30	11/23/20 15:12	108-67-8	
1,3-Dichlorobenzene	**<63.0**	ug/kg	63.0	17.3	1	11/23/20 08:30	11/23/20 15:12	541-73-1	
1,3-Dichloropropane	**<63.0**	ug/kg	63.0	13.7	1	11/23/20 08:30	11/23/20 15:12	142-28-9	
1,4-Dichlorobenzene	**<63.0**	ug/kg	63.0	17.3	1	11/23/20 08:30	11/23/20 15:12	106-46-7	
2,2-Dichloropropane	**<63.0**	ug/kg	63.0	17.0	1	11/23/20 08:30	11/23/20 15:12	594-20-7	v1
2-Butanone (MEK)	**<1570**	ug/kg	1570	199	1	11/23/20 08:30	11/23/20 15:12	78-93-3	
2-Chlorotoluene	**<63.0**	ug/kg	63.0	20.4	1	11/23/20 08:30	11/23/20 15:12	95-49-8	
4-Chlorotoluene	**<63.0**	ug/kg	63.0	23.9	1	11/23/20 08:30	11/23/20 15:12	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1570**	ug/kg	1570	921	1	11/23/20 08:30	11/23/20 15:12	108-10-1	
Acetone	**<1570**	ug/kg	1570	166	1	11/23/20 08:30	11/23/20 15:12	67-64-1	
Allyl chloride	**<315**	ug/kg	315	59.5	1	11/23/20 08:30	11/23/20 15:12	107-05-1	
Benzene	**<25.2**	ug/kg	25.2	15.0	1	11/23/20 08:30	11/23/20 15:12	71-43-2	
Bromobenzene	**<63.0**	ug/kg	63.0	24.6	1	11/23/20 08:30	11/23/20 15:12	108-86-1	
Bromochloromethane	**<63.0**	ug/kg	63.0	17.3	1	11/23/20 08:30	11/23/20 15:12	74-97-5	
Bromodichloromethane	**<63.0**	ug/kg	63.0	15.0	1	11/23/20 08:30	11/23/20 15:12	75-27-4	
Bromoform	**<315**	ug/kg	315	277	1	11/23/20 08:30	11/23/20 15:12	75-25-2	
Bromomethane	**<315**	ug/kg	315	88.3	1	11/23/20 08:30	11/23/20 15:12	74-83-9	v2
Carbon tetrachloride	**<63.0**	ug/kg	63.0	13.9	1	11/23/20 08:30	11/23/20 15:12	56-23-5	
Chlorobenzene	**<63.0**	ug/kg	63.0	7.5	1	11/23/20 08:30	11/23/20 15:12	108-90-7	
Chloroethane	**<315**	ug/kg	315	26.6	1	11/23/20 08:30	11/23/20 15:12	75-00-3	v2
Chloroform	**<315**	ug/kg	315	45.1	1	11/23/20 08:30	11/23/20 15:12	67-66-3	
Chloromethane	**<63.0**	ug/kg	63.0	23.9	1	11/23/20 08:30	11/23/20 15:12	74-87-3	
Dibromochloromethane	**<315**	ug/kg	315	215	1	11/23/20 08:30	11/23/20 15:12	124-48-1	v1
Dibromomethane	**<63.0**	ug/kg	63.0	18.6	1	11/23/20 08:30	11/23/20 15:12	74-95-3	
Dichlorodifluoromethane	**<63.0**	ug/kg	63.0	27.1	1	11/23/20 08:30	11/23/20 15:12	75-71-8	v2
Dichlorofluoromethane	**<63.0**	ug/kg	63.0	17.8	1	11/23/20 08:30	11/23/20 15:12	75-43-4	
Diethyl ether (Ethyl ether)	**<63.0**	ug/kg	63.0	19.5	1	11/23/20 08:30	11/23/20 15:12	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-12-SS(0-5) **Lab ID: 10539907001** Collected: 11/18/20 10:05 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<63.0**	ug/kg	63.0	15.0	1	11/23/20 08:30	11/23/20 15:12	100-41-4	
Hexachloro-1,3-butadiene	**<315**	ug/kg	315	125	1	11/23/20 08:30	11/23/20 15:12	87-68-3	
Isopropylbenzene (Cumene)	**<63.0**	ug/kg	63.0	17.0	1	11/23/20 08:30	11/23/20 15:12	98-82-8	
Methyl-tert-butyl ether	**<63.0**	ug/kg	63.0	18.5	1	11/23/20 08:30	11/23/20 15:12	1634-04-4	
Methylene Chloride	**<63.0**	ug/kg	63.0	17.5	1	11/23/20 08:30	11/23/20 15:12	75-09-2	
Naphthalene	**<315**	ug/kg	315	19.7	1	11/23/20 08:30	11/23/20 15:12	91-20-3	
Styrene	**<63.0**	ug/kg	63.0	16.1	1	11/23/20 08:30	11/23/20 15:12	100-42-5	
Tetrachloroethene	**<63.0**	ug/kg	63.0	24.4	1	11/23/20 08:30	11/23/20 15:12	127-18-4	
Tetrahydrofuran	**<315**	ug/kg	315	99.3	1	11/23/20 08:30	11/23/20 15:12	109-99-9	
Toluene	**<63.0**	ug/kg	63.0	15.9	1	11/23/20 08:30	11/23/20 15:12	108-88-3	
Trichloroethene	**<63.0**	ug/kg	63.0	23.6	1	11/23/20 08:30	11/23/20 15:12	79-01-6	
Trichlorofluoromethane	**<63.0**	ug/kg	63.0	18.3	1	11/23/20 08:30	11/23/20 15:12	75-69-4	
Vinyl chloride	**<63.0**	ug/kg	63.0	12.7	1	11/23/20 08:30	11/23/20 15:12	75-01-4	
Xylene (Total)	**<189**	ug/kg	189	45.5	1	11/23/20 08:30	11/23/20 15:12	1330-20-7	
cis-1,2-Dichloroethene	**<63.0**	ug/kg	63.0	13.5	1	11/23/20 08:30	11/23/20 15:12	156-59-2	
cis-1,3-Dichloropropene	**<315**	ug/kg	315	41.6	1	11/23/20 08:30	11/23/20 15:12	10061-01-5	
n-Butylbenzene	**<63.0**	ug/kg	63.0	28.8	1	11/23/20 08:30	11/23/20 15:12	104-51-8	
n-Propylbenzene	**<63.0**	ug/kg	63.0	15.1	1	11/23/20 08:30	11/23/20 15:12	103-65-1	
p-Isopropyltoluene	**<63.0**	ug/kg	63.0	19.1	1	11/23/20 08:30	11/23/20 15:12	99-87-6	
sec-Butylbenzene	**<63.0**	ug/kg	63.0	15.4	1	11/23/20 08:30	11/23/20 15:12	135-98-8	
tert-Butylbenzene	**<63.0**	ug/kg	63.0	19.8	1	11/23/20 08:30	11/23/20 15:12	98-06-6	
trans-1,2-Dichloroethene	**<63.0**	ug/kg	63.0	13.6	1	11/23/20 08:30	11/23/20 15:12	156-60-5	
trans-1,3-Dichloropropene	**<315**	ug/kg	315	180	1	11/23/20 08:30	11/23/20 15:12	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	84	%	58-145		1	11/23/20 08:30	11/23/20 15:12	1868-53-7	
Toluene-d8 (S)	90	%	56-140		1	11/23/20 08:30	11/23/20 15:12	2037-26-5	
4-Bromofluorobenzene (S)	89	%	52-137		1	11/23/20 08:30	11/23/20 15:12	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-12-SS(7.5-10) **Lab ID: 10539907002** Collected: 11/18/20 10:15 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**<10.4**	mg/kg	10.4	2.8	1	11/20/20 07:09	11/23/20 21:38		
Surrogates									
n-Triacontane (S)	100	%.	50-150		1	11/20/20 07:09	11/23/20 21:38	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**1.9**	mg/kg	1.2	0.25	1	12/01/20 15:30	12/02/20 15:08	7440-38-2	
Barium	**132**	mg/kg	0.62	0.098	1	12/01/20 15:30	12/02/20 15:08	7440-39-3	
Cadmium	**<0.19**	mg/kg	0.19	0.037	1	12/01/20 15:30	12/02/20 15:08	7440-43-9	
Chromium	**37.5**	mg/kg	0.62	0.12	1	12/01/20 15:30	12/02/20 15:08	7440-47-3	
Lead	**9.6**	mg/kg	0.62	0.14	1	12/01/20 15:30	12/02/20 15:08	7439-92-1	
Selenium	**<1.2**	mg/kg	1.2	0.41	1	12/01/20 15:30	12/02/20 15:08	7782-49-2	
Silver	**<0.62**	mg/kg	0.62	0.045	1	12/01/20 15:30	12/02/20 15:08	7440-22-4	
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**0.011J**	mg/kg	0.025	0.010	1	12/01/20 18:45	12/03/20 17:03	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**25.4**	%	0.10	0.10	1		12/04/20 14:15		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<13.4**	ug/kg	13.4	0.60	1	11/20/20 10:40	11/24/20 15:26	83-32-9	
Acenaphthylene	**<13.4**	ug/kg	13.4	0.91	1	11/20/20 10:40	11/24/20 15:26	208-96-8	
Anthracene	**<13.4**	ug/kg	13.4	0.42	1	11/20/20 10:40	11/24/20 15:26	120-12-7	
Benzo(a)anthracene	**0.84J**	ug/kg	13.4	0.55	1	11/20/20 10:40	11/24/20 15:26	56-55-3	
Benzo(a)pyrene	**<13.4**	ug/kg	13.4	0.75	1	11/20/20 10:40	11/24/20 15:26	50-32-8	
Benzo(b)fluoranthene	**1.4J**	ug/kg	13.4	0.62	1	11/20/20 10:40	11/24/20 15:26	205-99-2	
Benzo(g,h,i)perylene	**<13.4**	ug/kg	13.4	0.62	1	11/20/20 10:40	11/24/20 15:26	191-24-2	
Benzo(k)fluoranthene	**<13.4**	ug/kg	13.4	0.64	1	11/20/20 10:40	11/24/20 15:26	207-08-9	
Chrysene	**0.75J**	ug/kg	13.4	0.54	1	11/20/20 10:40	11/24/20 15:26	218-01-9	
Dibenz(a,h)anthracene	**<13.4**	ug/kg	13.4	0.88	1	11/20/20 10:40	11/24/20 15:26	53-70-3	
Fluoranthene	**1.2J**	ug/kg	13.4	0.81	1	11/20/20 10:40	11/24/20 15:26	206-44-0	
Fluorene	**<13.4**	ug/kg	13.4	0.80	1	11/20/20 10:40	11/24/20 15:26	86-73-7	
Indeno(1,2,3-cd)pyrene	**<13.4**	ug/kg	13.4	0.72	1	11/20/20 10:40	11/24/20 15:26	193-39-5	
Naphthalene	**<13.4**	ug/kg	13.4	0.60	1	11/20/20 10:40	11/24/20 15:26	91-20-3	
Phenanthrene	**<13.4**	ug/kg	13.4	0.94	1	11/20/20 10:40	11/24/20 15:26	85-01-8	
Pyrene	**0.98J**	ug/kg	13.4	0.86	1	11/20/20 10:40	11/24/20 15:26	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	63	%.	30-138		1	11/20/20 10:40	11/24/20 15:26	321-60-8	
p-Terphenyl-d14 (S)	58	%.	30-143		1	11/20/20 10:40	11/24/20 15:26	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-12-SS(7.5-10) **Lab ID: 10539907002** Collected: 11/18/20 10:15 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<67.1**	ug/kg	67.1	16.1	1	11/23/20 08:30	11/23/20 15:34	630-20-6	
1,1,1-Trichloroethane	**<67.1**	ug/kg	67.1	17.2	1	11/23/20 08:30	11/23/20 15:34	71-55-6	
1,1,2,2-Tetrachloroethane	**<67.1**	ug/kg	67.1	24.3	1	11/23/20 08:30	11/23/20 15:34	79-34-5	
1,1,2-Trichloroethane	**<67.1**	ug/kg	67.1	24.4	1	11/23/20 08:30	11/23/20 15:34	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<67.1**	ug/kg	67.1	21.9	1	11/23/20 08:30	11/23/20 15:34	76-13-1	v2
1,1-Dichloroethane	**<67.1**	ug/kg	67.1	17.2	1	11/23/20 08:30	11/23/20 15:34	75-34-3	
1,1-Dichloroethene	**<67.1**	ug/kg	67.1	22.3	1	11/23/20 08:30	11/23/20 15:34	75-35-4	
1,1-Dichloropropene	**<67.1**	ug/kg	67.1	21.7	1	11/23/20 08:30	11/23/20 15:34	563-58-6	
1,2,3-Trichlorobenzene	**<335**	ug/kg	335	74.7	1	11/23/20 08:30	11/23/20 15:34	87-61-6	
1,2,3-Trichloropropane	**<67.1**	ug/kg	67.1	32.6	1	11/23/20 08:30	11/23/20 15:34	96-18-4	
1,2,4-Trichlorobenzene	**<335**	ug/kg	335	55.2	1	11/23/20 08:30	11/23/20 15:34	120-82-1	
1,2,4-Trimethylbenzene	**<67.1**	ug/kg	67.1	20.0	1	11/23/20 08:30	11/23/20 15:34	95-63-6	
1,2-Dibromo-3-chloropropane	**<335**	ug/kg	335	52.0	1	11/23/20 08:30	11/23/20 15:34	96-12-8	
1,2-Dibromoethane (EDB)	**<67.1**	ug/kg	67.1	18.4	1	11/23/20 08:30	11/23/20 15:34	106-93-4	
1,2-Dichlorobenzene	**<67.1**	ug/kg	67.1	20.8	1	11/23/20 08:30	11/23/20 15:34	95-50-1	
1,2-Dichloroethane	**<67.1**	ug/kg	67.1	15.4	1	11/23/20 08:30	11/23/20 15:34	107-06-2	
1,2-Dichloropropane	**<67.1**	ug/kg	67.1	16.0	1	11/23/20 08:30	11/23/20 15:34	78-87-5	
1,3,5-Trimethylbenzene	**<67.1**	ug/kg	67.1	21.6	1	11/23/20 08:30	11/23/20 15:34	108-67-8	
1,3-Dichlorobenzene	**<67.1**	ug/kg	67.1	18.4	1	11/23/20 08:30	11/23/20 15:34	541-73-1	
1,3-Dichloropropane	**<67.1**	ug/kg	67.1	14.6	1	11/23/20 08:30	11/23/20 15:34	142-28-9	
1,4-Dichlorobenzene	**<67.1**	ug/kg	67.1	18.4	1	11/23/20 08:30	11/23/20 15:34	106-46-7	
2,2-Dichloropropane	**<67.1**	ug/kg	67.1	18.1	1	11/23/20 08:30	11/23/20 15:34	594-20-7	v1
2-Butanone (MEK)	**<1680**	ug/kg	1680	212	1	11/23/20 08:30	11/23/20 15:34	78-93-3	
2-Chlorotoluene	**<67.1**	ug/kg	67.1	21.7	1	11/23/20 08:30	11/23/20 15:34	95-49-8	
4-Chlorotoluene	**<67.1**	ug/kg	67.1	25.5	1	11/23/20 08:30	11/23/20 15:34	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1680**	ug/kg	1680	981	1	11/23/20 08:30	11/23/20 15:34	108-10-1	
Acetone	**<1680**	ug/kg	1680	177	1	11/23/20 08:30	11/23/20 15:34	67-64-1	
Allyl chloride	**<335**	ug/kg	335	63.3	1	11/23/20 08:30	11/23/20 15:34	107-05-1	
Benzene	**<26.8**	ug/kg	26.8	16.0	1	11/23/20 08:30	11/23/20 15:34	71-43-2	
Bromobenzene	**<67.1**	ug/kg	67.1	26.1	1	11/23/20 08:30	11/23/20 15:34	108-86-1	
Bromochloromethane	**<67.1**	ug/kg	67.1	18.4	1	11/23/20 08:30	11/23/20 15:34	74-97-5	
Bromodichloromethane	**<67.1**	ug/kg	67.1	16.0	1	11/23/20 08:30	11/23/20 15:34	75-27-4	
Bromoform	**<335**	ug/kg	335	295	1	11/23/20 08:30	11/23/20 15:34	75-25-2	
Bromomethane	**<335**	ug/kg	335	94.0	1	11/23/20 08:30	11/23/20 15:34	74-83-9	v2
Carbon tetrachloride	**<67.1**	ug/kg	67.1	14.8	1	11/23/20 08:30	11/23/20 15:34	56-23-5	
Chlorobenzene	**<67.1**	ug/kg	67.1	8.0	1	11/23/20 08:30	11/23/20 15:34	108-90-7	
Chloroethane	**<335**	ug/kg	335	28.3	1	11/23/20 08:30	11/23/20 15:34	75-00-3	v2
Chloroform	**<335**	ug/kg	335	48.0	1	11/23/20 08:30	11/23/20 15:34	67-66-3	
Chloromethane	**<67.1**	ug/kg	67.1	25.5	1	11/23/20 08:30	11/23/20 15:34	74-87-3	
Dibromochloromethane	**<335**	ug/kg	335	229	1	11/23/20 08:30	11/23/20 15:34	124-48-1	v1
Dibromomethane	**<67.1**	ug/kg	67.1	19.8	1	11/23/20 08:30	11/23/20 15:34	74-95-3	
Dichlorodifluoromethane	**<67.1**	ug/kg	67.1	28.8	1	11/23/20 08:30	11/23/20 15:34	75-71-8	v2
Dichlorofluoromethane	**<67.1**	ug/kg	67.1	18.9	1	11/23/20 08:30	11/23/20 15:34	75-43-4	
Diethyl ether (Ethyl ether)	**<67.1**	ug/kg	67.1	20.8	1	11/23/20 08:30	11/23/20 15:34	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-12-SS(7.5-10) **Lab ID: 10539907002** Collected: 11/18/20 10:15 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<67.1**	ug/kg	67.1	16.0	1	11/23/20 08:30	11/23/20 15:34	100-41-4	
Hexachloro-1,3-butadiene	**<335**	ug/kg	335	133	1	11/23/20 08:30	11/23/20 15:34	87-68-3	
Isopropylbenzene (Cumene)	**<67.1**	ug/kg	67.1	18.1	1	11/23/20 08:30	11/23/20 15:34	98-82-8	
Methyl-tert-butyl ether	**<67.1**	ug/kg	67.1	19.7	1	11/23/20 08:30	11/23/20 15:34	1634-04-4	
Methylene Chloride	**<67.1**	ug/kg	67.1	18.6	1	11/23/20 08:30	11/23/20 15:34	75-09-2	
Naphthalene	**<335**	ug/kg	335	20.9	1	11/23/20 08:30	11/23/20 15:34	91-20-3	
Styrene	**<67.1**	ug/kg	67.1	17.2	1	11/23/20 08:30	11/23/20 15:34	100-42-5	
Tetrachloroethene	**<67.1**	ug/kg	67.1	26.0	1	11/23/20 08:30	11/23/20 15:34	127-18-4	
Tetrahydrofuran	**<335**	ug/kg	335	106	1	11/23/20 08:30	11/23/20 15:34	109-99-9	
Toluene	**<67.1**	ug/kg	67.1	16.9	1	11/23/20 08:30	11/23/20 15:34	108-88-3	
Trichloroethene	**<67.1**	ug/kg	67.1	25.1	1	11/23/20 08:30	11/23/20 15:34	79-01-6	
Trichlorofluoromethane	**<67.1**	ug/kg	67.1	19.4	1	11/23/20 08:30	11/23/20 15:34	75-69-4	
Vinyl chloride	**<67.1**	ug/kg	67.1	13.5	1	11/23/20 08:30	11/23/20 15:34	75-01-4	
Xylene (Total)	**<201**	ug/kg	201	48.4	1	11/23/20 08:30	11/23/20 15:34	1330-20-7	
cis-1,2-Dichloroethene	**<67.1**	ug/kg	67.1	14.3	1	11/23/20 08:30	11/23/20 15:34	156-59-2	
cis-1,3-Dichloropropene	**<335**	ug/kg	335	44.3	1	11/23/20 08:30	11/23/20 15:34	10061-01-5	
n-Butylbenzene	**<67.1**	ug/kg	67.1	30.7	1	11/23/20 08:30	11/23/20 15:34	104-51-8	
n-Propylbenzene	**<67.1**	ug/kg	67.1	16.1	1	11/23/20 08:30	11/23/20 15:34	103-65-1	
p-Isopropyltoluene	**<67.1**	ug/kg	67.1	20.4	1	11/23/20 08:30	11/23/20 15:34	99-87-6	
sec-Butylbenzene	**<67.1**	ug/kg	67.1	16.4	1	11/23/20 08:30	11/23/20 15:34	135-98-8	
tert-Butylbenzene	**<67.1**	ug/kg	67.1	21.1	1	11/23/20 08:30	11/23/20 15:34	98-06-6	
trans-1,2-Dichloroethene	**<67.1**	ug/kg	67.1	14.5	1	11/23/20 08:30	11/23/20 15:34	156-60-5	
trans-1,3-Dichloropropene	**<335**	ug/kg	335	192	1	11/23/20 08:30	11/23/20 15:34	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	89	%	58-145		1	11/23/20 08:30	11/23/20 15:34	1868-53-7	
Toluene-d8 (S)	94	%	56-140		1	11/23/20 08:30	11/23/20 15:34	2037-26-5	
4-Bromofluorobenzene (S)	92	%	52-137		1	11/23/20 08:30	11/23/20 15:34	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-13-SS(0-5) **Lab ID: 10539907003** Collected: 11/18/20 10:40 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**16.7**	mg/kg	11.9	3.2	1	11/20/20 07:09	11/23/20 21:45		T6
Surrogates									
n-Triacontane (S)	107	%.	50-150		1	11/20/20 07:09	11/23/20 21:45	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**2.2**	mg/kg	1.3	0.26	1	12/01/20 15:30	12/02/20 15:09	7440-38-2	
Barium	**175**	mg/kg	0.64	0.10	1	12/01/20 15:30	12/02/20 15:09	7440-39-3	
Cadmium	**<0.19**	mg/kg	0.19	0.039	1	12/01/20 15:30	12/02/20 15:09	7440-43-9	
Chromium	**33.2**	mg/kg	0.64	0.13	1	12/01/20 15:30	12/02/20 15:09	7440-47-3	
Lead	**32.7**	mg/kg	0.64	0.15	1	12/01/20 15:30	12/02/20 15:09	7439-92-1	
Selenium	**<1.3**	mg/kg	1.3	0.42	1	12/01/20 15:30	12/02/20 15:09	7782-49-2	
Silver	**<0.64**	mg/kg	0.64	0.047	1	12/01/20 15:30	12/02/20 15:09	7440-22-4	
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**<0.026**	mg/kg	0.026	0.011	1	12/01/20 18:45	12/03/20 17:04	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**27.2**	%	0.10	0.10	1		11/23/20 12:13		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<13.7**	ug/kg	13.7	0.61	1	11/20/20 10:40	11/24/20 15:49	83-32-9	
Acenaphthylene	**<13.7**	ug/kg	13.7	0.94	1	11/20/20 10:40	11/24/20 15:49	208-96-8	
Anthracene	**<13.7**	ug/kg	13.7	0.43	1	11/20/20 10:40	11/24/20 15:49	120-12-7	
Benzo(a)anthracene	**<13.7**	ug/kg	13.7	0.56	1	11/20/20 10:40	11/24/20 15:49	56-55-3	
Benzo(a)pyrene	**<13.7**	ug/kg	13.7	0.77	1	11/20/20 10:40	11/24/20 15:49	50-32-8	
Benzo(b)fluoranthene	**<13.7**	ug/kg	13.7	0.64	1	11/20/20 10:40	11/24/20 15:49	205-99-2	
Benzo(g,h,i)perylene	**<13.7**	ug/kg	13.7	0.64	1	11/20/20 10:40	11/24/20 15:49	191-24-2	
Benzo(k)fluoranthene	**<13.7**	ug/kg	13.7	0.66	1	11/20/20 10:40	11/24/20 15:49	207-08-9	
Chrysene	**1.6J**	ug/kg	13.7	0.55	1	11/20/20 10:40	11/24/20 15:49	218-01-9	
Dibenz(a,h)anthracene	**<13.7**	ug/kg	13.7	0.90	1	11/20/20 10:40	11/24/20 15:49	53-70-3	
Fluoranthene	**<13.7**	ug/kg	13.7	0.83	1	11/20/20 10:40	11/24/20 15:49	206-44-0	
Fluorene	**<13.7**	ug/kg	13.7	0.82	1	11/20/20 10:40	11/24/20 15:49	86-73-7	
Indeno(1,2,3-cd)pyrene	**<13.7**	ug/kg	13.7	0.73	1	11/20/20 10:40	11/24/20 15:49	193-39-5	
Naphthalene	**0.74J**	ug/kg	13.7	0.62	1	11/20/20 10:40	11/24/20 15:49	91-20-3	
Phenanthrene	**1.3J**	ug/kg	13.7	0.96	1	11/20/20 10:40	11/24/20 15:49	85-01-8	
Pyrene	**<13.7**	ug/kg	13.7	0.89	1	11/20/20 10:40	11/24/20 15:49	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	59	%.	30-138		1	11/20/20 10:40	11/24/20 15:49	321-60-8	
p-Terphenyl-d14 (S)	56	%.	30-143		1	11/20/20 10:40	11/24/20 15:49	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-13-SS(0-5) **Lab ID: 10539907003** Collected: 11/18/20 10:40 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<68.7**	ug/kg	68.7	16.5	1	11/23/20 08:30	11/23/20 15:57	630-20-6	
1,1,1-Trichloroethane	**<68.7**	ug/kg	68.7	17.6	1	11/23/20 08:30	11/23/20 15:57	71-55-6	
1,1,2,2-Tetrachloroethane	**<68.7**	ug/kg	68.7	24.9	1	11/23/20 08:30	11/23/20 15:57	79-34-5	
1,1,2-Trichloroethane	**<68.7**	ug/kg	68.7	25.0	1	11/23/20 08:30	11/23/20 15:57	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<68.7**	ug/kg	68.7	22.4	1	11/23/20 08:30	11/23/20 15:57	76-13-1	v2
1,1-Dichloroethane	**<68.7**	ug/kg	68.7	17.6	1	11/23/20 08:30	11/23/20 15:57	75-34-3	
1,1-Dichloroethene	**<68.7**	ug/kg	68.7	22.8	1	11/23/20 08:30	11/23/20 15:57	75-35-4	
1,1-Dichloropropene	**<68.7**	ug/kg	68.7	22.3	1	11/23/20 08:30	11/23/20 15:57	563-58-6	
1,2,3-Trichlorobenzene	**<344**	ug/kg	344	76.5	1	11/23/20 08:30	11/23/20 15:57	87-61-6	
1,2,3-Trichloropropane	**<68.7**	ug/kg	68.7	33.4	1	11/23/20 08:30	11/23/20 15:57	96-18-4	
1,2,4-Trichlorobenzene	**<344**	ug/kg	344	56.6	1	11/23/20 08:30	11/23/20 15:57	120-82-1	
1,2,4-Trimethylbenzene	**<68.7**	ug/kg	68.7	20.5	1	11/23/20 08:30	11/23/20 15:57	95-63-6	
1,2-Dibromo-3-chloropropane	**<344**	ug/kg	344	53.3	1	11/23/20 08:30	11/23/20 15:57	96-12-8	
1,2-Dibromoethane (EDB)	**<68.7**	ug/kg	68.7	18.8	1	11/23/20 08:30	11/23/20 15:57	106-93-4	
1,2-Dichlorobenzene	**<68.7**	ug/kg	68.7	21.3	1	11/23/20 08:30	11/23/20 15:57	95-50-1	
1,2-Dichloroethane	**<68.7**	ug/kg	68.7	15.8	1	11/23/20 08:30	11/23/20 15:57	107-06-2	
1,2-Dichloropropane	**<68.7**	ug/kg	68.7	16.4	1	11/23/20 08:30	11/23/20 15:57	78-87-5	
1,3,5-Trimethylbenzene	**<68.7**	ug/kg	68.7	22.1	1	11/23/20 08:30	11/23/20 15:57	108-67-8	
1,3-Dichlorobenzene	**<68.7**	ug/kg	68.7	18.8	1	11/23/20 08:30	11/23/20 15:57	541-73-1	
1,3-Dichloropropane	**<68.7**	ug/kg	68.7	15.0	1	11/23/20 08:30	11/23/20 15:57	142-28-9	
1,4-Dichlorobenzene	**<68.7**	ug/kg	68.7	18.8	1	11/23/20 08:30	11/23/20 15:57	106-46-7	
2,2-Dichloropropane	**<68.7**	ug/kg	68.7	18.5	1	11/23/20 08:30	11/23/20 15:57	594-20-7	v1
2-Butanone (MEK)	**<1720**	ug/kg	1720	217	1	11/23/20 08:30	11/23/20 15:57	78-93-3	
2-Chlorotoluene	**<68.7**	ug/kg	68.7	22.3	1	11/23/20 08:30	11/23/20 15:57	95-49-8	
4-Chlorotoluene	**<68.7**	ug/kg	68.7	26.1	1	11/23/20 08:30	11/23/20 15:57	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1720**	ug/kg	1720	1000	1	11/23/20 08:30	11/23/20 15:57	108-10-1	
Acetone	**<1720**	ug/kg	1720	181	1	11/23/20 08:30	11/23/20 15:57	67-64-1	
Allyl chloride	**<344**	ug/kg	344	64.9	1	11/23/20 08:30	11/23/20 15:57	107-05-1	
Benzene	**<27.5**	ug/kg	27.5	16.4	1	11/23/20 08:30	11/23/20 15:57	71-43-2	
Bromobenzene	**<68.7**	ug/kg	68.7	26.8	1	11/23/20 08:30	11/23/20 15:57	108-86-1	
Bromochloromethane	**<68.7**	ug/kg	68.7	18.8	1	11/23/20 08:30	11/23/20 15:57	74-97-5	
Bromodichloromethane	**<68.7**	ug/kg	68.7	16.4	1	11/23/20 08:30	11/23/20 15:57	75-27-4	
Bromoform	**<344**	ug/kg	344	302	1	11/23/20 08:30	11/23/20 15:57	75-25-2	
Bromomethane	**<344**	ug/kg	344	96.3	1	11/23/20 08:30	11/23/20 15:57	74-83-9	v2
Carbon tetrachloride	**<68.7**	ug/kg	68.7	15.1	1	11/23/20 08:30	11/23/20 15:57	56-23-5	
Chlorobenzene	**<68.7**	ug/kg	68.7	8.2	1	11/23/20 08:30	11/23/20 15:57	108-90-7	
Chloroethane	**<344**	ug/kg	344	29.0	1	11/23/20 08:30	11/23/20 15:57	75-00-3	v2
Chloroform	**<344**	ug/kg	344	49.2	1	11/23/20 08:30	11/23/20 15:57	67-66-3	
Chloromethane	**<68.7**	ug/kg	68.7	26.1	1	11/23/20 08:30	11/23/20 15:57	74-87-3	
Dibromochloromethane	**<344**	ug/kg	344	235	1	11/23/20 08:30	11/23/20 15:57	124-48-1	v1
Dibromomethane	**<68.7**	ug/kg	68.7	20.3	1	11/23/20 08:30	11/23/20 15:57	74-95-3	
Dichlorodifluoromethane	**<68.7**	ug/kg	68.7	29.5	1	11/23/20 08:30	11/23/20 15:57	75-71-8	v2
Dichlorofluoromethane	**<68.7**	ug/kg	68.7	19.4	1	11/23/20 08:30	11/23/20 15:57	75-43-4	
Diethyl ether (Ethyl ether)	**<68.7**	ug/kg	68.7	21.3	1	11/23/20 08:30	11/23/20 15:57	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-13-SS(0-5) **Lab ID: 10539907003** Collected: 11/18/20 10:40 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<68.7**	ug/kg	68.7	16.4	1	11/23/20 08:30	11/23/20 15:57	100-41-4	
Hexachloro-1,3-butadiene	**<344**	ug/kg	344	137	1	11/23/20 08:30	11/23/20 15:57	87-68-3	
Isopropylbenzene (Cumene)	**<68.7**	ug/kg	68.7	18.5	1	11/23/20 08:30	11/23/20 15:57	98-82-8	
Methyl-tert-butyl ether	**<68.7**	ug/kg	68.7	20.2	1	11/23/20 08:30	11/23/20 15:57	1634-04-4	
Methylene Chloride	**<68.7**	ug/kg	68.7	19.1	1	11/23/20 08:30	11/23/20 15:57	75-09-2	
Naphthalene	**<344**	ug/kg	344	21.4	1	11/23/20 08:30	11/23/20 15:57	91-20-3	
Styrene	**<68.7**	ug/kg	68.7	17.6	1	11/23/20 08:30	11/23/20 15:57	100-42-5	
Tetrachloroethene	**<68.7**	ug/kg	68.7	26.7	1	11/23/20 08:30	11/23/20 15:57	127-18-4	
Tetrahydrofuran	**<344**	ug/kg	344	108	1	11/23/20 08:30	11/23/20 15:57	109-99-9	
Toluene	**<68.7**	ug/kg	68.7	17.3	1	11/23/20 08:30	11/23/20 15:57	108-88-3	
Trichloroethene	**<68.7**	ug/kg	68.7	25.7	1	11/23/20 08:30	11/23/20 15:57	79-01-6	
Trichlorofluoromethane	**<68.7**	ug/kg	68.7	19.9	1	11/23/20 08:30	11/23/20 15:57	75-69-4	
Vinyl chloride	**<68.7**	ug/kg	68.7	13.9	1	11/23/20 08:30	11/23/20 15:57	75-01-4	
Xylene (Total)	**<206**	ug/kg	206	49.6	1	11/23/20 08:30	11/23/20 15:57	1330-20-7	
cis-1,2-Dichloroethene	**<68.7**	ug/kg	68.7	14.7	1	11/23/20 08:30	11/23/20 15:57	156-59-2	
cis-1,3-Dichloropropene	**<344**	ug/kg	344	45.3	1	11/23/20 08:30	11/23/20 15:57	10061-01-5	
n-Butylbenzene	**<68.7**	ug/kg	68.7	31.5	1	11/23/20 08:30	11/23/20 15:57	104-51-8	
n-Propylbenzene	**<68.7**	ug/kg	68.7	16.5	1	11/23/20 08:30	11/23/20 15:57	103-65-1	
p-Isopropyltoluene	**<68.7**	ug/kg	68.7	20.9	1	11/23/20 08:30	11/23/20 15:57	99-87-6	
sec-Butylbenzene	**<68.7**	ug/kg	68.7	16.8	1	11/23/20 08:30	11/23/20 15:57	135-98-8	
tert-Butylbenzene	**<68.7**	ug/kg	68.7	21.6	1	11/23/20 08:30	11/23/20 15:57	98-06-6	
trans-1,2-Dichloroethene	**<68.7**	ug/kg	68.7	14.8	1	11/23/20 08:30	11/23/20 15:57	156-60-5	
trans-1,3-Dichloropropene	**<344**	ug/kg	344	196	1	11/23/20 08:30	11/23/20 15:57	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	89	%	58-145		1	11/23/20 08:30	11/23/20 15:57	1868-53-7	
Toluene-d8 (S)	92	%	56-140		1	11/23/20 08:30	11/23/20 15:57	2037-26-5	
4-Bromofluorobenzene (S)	92	%	52-137		1	11/23/20 08:30	11/23/20 15:57	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-13-SS(5-10) **Lab ID: 10539907004** Collected: 11/18/20 10:50 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**3.2J**	mg/kg	9.6	2.6	1	11/20/20 13:48	11/23/20 15:45		
Surrogates									
n-Triacontane (S)	86	%.	50-150		1	11/20/20 13:48	11/23/20 15:45	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**2.1**	mg/kg	1.2	0.25	1	12/01/20 15:30	12/02/20 15:11	7440-38-2	
Barium	**162**	mg/kg	0.62	0.098	1	12/01/20 15:30	12/02/20 15:11	7440-39-3	
Cadmium	**<0.19**	mg/kg	0.19	0.037	1	12/01/20 15:30	12/02/20 15:11	7440-43-9	
Chromium	**30.0**	mg/kg	0.62	0.12	1	12/01/20 15:30	12/02/20 15:11	7440-47-3	
Lead	**25.8**	mg/kg	0.62	0.14	1	12/01/20 15:30	12/02/20 15:11	7439-92-1	
Selenium	**<1.2**	mg/kg	1.2	0.41	1	12/01/20 15:30	12/02/20 15:11	7782-49-2	
Silver	**<0.62**	mg/kg	0.62	0.045	1	12/01/20 15:30	12/02/20 15:11	7440-22-4	
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**<0.025**	mg/kg	0.025	0.010	1	12/01/20 18:45	12/03/20 17:06	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**20.2**	%	0.10	0.10	1		11/23/20 12:13		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<12.5**	ug/kg	12.5	0.56	1	11/20/20 10:40	11/24/20 16:12	83-32-9	
Acenaphthylene	**<12.5**	ug/kg	12.5	0.85	1	11/20/20 10:40	11/24/20 16:12	208-96-8	
Anthracene	**<12.5**	ug/kg	12.5	0.39	1	11/20/20 10:40	11/24/20 16:12	120-12-7	
Benzo(a)anthracene	**0.95J**	ug/kg	12.5	0.51	1	11/20/20 10:40	11/24/20 16:12	56-55-3	
Benzo(a)pyrene	**0.86J**	ug/kg	12.5	0.70	1	11/20/20 10:40	11/24/20 16:12	50-32-8	
Benzo(b)fluoranthene	**1.4J**	ug/kg	12.5	0.58	1	11/20/20 10:40	11/24/20 16:12	205-99-2	
Benzo(g,h,i)perylene	**0.66J**	ug/kg	12.5	0.58	1	11/20/20 10:40	11/24/20 16:12	191-24-2	
Benzo(k)fluoranthene	**<12.5**	ug/kg	12.5	0.60	1	11/20/20 10:40	11/24/20 16:12	207-08-9	
Chrysene	**1.4J**	ug/kg	12.5	0.50	1	11/20/20 10:40	11/24/20 16:12	218-01-9	
Dibenz(a,h)anthracene	**<12.5**	ug/kg	12.5	0.82	1	11/20/20 10:40	11/24/20 16:12	53-70-3	
Fluoranthene	**2.0J**	ug/kg	12.5	0.75	1	11/20/20 10:40	11/24/20 16:12	206-44-0	
Fluorene	**<12.5**	ug/kg	12.5	0.75	1	11/20/20 10:40	11/24/20 16:12	86-73-7	
Indeno(1,2,3-cd)pyrene	**<12.5**	ug/kg	12.5	0.67	1	11/20/20 10:40	11/24/20 16:12	193-39-5	
Naphthalene	**<12.5**	ug/kg	12.5	0.56	1	11/20/20 10:40	11/24/20 16:12	91-20-3	
Phenanthrene	**1.2J**	ug/kg	12.5	0.88	1	11/20/20 10:40	11/24/20 16:12	85-01-8	
Pyrene	**1.6J**	ug/kg	12.5	0.81	1	11/20/20 10:40	11/24/20 16:12	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	50	%.	30-138		1	11/20/20 10:40	11/24/20 16:12	321-60-8	
p-Terphenyl-d14 (S)	60	%.	30-143		1	11/20/20 10:40	11/24/20 16:12	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-13-SS(5-10) **Lab ID: 10539907004** Collected: 11/18/20 10:50 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<62.7**	ug/kg	62.7	15.0	1	11/23/20 08:30	11/23/20 16:20	630-20-6	
1,1,1-Trichloroethane	**<62.7**	ug/kg	62.7	16.0	1	11/23/20 08:30	11/23/20 16:20	71-55-6	
1,1,2,2-Tetrachloroethane	**<62.7**	ug/kg	62.7	22.7	1	11/23/20 08:30	11/23/20 16:20	79-34-5	
1,1,2-Trichloroethane	**<62.7**	ug/kg	62.7	22.8	1	11/23/20 08:30	11/23/20 16:20	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<62.7**	ug/kg	62.7	20.4	1	11/23/20 08:30	11/23/20 16:20	76-13-1	v2
1,1-Dichloroethane	**<62.7**	ug/kg	62.7	16.0	1	11/23/20 08:30	11/23/20 16:20	75-34-3	
1,1-Dichloroethene	**<62.7**	ug/kg	62.7	20.8	1	11/23/20 08:30	11/23/20 16:20	75-35-4	
1,1-Dichloropropene	**<62.7**	ug/kg	62.7	20.3	1	11/23/20 08:30	11/23/20 16:20	563-58-6	
1,2,3-Trichlorobenzene	**<313**	ug/kg	313	69.8	1	11/23/20 08:30	11/23/20 16:20	87-61-6	
1,2,3-Trichloropropane	**<62.7**	ug/kg	62.7	30.5	1	11/23/20 08:30	11/23/20 16:20	96-18-4	
1,2,4-Trichlorobenzene	**<313**	ug/kg	313	51.6	1	11/23/20 08:30	11/23/20 16:20	120-82-1	
1,2,4-Trimethylbenzene	**<62.7**	ug/kg	62.7	18.7	1	11/23/20 08:30	11/23/20 16:20	95-63-6	
1,2-Dibromo-3-chloropropane	**<313**	ug/kg	313	48.6	1	11/23/20 08:30	11/23/20 16:20	96-12-8	
1,2-Dibromoethane (EDB)	**<62.7**	ug/kg	62.7	17.2	1	11/23/20 08:30	11/23/20 16:20	106-93-4	
1,2-Dichlorobenzene	**<62.7**	ug/kg	62.7	19.4	1	11/23/20 08:30	11/23/20 16:20	95-50-1	
1,2-Dichloroethane	**<62.7**	ug/kg	62.7	14.4	1	11/23/20 08:30	11/23/20 16:20	107-06-2	
1,2-Dichloropropane	**<62.7**	ug/kg	62.7	14.9	1	11/23/20 08:30	11/23/20 16:20	78-87-5	
1,3,5-Trimethylbenzene	**<62.7**	ug/kg	62.7	20.2	1	11/23/20 08:30	11/23/20 16:20	108-67-8	
1,3-Dichlorobenzene	**<62.7**	ug/kg	62.7	17.2	1	11/23/20 08:30	11/23/20 16:20	541-73-1	
1,3-Dichloropropane	**<62.7**	ug/kg	62.7	13.7	1	11/23/20 08:30	11/23/20 16:20	142-28-9	
1,4-Dichlorobenzene	**<62.7**	ug/kg	62.7	17.2	1	11/23/20 08:30	11/23/20 16:20	106-46-7	
2,2-Dichloropropane	**<62.7**	ug/kg	62.7	16.9	1	11/23/20 08:30	11/23/20 16:20	594-20-7	v1
2-Butanone (MEK)	**<1570**	ug/kg	1570	198	1	11/23/20 08:30	11/23/20 16:20	78-93-3	
2-Chlorotoluene	**<62.7**	ug/kg	62.7	20.3	1	11/23/20 08:30	11/23/20 16:20	95-49-8	
4-Chlorotoluene	**<62.7**	ug/kg	62.7	23.8	1	11/23/20 08:30	11/23/20 16:20	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1570**	ug/kg	1570	917	1	11/23/20 08:30	11/23/20 16:20	108-10-1	
Acetone	**<1570**	ug/kg	1570	165	1	11/23/20 08:30	11/23/20 16:20	67-64-1	
Allyl chloride	**<313**	ug/kg	313	59.2	1	11/23/20 08:30	11/23/20 16:20	107-05-1	
Benzene	**<25.1**	ug/kg	25.1	14.9	1	11/23/20 08:30	11/23/20 16:20	71-43-2	
Bromobenzene	**<62.7**	ug/kg	62.7	24.4	1	11/23/20 08:30	11/23/20 16:20	108-86-1	
Bromochloromethane	**<62.7**	ug/kg	62.7	17.2	1	11/23/20 08:30	11/23/20 16:20	74-97-5	
Bromodichloromethane	**<62.7**	ug/kg	62.7	14.9	1	11/23/20 08:30	11/23/20 16:20	75-27-4	
Bromoform	**<313**	ug/kg	313	276	1	11/23/20 08:30	11/23/20 16:20	75-25-2	
Bromomethane	**<313**	ug/kg	313	87.9	1	11/23/20 08:30	11/23/20 16:20	74-83-9	v2
Carbon tetrachloride	**<62.7**	ug/kg	62.7	13.8	1	11/23/20 08:30	11/23/20 16:20	56-23-5	
Chlorobenzene	**<62.7**	ug/kg	62.7	7.5	1	11/23/20 08:30	11/23/20 16:20	108-90-7	
Chloroethane	**<313**	ug/kg	313	26.5	1	11/23/20 08:30	11/23/20 16:20	75-00-3	v2
Chloroform	**<313**	ug/kg	313	44.9	1	11/23/20 08:30	11/23/20 16:20	67-66-3	
Chloromethane	**<62.7**	ug/kg	62.7	23.8	1	11/23/20 08:30	11/23/20 16:20	74-87-3	
Dibromochloromethane	**<313**	ug/kg	313	214	1	11/23/20 08:30	11/23/20 16:20	124-48-1	v1
Dibromomethane	**<62.7**	ug/kg	62.7	18.6	1	11/23/20 08:30	11/23/20 16:20	74-95-3	
Dichlorodifluoromethane	**<62.7**	ug/kg	62.7	27.0	1	11/23/20 08:30	11/23/20 16:20	75-71-8	v2
Dichlorofluoromethane	**<62.7**	ug/kg	62.7	17.7	1	11/23/20 08:30	11/23/20 16:20	75-43-4	
Diethyl ether (Ethyl ether)	**<62.7**	ug/kg	62.7	19.4	1	11/23/20 08:30	11/23/20 16:20	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-13-SS(5-10) **Lab ID: 10539907004** Collected: 11/18/20 10:50 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<62.7**	ug/kg	62.7	14.9	1	11/23/20 08:30	11/23/20 16:20	100-41-4	
Hexachloro-1,3-butadiene	**<313**	ug/kg	313	125	1	11/23/20 08:30	11/23/20 16:20	87-68-3	
Isopropylbenzene (Cumene)	**<62.7**	ug/kg	62.7	16.9	1	11/23/20 08:30	11/23/20 16:20	98-82-8	
Methyl-tert-butyl ether	**<62.7**	ug/kg	62.7	18.4	1	11/23/20 08:30	11/23/20 16:20	1634-04-4	
Methylene Chloride	**<62.7**	ug/kg	62.7	17.4	1	11/23/20 08:30	11/23/20 16:20	75-09-2	
Naphthalene	**<313**	ug/kg	313	19.6	1	11/23/20 08:30	11/23/20 16:20	91-20-3	
Styrene	**<62.7**	ug/kg	62.7	16.0	1	11/23/20 08:30	11/23/20 16:20	100-42-5	
Tetrachloroethene	**<62.7**	ug/kg	62.7	24.3	1	11/23/20 08:30	11/23/20 16:20	127-18-4	
Tetrahydrofuran	**<313**	ug/kg	313	98.8	1	11/23/20 08:30	11/23/20 16:20	109-99-9	
Toluene	**<62.7**	ug/kg	62.7	15.8	1	11/23/20 08:30	11/23/20 16:20	108-88-3	
Trichloroethene	**<62.7**	ug/kg	62.7	23.4	1	11/23/20 08:30	11/23/20 16:20	79-01-6	
Trichlorofluoromethane	**<62.7**	ug/kg	62.7	18.2	1	11/23/20 08:30	11/23/20 16:20	75-69-4	
Vinyl chloride	**<62.7**	ug/kg	62.7	12.7	1	11/23/20 08:30	11/23/20 16:20	75-01-4	
Xylene (Total)	**<188**	ug/kg	188	45.3	1	11/23/20 08:30	11/23/20 16:20	1330-20-7	
cis-1,2-Dichloroethene	**<62.7**	ug/kg	62.7	13.4	1	11/23/20 08:30	11/23/20 16:20	156-59-2	
cis-1,3-Dichloropropene	**<313**	ug/kg	313	41.4	1	11/23/20 08:30	11/23/20 16:20	10061-01-5	
n-Butylbenzene	**<62.7**	ug/kg	62.7	28.7	1	11/23/20 08:30	11/23/20 16:20	104-51-8	
n-Propylbenzene	**<62.7**	ug/kg	62.7	15.0	1	11/23/20 08:30	11/23/20 16:20	103-65-1	
p-Isopropyltoluene	**<62.7**	ug/kg	62.7	19.1	1	11/23/20 08:30	11/23/20 16:20	99-87-6	
sec-Butylbenzene	**<62.7**	ug/kg	62.7	15.3	1	11/23/20 08:30	11/23/20 16:20	135-98-8	
tert-Butylbenzene	**<62.7**	ug/kg	62.7	19.7	1	11/23/20 08:30	11/23/20 16:20	98-06-6	
trans-1,2-Dichloroethene	**<62.7**	ug/kg	62.7	13.5	1	11/23/20 08:30	11/23/20 16:20	156-60-5	
trans-1,3-Dichloropropene	**<313**	ug/kg	313	179	1	11/23/20 08:30	11/23/20 16:20	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	111	%	58-145		1	11/23/20 08:30	11/23/20 16:20	1868-53-7	
Toluene-d8 (S)	112	%	56-140		1	11/23/20 08:30	11/23/20 16:20	2037-26-5	
4-Bromofluorobenzene (S)	110	%	52-137		1	11/23/20 08:30	11/23/20 16:20	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-14-SS(0-5) **Lab ID: 10539907005** Collected: 11/18/20 11:15 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**12.8**	mg/kg	10	2.7	1	11/20/20 13:48	11/23/20 15:16		T6
Surrogates									
n-Triacontane (S)	78	%.	50-150		1	11/20/20 13:48	11/23/20 15:16	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**2.0**	mg/kg	1.1	0.23	1	12/01/20 15:30	12/02/20 15:13	7440-38-2	
Barium	**46.3**	mg/kg	0.56	0.088	1	12/01/20 15:30	12/02/20 15:13	7440-39-3	
Cadmium	**0.17**	mg/kg	0.17	0.034	1	12/01/20 15:30	12/02/20 15:13	7440-43-9	
Chromium	**16.2**	mg/kg	0.56	0.11	1	12/01/20 15:30	12/02/20 15:13	7440-47-3	
Lead	**39.0**	mg/kg	0.56	0.13	1	12/01/20 15:30	12/02/20 15:13	7439-92-1	
Selenium	**<1.1**	mg/kg	1.1	0.37	1	12/01/20 15:30	12/02/20 15:13	7782-49-2	
Silver	**<0.56**	mg/kg	0.56	0.041	1	12/01/20 15:30	12/02/20 15:13	7440-22-4	
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**0.045**	mg/kg	0.024	0.0099	1	12/07/20 08:42	12/07/20 14:55	7439-97-6	
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**16.4**	%	0.10	0.10	1		11/23/20 12:13		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**5.0J**	ug/kg	12.0	0.53	1	11/20/20 10:40	11/24/20 16:35	83-32-9	
Acenaphthylene	**10J**	ug/kg	12.0	0.82	1	11/20/20 10:40	11/24/20 16:35	208-96-8	
Anthracene	**24.5**	ug/kg	12.0	0.38	1	11/20/20 10:40	11/24/20 16:35	120-12-7	
Benzo(a)anthracene	**93.8**	ug/kg	12.0	0.49	1	11/20/20 10:40	11/24/20 16:35	56-55-3	
Benzo(a)pyrene	**122**	ug/kg	12.0	0.67	1	11/20/20 10:40	11/24/20 16:35	50-32-8	
Benzo(b)fluoranthene	**188**	ug/kg	12.0	0.56	1	11/20/20 10:40	11/24/20 16:35	205-99-2	
Benzo(g,h,i)perylene	**82.6**	ug/kg	12.0	0.55	1	11/20/20 10:40	11/24/20 16:35	191-24-2	
Benzo(k)fluoranthene	**66.7**	ug/kg	12.0	0.58	1	11/20/20 10:40	11/24/20 16:35	207-08-9	
Chrysene	**123**	ug/kg	12.0	0.48	1	11/20/20 10:40	11/24/20 16:35	218-01-9	
Dibenz(a,h)anthracene	**<12.0**	ug/kg	12.0	0.79	1	11/20/20 10:40	11/24/20 16:35	53-70-3	
Fluoranthene	**135**	ug/kg	12.0	0.72	1	11/20/20 10:40	11/24/20 16:35	206-44-0	
Fluorene	**9.2J**	ug/kg	12.0	0.72	1	11/20/20 10:40	11/24/20 16:35	86-73-7	
Indeno(1,2,3-cd)pyrene	**69.4**	ug/kg	12.0	0.64	1	11/20/20 10:40	11/24/20 16:35	193-39-5	
Naphthalene	**44.1**	ug/kg	12.0	0.54	1	11/20/20 10:40	11/24/20 16:35	91-20-3	
Phenanthrene	**68.9**	ug/kg	12.0	0.84	1	11/20/20 10:40	11/24/20 16:35	85-01-8	
Pyrene	**116**	ug/kg	12.0	0.77	1	11/20/20 10:40	11/24/20 16:35	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	70	%.	30-138		1	11/20/20 10:40	11/24/20 16:35	321-60-8	
p-Terphenyl-d14 (S)	70	%.	30-143		1	11/20/20 10:40	11/24/20 16:35	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-14-SS(0-5) **Lab ID: 10539907005** Collected: 11/18/20 11:15 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<59.8**	ug/kg	59.8	14.3	1	11/23/20 08:30	11/23/20 16:42	630-20-6	
1,1,1-Trichloroethane	**<59.8**	ug/kg	59.8	15.3	1	11/23/20 08:30	11/23/20 16:42	71-55-6	
1,1,2,2-Tetrachloroethane	**<59.8**	ug/kg	59.8	21.6	1	11/23/20 08:30	11/23/20 16:42	79-34-5	
1,1,2-Trichloroethane	**<59.8**	ug/kg	59.8	21.8	1	11/23/20 08:30	11/23/20 16:42	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<59.8**	ug/kg	59.8	19.5	1	11/23/20 08:30	11/23/20 16:42	76-13-1	v2
1,1-Dichloroethane	**<59.8**	ug/kg	59.8	15.3	1	11/23/20 08:30	11/23/20 16:42	75-34-3	
1,1-Dichloroethene	**<59.8**	ug/kg	59.8	19.8	1	11/23/20 08:30	11/23/20 16:42	75-35-4	
1,1-Dichloropropene	**<59.8**	ug/kg	59.8	19.4	1	11/23/20 08:30	11/23/20 16:42	563-58-6	
1,2,3-Trichlorobenzene	**<299**	ug/kg	299	66.6	1	11/23/20 08:30	11/23/20 16:42	87-61-6	
1,2,3-Trichloropropane	**<59.8**	ug/kg	59.8	29.1	1	11/23/20 08:30	11/23/20 16:42	96-18-4	
1,2,4-Trichlorobenzene	**<299**	ug/kg	299	49.3	1	11/23/20 08:30	11/23/20 16:42	120-82-1	
1,2,4-Trimethylbenzene	**<59.8**	ug/kg	59.8	17.8	1	11/23/20 08:30	11/23/20 16:42	95-63-6	
1,2-Dibromo-3-chloropropane	**<299**	ug/kg	299	46.4	1	11/23/20 08:30	11/23/20 16:42	96-12-8	
1,2-Dibromoethane (EDB)	**<59.8**	ug/kg	59.8	16.4	1	11/23/20 08:30	11/23/20 16:42	106-93-4	
1,2-Dichlorobenzene	**<59.8**	ug/kg	59.8	18.5	1	11/23/20 08:30	11/23/20 16:42	95-50-1	
1,2-Dichloroethane	**<59.8**	ug/kg	59.8	13.7	1	11/23/20 08:30	11/23/20 16:42	107-06-2	
1,2-Dichloropropane	**<59.8**	ug/kg	59.8	14.2	1	11/23/20 08:30	11/23/20 16:42	78-87-5	
1,3,5-Trimethylbenzene	**<59.8**	ug/kg	59.8	19.2	1	11/23/20 08:30	11/23/20 16:42	108-67-8	
1,3-Dichlorobenzene	**<59.8**	ug/kg	59.8	16.4	1	11/23/20 08:30	11/23/20 16:42	541-73-1	
1,3-Dichloropropane	**<59.8**	ug/kg	59.8	13.0	1	11/23/20 08:30	11/23/20 16:42	142-28-9	
1,4-Dichlorobenzene	**<59.8**	ug/kg	59.8	16.4	1	11/23/20 08:30	11/23/20 16:42	106-46-7	
2,2-Dichloropropane	**<59.8**	ug/kg	59.8	16.1	1	11/23/20 08:30	11/23/20 16:42	594-20-7	v1
2-Butanone (MEK)	**<1490**	ug/kg	1490	189	1	11/23/20 08:30	11/23/20 16:42	78-93-3	
2-Chlorotoluene	**<59.8**	ug/kg	59.8	19.4	1	11/23/20 08:30	11/23/20 16:42	95-49-8	
4-Chlorotoluene	**<59.8**	ug/kg	59.8	22.7	1	11/23/20 08:30	11/23/20 16:42	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1490**	ug/kg	1490	874	1	11/23/20 08:30	11/23/20 16:42	108-10-1	
Acetone	**<1490**	ug/kg	1490	158	1	11/23/20 08:30	11/23/20 16:42	67-64-1	
Allyl chloride	**<299**	ug/kg	299	56.4	1	11/23/20 08:30	11/23/20 16:42	107-05-1	
Benzene	**<23.9**	ug/kg	23.9	14.2	1	11/23/20 08:30	11/23/20 16:42	71-43-2	
Bromobenzene	**<59.8**	ug/kg	59.8	23.3	1	11/23/20 08:30	11/23/20 16:42	108-86-1	
Bromochloromethane	**<59.8**	ug/kg	59.8	16.4	1	11/23/20 08:30	11/23/20 16:42	74-97-5	
Bromodichloromethane	**<59.8**	ug/kg	59.8	14.2	1	11/23/20 08:30	11/23/20 16:42	75-27-4	
Bromoform	**<299**	ug/kg	299	263	1	11/23/20 08:30	11/23/20 16:42	75-25-2	
Bromomethane	**<299**	ug/kg	299	83.8	1	11/23/20 08:30	11/23/20 16:42	74-83-9	v2
Carbon tetrachloride	**<59.8**	ug/kg	59.8	13.2	1	11/23/20 08:30	11/23/20 16:42	56-23-5	
Chlorobenzene	**<59.8**	ug/kg	59.8	7.2	1	11/23/20 08:30	11/23/20 16:42	108-90-7	
Chloroethane	**<299**	ug/kg	299	25.2	1	11/23/20 08:30	11/23/20 16:42	75-00-3	v2
Chloroform	**<299**	ug/kg	299	42.8	1	11/23/20 08:30	11/23/20 16:42	67-66-3	
Chloromethane	**<59.8**	ug/kg	59.8	22.7	1	11/23/20 08:30	11/23/20 16:42	74-87-3	
Dibromochloromethane	**<299**	ug/kg	299	204	1	11/23/20 08:30	11/23/20 16:42	124-48-1	v1
Dibromomethane	**<59.8**	ug/kg	59.8	17.7	1	11/23/20 08:30	11/23/20 16:42	74-95-3	
Dichlorodifluoromethane	**<59.8**	ug/kg	59.8	25.7	1	11/23/20 08:30	11/23/20 16:42	75-71-8	v2
Dichlorofluoromethane	**<59.8**	ug/kg	59.8	16.9	1	11/23/20 08:30	11/23/20 16:42	75-43-4	
Diethyl ether (Ethyl ether)	**<59.8**	ug/kg	59.8	18.5	1	11/23/20 08:30	11/23/20 16:42	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-14-SS(0-5) **Lab ID: 10539907005** Collected: 11/18/20 11:15 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<59.8**	ug/kg	59.8	14.2	1	11/23/20 08:30	11/23/20 16:42	100-41-4	
Hexachloro-1,3-butadiene	**<299**	ug/kg	299	119	1	11/23/20 08:30	11/23/20 16:42	87-68-3	
Isopropylbenzene (Cumene)	**<59.8**	ug/kg	59.8	16.1	1	11/23/20 08:30	11/23/20 16:42	98-82-8	
Methyl-tert-butyl ether	**<59.8**	ug/kg	59.8	17.6	1	11/23/20 08:30	11/23/20 16:42	1634-04-4	
Methylene Chloride	**<59.8**	ug/kg	59.8	16.6	1	11/23/20 08:30	11/23/20 16:42	75-09-2	
Naphthalene	**<299**	ug/kg	299	18.7	1	11/23/20 08:30	11/23/20 16:42	91-20-3	
Styrene	**<59.8**	ug/kg	59.8	15.3	1	11/23/20 08:30	11/23/20 16:42	100-42-5	
Tetrachloroethene	**<59.8**	ug/kg	59.8	23.2	1	11/23/20 08:30	11/23/20 16:42	127-18-4	
Tetrahydrofuran	**<299**	ug/kg	299	94.2	1	11/23/20 08:30	11/23/20 16:42	109-99-9	
Toluene	**<59.8**	ug/kg	59.8	15.1	1	11/23/20 08:30	11/23/20 16:42	108-88-3	
Trichloroethene	**<59.8**	ug/kg	59.8	22.4	1	11/23/20 08:30	11/23/20 16:42	79-01-6	
Trichlorofluoromethane	**<59.8**	ug/kg	59.8	17.3	1	11/23/20 08:30	11/23/20 16:42	75-69-4	
Vinyl chloride	**<59.8**	ug/kg	59.8	12.1	1	11/23/20 08:30	11/23/20 16:42	75-01-4	
Xylene (Total)	**<179**	ug/kg	179	43.2	1	11/23/20 08:30	11/23/20 16:42	1330-20-7	
cis-1,2-Dichloroethene	**<59.8**	ug/kg	59.8	12.8	1	11/23/20 08:30	11/23/20 16:42	156-59-2	
cis-1,3-Dichloropropene	**<299**	ug/kg	299	39.5	1	11/23/20 08:30	11/23/20 16:42	10061-01-5	
n-Butylbenzene	**<59.8**	ug/kg	59.8	27.4	1	11/23/20 08:30	11/23/20 16:42	104-51-8	
n-Propylbenzene	**<59.8**	ug/kg	59.8	14.3	1	11/23/20 08:30	11/23/20 16:42	103-65-1	
p-Isopropyltoluene	**<59.8**	ug/kg	59.8	18.2	1	11/23/20 08:30	11/23/20 16:42	99-87-6	
sec-Butylbenzene	**<59.8**	ug/kg	59.8	14.6	1	11/23/20 08:30	11/23/20 16:42	135-98-8	
tert-Butylbenzene	**<59.8**	ug/kg	59.8	18.8	1	11/23/20 08:30	11/23/20 16:42	98-06-6	
trans-1,2-Dichloroethene	**<59.8**	ug/kg	59.8	12.9	1	11/23/20 08:30	11/23/20 16:42	156-60-5	
trans-1,3-Dichloropropene	**<299**	ug/kg	299	171	1	11/23/20 08:30	11/23/20 16:42	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	93	%	58-145		1	11/23/20 08:30	11/23/20 16:42	1868-53-7	
Toluene-d8 (S)	97	%	56-140		1	11/23/20 08:30	11/23/20 16:42	2037-26-5	
4-Bromofluorobenzene (S)	94	%	52-137		1	11/23/20 08:30	11/23/20 16:42	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-14-SS(7.5-10) **Lab ID: 10539907006** Collected: 11/18/20 11:30 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**3.2J**	mg/kg	10.4	2.8	1	11/20/20 13:48	11/23/20 16:00		
Surrogates									
n-Triacontane (S)	74	%.	50-150		1	11/20/20 13:48	11/23/20 16:00	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**1.8**	mg/kg	1.2	0.25	1	12/01/20 15:30	12/02/20 15:14	7440-38-2	
Barium	**87.0**	mg/kg	0.60	0.095	1	12/01/20 15:30	12/02/20 15:14	7440-39-3	
Cadmium	**<0.18**	mg/kg	0.18	0.036	1	12/01/20 15:30	12/02/20 15:14	7440-43-9	
Chromium	**29.6**	mg/kg	0.60	0.12	1	12/01/20 15:30	12/02/20 15:14	7440-47-3	
Lead	**10.5**	mg/kg	0.60	0.14	1	12/01/20 15:30	12/02/20 15:14	7439-92-1	
Selenium	**0.66J**	mg/kg	1.2	0.39	1	12/01/20 15:30	12/02/20 15:14	7782-49-2	
Silver	**<0.60**	mg/kg	0.60	0.043	1	12/01/20 15:30	12/02/20 15:14	7440-22-4	
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**<0.024**	mg/kg	0.024	0.0098	1	12/01/20 18:45	12/03/20 17:12	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**18.0**	%	0.10	0.10	1		11/23/20 12:13		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<12.1**	ug/kg	12.1	0.54	1	11/20/20 10:40	11/24/20 16:58	83-32-9	
Acenaphthylene	**<12.1**	ug/kg	12.1	0.83	1	11/20/20 10:40	11/24/20 16:58	208-96-8	
Anthracene	**0.44J**	ug/kg	12.1	0.38	1	11/20/20 10:40	11/24/20 16:58	120-12-7	
Benzo(a)anthracene	**1.7J**	ug/kg	12.1	0.50	1	11/20/20 10:40	11/24/20 16:58	56-55-3	
Benzo(a)pyrene	**1.7J**	ug/kg	12.1	0.68	1	11/20/20 10:40	11/24/20 16:58	50-32-8	
Benzo(b)fluoranthene	**3.1J**	ug/kg	12.1	0.56	1	11/20/20 10:40	11/24/20 16:58	205-99-2	
Benzo(g,h,i)perylene	**1.5J**	ug/kg	12.1	0.56	1	11/20/20 10:40	11/24/20 16:58	191-24-2	
Benzo(k)fluoranthene	**<12.1**	ug/kg	12.1	0.58	1	11/20/20 10:40	11/24/20 16:58	207-08-9	
Chrysene	**2.3J**	ug/kg	12.1	0.49	1	11/20/20 10:40	11/24/20 16:58	218-01-9	
Dibenz(a,h)anthracene	**<12.1**	ug/kg	12.1	0.80	1	11/20/20 10:40	11/24/20 16:58	53-70-3	
Fluoranthene	**4.1J**	ug/kg	12.1	0.73	1	11/20/20 10:40	11/24/20 16:58	206-44-0	
Fluorene	**<12.1**	ug/kg	12.1	0.73	1	11/20/20 10:40	11/24/20 16:58	86-73-7	
Indeno(1,2,3-cd)pyrene	**1.2J**	ug/kg	12.1	0.65	1	11/20/20 10:40	11/24/20 16:58	193-39-5	
Naphthalene	**0.57J**	ug/kg	12.1	0.55	1	11/20/20 10:40	11/24/20 16:58	91-20-3	
Phenanthrene	**2.3J**	ug/kg	12.1	0.85	1	11/20/20 10:40	11/24/20 16:58	85-01-8	
Pyrene	**3.1J**	ug/kg	12.1	0.78	1	11/20/20 10:40	11/24/20 16:58	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	61	%.	30-138		1	11/20/20 10:40	11/24/20 16:58	321-60-8	
p-Terphenyl-d14 (S)	60	%.	30-143		1	11/20/20 10:40	11/24/20 16:58	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-14-SS(7.5-10) **Lab ID: 10539907006** Collected: 11/18/20 11:30 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<61.0**	ug/kg	61.0	14.6	1	11/23/20 08:30	11/23/20 17:05	630-20-6	
1,1,1-Trichloroethane	**<61.0**	ug/kg	61.0	15.6	1	11/23/20 08:30	11/23/20 17:05	71-55-6	
1,1,2,2-Tetrachloroethane	**<61.0**	ug/kg	61.0	22.1	1	11/23/20 08:30	11/23/20 17:05	79-34-5	
1,1,2-Trichloroethane	**<61.0**	ug/kg	61.0	22.2	1	11/23/20 08:30	11/23/20 17:05	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<61.0**	ug/kg	61.0	19.9	1	11/23/20 08:30	11/23/20 17:05	76-13-1	v2
1,1-Dichloroethane	**<61.0**	ug/kg	61.0	15.6	1	11/23/20 08:30	11/23/20 17:05	75-34-3	
1,1-Dichloroethene	**<61.0**	ug/kg	61.0	20.2	1	11/23/20 08:30	11/23/20 17:05	75-35-4	
1,1-Dichloropropene	**<61.0**	ug/kg	61.0	19.8	1	11/23/20 08:30	11/23/20 17:05	563-58-6	
1,2,3-Trichlorobenzene	**<305**	ug/kg	305	67.9	1	11/23/20 08:30	11/23/20 17:05	87-61-6	
1,2,3-Trichloropropane	**<61.0**	ug/kg	61.0	29.6	1	11/23/20 08:30	11/23/20 17:05	96-18-4	
1,2,4-Trichlorobenzene	**<305**	ug/kg	305	50.3	1	11/23/20 08:30	11/23/20 17:05	120-82-1	
1,2,4-Trimethylbenzene	**<61.0**	ug/kg	61.0	18.2	1	11/23/20 08:30	11/23/20 17:05	95-63-6	
1,2-Dibromo-3-chloropropane	**<305**	ug/kg	305	47.3	1	11/23/20 08:30	11/23/20 17:05	96-12-8	
1,2-Dibromoethane (EDB)	**<61.0**	ug/kg	61.0	16.7	1	11/23/20 08:30	11/23/20 17:05	106-93-4	
1,2-Dichlorobenzene	**<61.0**	ug/kg	61.0	18.9	1	11/23/20 08:30	11/23/20 17:05	95-50-1	
1,2-Dichloroethane	**<61.0**	ug/kg	61.0	14.0	1	11/23/20 08:30	11/23/20 17:05	107-06-2	
1,2-Dichloropropane	**<61.0**	ug/kg	61.0	14.5	1	11/23/20 08:30	11/23/20 17:05	78-87-5	
1,3,5-Trimethylbenzene	**<61.0**	ug/kg	61.0	19.6	1	11/23/20 08:30	11/23/20 17:05	108-67-8	
1,3-Dichlorobenzene	**<61.0**	ug/kg	61.0	16.7	1	11/23/20 08:30	11/23/20 17:05	541-73-1	
1,3-Dichloropropane	**<61.0**	ug/kg	61.0	13.3	1	11/23/20 08:30	11/23/20 17:05	142-28-9	
1,4-Dichlorobenzene	**<61.0**	ug/kg	61.0	16.7	1	11/23/20 08:30	11/23/20 17:05	106-46-7	
2,2-Dichloropropane	**<61.0**	ug/kg	61.0	16.5	1	11/23/20 08:30	11/23/20 17:05	594-20-7	v1
2-Butanone (MEK)	**<1520**	ug/kg	1520	193	1	11/23/20 08:30	11/23/20 17:05	78-93-3	
2-Chlorotoluene	**<61.0**	ug/kg	61.0	19.8	1	11/23/20 08:30	11/23/20 17:05	95-49-8	
4-Chlorotoluene	**<61.0**	ug/kg	61.0	23.2	1	11/23/20 08:30	11/23/20 17:05	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1520**	ug/kg	1520	892	1	11/23/20 08:30	11/23/20 17:05	108-10-1	
Acetone	**<1520**	ug/kg	1520	161	1	11/23/20 08:30	11/23/20 17:05	67-64-1	
Allyl chloride	**<305**	ug/kg	305	57.6	1	11/23/20 08:30	11/23/20 17:05	107-05-1	
Benzene	**<24.4**	ug/kg	24.4	14.5	1	11/23/20 08:30	11/23/20 17:05	71-43-2	
Bromobenzene	**<61.0**	ug/kg	61.0	23.8	1	11/23/20 08:30	11/23/20 17:05	108-86-1	
Bromochloromethane	**<61.0**	ug/kg	61.0	16.7	1	11/23/20 08:30	11/23/20 17:05	74-97-5	
Bromodichloromethane	**<61.0**	ug/kg	61.0	14.5	1	11/23/20 08:30	11/23/20 17:05	75-27-4	
Bromoform	**<305**	ug/kg	305	268	1	11/23/20 08:30	11/23/20 17:05	75-25-2	
Bromomethane	**<305**	ug/kg	305	85.5	1	11/23/20 08:30	11/23/20 17:05	74-83-9	v2
Carbon tetrachloride	**<61.0**	ug/kg	61.0	13.4	1	11/23/20 08:30	11/23/20 17:05	56-23-5	
Chlorobenzene	**<61.0**	ug/kg	61.0	7.3	1	11/23/20 08:30	11/23/20 17:05	108-90-7	
Chloroethane	**<305**	ug/kg	305	25.7	1	11/23/20 08:30	11/23/20 17:05	75-00-3	v2
Chloroform	**<305**	ug/kg	305	43.7	1	11/23/20 08:30	11/23/20 17:05	67-66-3	
Chloromethane	**<61.0**	ug/kg	61.0	23.2	1	11/23/20 08:30	11/23/20 17:05	74-87-3	
Dibromochloromethane	**<305**	ug/kg	305	208	1	11/23/20 08:30	11/23/20 17:05	124-48-1	v1
Dibromomethane	**<61.0**	ug/kg	61.0	18.1	1	11/23/20 08:30	11/23/20 17:05	74-95-3	
Dichlorodifluoromethane	**<61.0**	ug/kg	61.0	26.2	1	11/23/20 08:30	11/23/20 17:05	75-71-8	v2
Dichlorofluoromethane	**<61.0**	ug/kg	61.0	17.2	1	11/23/20 08:30	11/23/20 17:05	75-43-4	
Diethyl ether (Ethyl ether)	**<61.0**	ug/kg	61.0	18.9	1	11/23/20 08:30	11/23/20 17:05	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-14-SS(7.5-10) **Lab ID: 10539907006** Collected: 11/18/20 11:30 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<61.0**	ug/kg	61.0	14.5	1	11/23/20 08:30	11/23/20 17:05	100-41-4	
Hexachloro-1,3-butadiene	**<305**	ug/kg	305	121	1	11/23/20 08:30	11/23/20 17:05	87-68-3	
Isopropylbenzene (Cumene)	**<61.0**	ug/kg	61.0	16.5	1	11/23/20 08:30	11/23/20 17:05	98-82-8	
Methyl-tert-butyl ether	**<61.0**	ug/kg	61.0	17.9	1	11/23/20 08:30	11/23/20 17:05	1634-04-4	
Methylene Chloride	**<61.0**	ug/kg	61.0	17.0	1	11/23/20 08:30	11/23/20 17:05	75-09-2	
Naphthalene	**<305**	ug/kg	305	19.0	1	11/23/20 08:30	11/23/20 17:05	91-20-3	
Styrene	**<61.0**	ug/kg	61.0	15.6	1	11/23/20 08:30	11/23/20 17:05	100-42-5	
Tetrachloroethene	**<61.0**	ug/kg	61.0	23.7	1	11/23/20 08:30	11/23/20 17:05	127-18-4	
Tetrahydrofuran	**<305**	ug/kg	305	96.1	1	11/23/20 08:30	11/23/20 17:05	109-99-9	
Toluene	**<61.0**	ug/kg	61.0	15.4	1	11/23/20 08:30	11/23/20 17:05	108-88-3	
Trichloroethene	**<61.0**	ug/kg	61.0	22.8	1	11/23/20 08:30	11/23/20 17:05	79-01-6	
Trichlorofluoromethane	**<61.0**	ug/kg	61.0	17.7	1	11/23/20 08:30	11/23/20 17:05	75-69-4	
Vinyl chloride	**<61.0**	ug/kg	61.0	12.3	1	11/23/20 08:30	11/23/20 17:05	75-01-4	
Xylene (Total)	**<183**	ug/kg	183	44.0	1	11/23/20 08:30	11/23/20 17:05	1330-20-7	
cis-1,2-Dichloroethene	**<61.0**	ug/kg	61.0	13.1	1	11/23/20 08:30	11/23/20 17:05	156-59-2	
cis-1,3-Dichloropropene	**<305**	ug/kg	305	40.3	1	11/23/20 08:30	11/23/20 17:05	10061-01-5	
n-Butylbenzene	**<61.0**	ug/kg	61.0	27.9	1	11/23/20 08:30	11/23/20 17:05	104-51-8	
n-Propylbenzene	**<61.0**	ug/kg	61.0	14.6	1	11/23/20 08:30	11/23/20 17:05	103-65-1	
p-Isopropyltoluene	**<61.0**	ug/kg	61.0	18.5	1	11/23/20 08:30	11/23/20 17:05	99-87-6	
sec-Butylbenzene	**<61.0**	ug/kg	61.0	14.9	1	11/23/20 08:30	11/23/20 17:05	135-98-8	
tert-Butylbenzene	**<61.0**	ug/kg	61.0	19.1	1	11/23/20 08:30	11/23/20 17:05	98-06-6	
trans-1,2-Dichloroethene	**<61.0**	ug/kg	61.0	13.2	1	11/23/20 08:30	11/23/20 17:05	156-60-5	
trans-1,3-Dichloropropene	**<305**	ug/kg	305	174	1	11/23/20 08:30	11/23/20 17:05	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	98	%	58-145		1	11/23/20 08:30	11/23/20 17:05	1868-53-7	
Toluene-d8 (S)	100	%	56-140		1	11/23/20 08:30	11/23/20 17:05	2037-26-5	
4-Bromofluorobenzene (S)	99	%	52-137		1	11/23/20 08:30	11/23/20 17:05	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-15-SS(0-5) **Lab ID: 10539907007** Collected: 11/18/20 11:45 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**<11.2**	mg/kg	11.2	3.0	1	11/20/20 13:48	11/23/20 16:07		
Surrogates									
n-Triacontane (S)	88	%.	50-150		1	11/20/20 13:48	11/23/20 16:07	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**2.6**	mg/kg	1.2	0.25	1	12/01/20 15:30	12/02/20 15:16	7440-38-2	
Barium	**146**	mg/kg	0.61	0.097	1	12/01/20 15:30	12/02/20 15:16	7440-39-3	
Cadmium	**<0.18**	mg/kg	0.18	0.037	1	12/01/20 15:30	12/02/20 15:16	7440-43-9	
Chromium	**35.0**	mg/kg	0.61	0.12	1	12/01/20 15:30	12/02/20 15:16	7440-47-3	
Lead	**8.2**	mg/kg	0.61	0.14	1	12/01/20 15:30	12/02/20 15:16	7439-92-1	
Selenium	**<1.2**	mg/kg	1.2	0.40	1	12/01/20 15:30	12/02/20 15:16	7782-49-2	
Silver	**<0.61**	mg/kg	0.61	0.044	1	12/01/20 15:30	12/02/20 15:16	7440-22-4	
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**<0.024**	mg/kg	0.024	0.0099	1	12/01/20 18:45	12/03/20 17:14	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**22.0**	%	0.10	0.10	1		11/23/20 12:14		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<12.7**	ug/kg	12.7	0.57	1	11/20/20 10:40	11/24/20 17:21	83-32-9	
Acenaphthylene	**<12.7**	ug/kg	12.7	0.87	1	11/20/20 10:40	11/24/20 17:21	208-96-8	
Anthracene	**0.73J**	ug/kg	12.7	0.40	1	11/20/20 10:40	11/24/20 17:21	120-12-7	
Benzo(a)anthracene	**1.4J**	ug/kg	12.7	0.52	1	11/20/20 10:40	11/24/20 17:21	56-55-3	
Benzo(a)pyrene	**1.8J**	ug/kg	12.7	0.72	1	11/20/20 10:40	11/24/20 17:21	50-32-8	
Benzo(b)fluoranthene	**4.7J**	ug/kg	12.7	0.59	1	11/20/20 10:40	11/24/20 17:21	205-99-2	
Benzo(g,h,i)perylene	**2.7J**	ug/kg	12.7	0.59	1	11/20/20 10:40	11/24/20 17:21	191-24-2	
Benzo(k)fluoranthene	**1.5J**	ug/kg	12.7	0.61	1	11/20/20 10:40	11/24/20 17:21	207-08-9	
Chrysene	**2.5J**	ug/kg	12.7	0.51	1	11/20/20 10:40	11/24/20 17:21	218-01-9	
Dibenz(a,h)anthracene	**<12.7**	ug/kg	12.7	0.84	1	11/20/20 10:40	11/24/20 17:21	53-70-3	
Fluoranthene	**3.2J**	ug/kg	12.7	0.77	1	11/20/20 10:40	11/24/20 17:21	206-44-0	
Fluorene	**<12.7**	ug/kg	12.7	0.77	1	11/20/20 10:40	11/24/20 17:21	86-73-7	
Indeno(1,2,3-cd)pyrene	**2.0J**	ug/kg	12.7	0.68	1	11/20/20 10:40	11/24/20 17:21	193-39-5	
Naphthalene	**0.70J**	ug/kg	12.7	0.57	1	11/20/20 10:40	11/24/20 17:21	91-20-3	
Phenanthrene	**2.6J**	ug/kg	12.7	0.90	1	11/20/20 10:40	11/24/20 17:21	85-01-8	
Pyrene	**2.4J**	ug/kg	12.7	0.82	1	11/20/20 10:40	11/24/20 17:21	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	60	%.	30-138		1	11/20/20 10:40	11/24/20 17:21	321-60-8	
p-Terphenyl-d14 (S)	56	%.	30-143		1	11/20/20 10:40	11/24/20 17:21	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-15-SS(0-5) **Lab ID: 10539907007** Collected: 11/18/20 11:45 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<64.1**	ug/kg	64.1	15.4	1	11/23/20 08:30	11/23/20 17:28	630-20-6	
1,1,1-Trichloroethane	**<64.1**	ug/kg	64.1	16.4	1	11/23/20 08:30	11/23/20 17:28	71-55-6	
1,1,2,2-Tetrachloroethane	**<64.1**	ug/kg	64.1	23.2	1	11/23/20 08:30	11/23/20 17:28	79-34-5	
1,1,2-Trichloroethane	**<64.1**	ug/kg	64.1	23.3	1	11/23/20 08:30	11/23/20 17:28	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<64.1**	ug/kg	64.1	20.9	1	11/23/20 08:30	11/23/20 17:28	76-13-1	v2
1,1-Dichloroethane	**<64.1**	ug/kg	64.1	16.4	1	11/23/20 08:30	11/23/20 17:28	75-34-3	
1,1-Dichloroethene	**<64.1**	ug/kg	64.1	21.3	1	11/23/20 08:30	11/23/20 17:28	75-35-4	
1,1-Dichloropropene	**<64.1**	ug/kg	64.1	20.8	1	11/23/20 08:30	11/23/20 17:28	563-58-6	
1,2,3-Trichlorobenzene	**<320**	ug/kg	320	71.4	1	11/23/20 08:30	11/23/20 17:28	87-61-6	
1,2,3-Trichloropropane	**<64.1**	ug/kg	64.1	31.1	1	11/23/20 08:30	11/23/20 17:28	96-18-4	
1,2,4-Trichlorobenzene	**<320**	ug/kg	320	52.8	1	11/23/20 08:30	11/23/20 17:28	120-82-1	
1,2,4-Trimethylbenzene	**<64.1**	ug/kg	64.1	19.1	1	11/23/20 08:30	11/23/20 17:28	95-63-6	
1,2-Dibromo-3-chloropropane	**<320**	ug/kg	320	49.7	1	11/23/20 08:30	11/23/20 17:28	96-12-8	
1,2-Dibromoethane (EDB)	**<64.1**	ug/kg	64.1	17.6	1	11/23/20 08:30	11/23/20 17:28	106-93-4	
1,2-Dichlorobenzene	**<64.1**	ug/kg	64.1	19.9	1	11/23/20 08:30	11/23/20 17:28	95-50-1	
1,2-Dichloroethane	**<64.1**	ug/kg	64.1	14.7	1	11/23/20 08:30	11/23/20 17:28	107-06-2	
1,2-Dichloropropane	**<64.1**	ug/kg	64.1	15.2	1	11/23/20 08:30	11/23/20 17:28	78-87-5	
1,3,5-Trimethylbenzene	**<64.1**	ug/kg	64.1	20.6	1	11/23/20 08:30	11/23/20 17:28	108-67-8	
1,3-Dichlorobenzene	**<64.1**	ug/kg	64.1	17.6	1	11/23/20 08:30	11/23/20 17:28	541-73-1	
1,3-Dichloropropane	**<64.1**	ug/kg	64.1	14.0	1	11/23/20 08:30	11/23/20 17:28	142-28-9	
1,4-Dichlorobenzene	**<64.1**	ug/kg	64.1	17.6	1	11/23/20 08:30	11/23/20 17:28	106-46-7	
2,2-Dichloropropane	**<64.1**	ug/kg	64.1	17.3	1	11/23/20 08:30	11/23/20 17:28	594-20-7	v1
2-Butanone (MEK)	**<1600**	ug/kg	1600	202	1	11/23/20 08:30	11/23/20 17:28	78-93-3	
2-Chlorotoluene	**<64.1**	ug/kg	64.1	20.8	1	11/23/20 08:30	11/23/20 17:28	95-49-8	
4-Chlorotoluene	**<64.1**	ug/kg	64.1	24.3	1	11/23/20 08:30	11/23/20 17:28	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1600**	ug/kg	1600	937	1	11/23/20 08:30	11/23/20 17:28	108-10-1	
Acetone	**<1600**	ug/kg	1600	169	1	11/23/20 08:30	11/23/20 17:28	67-64-1	
Allyl chloride	**<320**	ug/kg	320	60.5	1	11/23/20 08:30	11/23/20 17:28	107-05-1	
Benzene	**<25.6**	ug/kg	25.6	15.2	1	11/23/20 08:30	11/23/20 17:28	71-43-2	
Bromobenzene	**<64.1**	ug/kg	64.1	25.0	1	11/23/20 08:30	11/23/20 17:28	108-86-1	
Bromochloromethane	**<64.1**	ug/kg	64.1	17.6	1	11/23/20 08:30	11/23/20 17:28	74-97-5	
Bromodichloromethane	**<64.1**	ug/kg	64.1	15.2	1	11/23/20 08:30	11/23/20 17:28	75-27-4	
Bromoform	**<320**	ug/kg	320	282	1	11/23/20 08:30	11/23/20 17:28	75-25-2	
Bromomethane	**<320**	ug/kg	320	89.8	1	11/23/20 08:30	11/23/20 17:28	74-83-9	v2
Carbon tetrachloride	**<64.1**	ug/kg	64.1	14.1	1	11/23/20 08:30	11/23/20 17:28	56-23-5	
Chlorobenzene	**<64.1**	ug/kg	64.1	7.7	1	11/23/20 08:30	11/23/20 17:28	108-90-7	
Chloroethane	**<320**	ug/kg	320	27.0	1	11/23/20 08:30	11/23/20 17:28	75-00-3	v2
Chloroform	**<320**	ug/kg	320	45.9	1	11/23/20 08:30	11/23/20 17:28	67-66-3	
Chloromethane	**<64.1**	ug/kg	64.1	24.3	1	11/23/20 08:30	11/23/20 17:28	74-87-3	
Dibromochloromethane	**<320**	ug/kg	320	219	1	11/23/20 08:30	11/23/20 17:28	124-48-1	v1
Dibromomethane	**<64.1**	ug/kg	64.1	19.0	1	11/23/20 08:30	11/23/20 17:28	74-95-3	
Dichlorodifluoromethane	**<64.1**	ug/kg	64.1	27.6	1	11/23/20 08:30	11/23/20 17:28	75-71-8	v2
Dichlorofluoromethane	**<64.1**	ug/kg	64.1	18.1	1	11/23/20 08:30	11/23/20 17:28	75-43-4	
Diethyl ether (Ethyl ether)	**<64.1**	ug/kg	64.1	19.9	1	11/23/20 08:30	11/23/20 17:28	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-15-SS(0-5) **Lab ID: 10539907007** Collected: 11/18/20 11:45 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<64.1**	ug/kg	64.1	15.2	1	11/23/20 08:30	11/23/20 17:28	100-41-4	
Hexachloro-1,3-butadiene	**<320**	ug/kg	320	127	1	11/23/20 08:30	11/23/20 17:28	87-68-3	
Isopropylbenzene (Cumene)	**<64.1**	ug/kg	64.1	17.3	1	11/23/20 08:30	11/23/20 17:28	98-82-8	
Methyl-tert-butyl ether	**<64.1**	ug/kg	64.1	18.8	1	11/23/20 08:30	11/23/20 17:28	1634-04-4	
Methylene Chloride	**<64.1**	ug/kg	64.1	17.8	1	11/23/20 08:30	11/23/20 17:28	75-09-2	
Naphthalene	**<320**	ug/kg	320	20.0	1	11/23/20 08:30	11/23/20 17:28	91-20-3	
Styrene	**<64.1**	ug/kg	64.1	16.4	1	11/23/20 08:30	11/23/20 17:28	100-42-5	
Tetrachloroethene	**<64.1**	ug/kg	64.1	24.9	1	11/23/20 08:30	11/23/20 17:28	127-18-4	
Tetrahydrofuran	**<320**	ug/kg	320	101	1	11/23/20 08:30	11/23/20 17:28	109-99-9	
Toluene	**<64.1**	ug/kg	64.1	16.1	1	11/23/20 08:30	11/23/20 17:28	108-88-3	
Trichloroethene	**<64.1**	ug/kg	64.1	24.0	1	11/23/20 08:30	11/23/20 17:28	79-01-6	
Trichlorofluoromethane	**<64.1**	ug/kg	64.1	18.6	1	11/23/20 08:30	11/23/20 17:28	75-69-4	
Vinyl chloride	**<64.1**	ug/kg	64.1	12.9	1	11/23/20 08:30	11/23/20 17:28	75-01-4	
Xylene (Total)	**<192**	ug/kg	192	46.3	1	11/23/20 08:30	11/23/20 17:28	1330-20-7	
cis-1,2-Dichloroethene	**<64.1**	ug/kg	64.1	13.7	1	11/23/20 08:30	11/23/20 17:28	156-59-2	
cis-1,3-Dichloropropene	**<320**	ug/kg	320	42.3	1	11/23/20 08:30	11/23/20 17:28	10061-01-5	
n-Butylbenzene	**<64.1**	ug/kg	64.1	29.3	1	11/23/20 08:30	11/23/20 17:28	104-51-8	
n-Propylbenzene	**<64.1**	ug/kg	64.1	15.4	1	11/23/20 08:30	11/23/20 17:28	103-65-1	
p-Isopropyltoluene	**<64.1**	ug/kg	64.1	19.5	1	11/23/20 08:30	11/23/20 17:28	99-87-6	
sec-Butylbenzene	**<64.1**	ug/kg	64.1	15.6	1	11/23/20 08:30	11/23/20 17:28	135-98-8	
tert-Butylbenzene	**<64.1**	ug/kg	64.1	20.1	1	11/23/20 08:30	11/23/20 17:28	98-06-6	
trans-1,2-Dichloroethene	**<64.1**	ug/kg	64.1	13.8	1	11/23/20 08:30	11/23/20 17:28	156-60-5	
trans-1,3-Dichloropropene	**<320**	ug/kg	320	183	1	11/23/20 08:30	11/23/20 17:28	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	97	%	58-145		1	11/23/20 08:30	11/23/20 17:28	1868-53-7	
Toluene-d8 (S)	104	%	56-140		1	11/23/20 08:30	11/23/20 17:28	2037-26-5	
4-Bromofluorobenzene (S)	103	%	52-137		1	11/23/20 08:30	11/23/20 17:28	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-15-SS(7.5-10) **Lab ID: 10539907008** Collected: 11/18/20 11:55 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**3.2J**	mg/kg	11.2	3.0	1	11/20/20 13:48	11/23/20 15:38		
Surrogates									
n-Triacontane (S)	75	%.	50-150		1	11/20/20 13:48	11/23/20 15:38	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**2.6**	mg/kg	1.2	0.25	1	12/01/20 15:30	12/02/20 15:18	7440-38-2	
Barium	**170**	mg/kg	0.61	0.096	1	12/01/20 15:30	12/02/20 15:18	7440-39-3	
Cadmium	**0.041J**	mg/kg	0.18	0.037	1	12/01/20 15:30	12/02/20 15:18	7440-43-9	
Chromium	**54.0**	mg/kg	0.61	0.12	1	12/01/20 15:30	12/02/20 15:18	7440-47-3	
Lead	**10.7**	mg/kg	0.61	0.14	1	12/01/20 15:30	12/02/20 15:18	7439-92-1	
Selenium	**1.5**	mg/kg	1.2	0.40	1	12/01/20 15:30	12/02/20 15:18	7782-49-2	
Silver	**0.077J**	mg/kg	0.61	0.044	1	12/01/20 15:30	12/02/20 15:18	7440-22-4	
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**0.037**	mg/kg	0.025	0.010	1	12/07/20 08:42	12/07/20 15:00	7439-97-6	
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**24.0**	%	0.10	0.10	1		11/23/20 12:14		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<13.2**	ug/kg	13.2	0.59	1	11/20/20 10:40	11/24/20 17:44	83-32-9	
Acenaphthylene	**<13.2**	ug/kg	13.2	0.90	1	11/20/20 10:40	11/24/20 17:44	208-96-8	
Anthracene	**<13.2**	ug/kg	13.2	0.42	1	11/20/20 10:40	11/24/20 17:44	120-12-7	
Benzo(a)anthracene	**<13.2**	ug/kg	13.2	0.54	1	11/20/20 10:40	11/24/20 17:44	56-55-3	
Benzo(a)pyrene	**<13.2**	ug/kg	13.2	0.74	1	11/20/20 10:40	11/24/20 17:44	50-32-8	
Benzo(b)fluoranthene	**0.92J**	ug/kg	13.2	0.61	1	11/20/20 10:40	11/24/20 17:44	205-99-2	
Benzo(g,h,i)perylene	**<13.2**	ug/kg	13.2	0.61	1	11/20/20 10:40	11/24/20 17:44	191-24-2	
Benzo(k)fluoranthene	**<13.2**	ug/kg	13.2	0.63	1	11/20/20 10:40	11/24/20 17:44	207-08-9	
Chrysene	**<13.2**	ug/kg	13.2	0.53	1	11/20/20 10:40	11/24/20 17:44	218-01-9	
Dibenz(a,h)anthracene	**<13.2**	ug/kg	13.2	0.86	1	11/20/20 10:40	11/24/20 17:44	53-70-3	
Fluoranthene	**1.0J**	ug/kg	13.2	0.80	1	11/20/20 10:40	11/24/20 17:44	206-44-0	
Fluorene	**<13.2**	ug/kg	13.2	0.79	1	11/20/20 10:40	11/24/20 17:44	86-73-7	
Indeno(1,2,3-cd)pyrene	**<13.2**	ug/kg	13.2	0.70	1	11/20/20 10:40	11/24/20 17:44	193-39-5	
Naphthalene	**<13.2**	ug/kg	13.2	0.59	1	11/20/20 10:40	11/24/20 17:44	91-20-3	
Phenanthrene	**<13.2**	ug/kg	13.2	0.93	1	11/20/20 10:40	11/24/20 17:44	85-01-8	
Pyrene	**<13.2**	ug/kg	13.2	0.85	1	11/20/20 10:40	11/24/20 17:44	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	54	%.	30-138		1	11/20/20 10:40	11/24/20 17:44	321-60-8	
p-Terphenyl-d14 (S)	53	%.	30-143		1	11/20/20 10:40	11/24/20 17:44	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-15-SS(7.5-10) **Lab ID: 10539907008** Collected: 11/18/20 11:55 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<65.8**	ug/kg	65.8	15.8	1	11/23/20 08:30	11/23/20 17:50	630-20-6	
1,1,1-Trichloroethane	**<65.8**	ug/kg	65.8	16.8	1	11/23/20 08:30	11/23/20 17:50	71-55-6	
1,1,2,2-Tetrachloroethane	**<65.8**	ug/kg	65.8	23.8	1	11/23/20 08:30	11/23/20 17:50	79-34-5	
1,1,2-Trichloroethane	**<65.8**	ug/kg	65.8	23.9	1	11/23/20 08:30	11/23/20 17:50	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<65.8**	ug/kg	65.8	21.4	1	11/23/20 08:30	11/23/20 17:50	76-13-1	v2
1,1-Dichloroethane	**<65.8**	ug/kg	65.8	16.8	1	11/23/20 08:30	11/23/20 17:50	75-34-3	
1,1-Dichloroethene	**<65.8**	ug/kg	65.8	21.8	1	11/23/20 08:30	11/23/20 17:50	75-35-4	
1,1-Dichloropropene	**<65.8**	ug/kg	65.8	21.3	1	11/23/20 08:30	11/23/20 17:50	563-58-6	
1,2,3-Trichlorobenzene	**<329**	ug/kg	329	73.3	1	11/23/20 08:30	11/23/20 17:50	87-61-6	
1,2,3-Trichloropropane	**<65.8**	ug/kg	65.8	32.0	1	11/23/20 08:30	11/23/20 17:50	96-18-4	
1,2,4-Trichlorobenzene	**<329**	ug/kg	329	54.2	1	11/23/20 08:30	11/23/20 17:50	120-82-1	
1,2,4-Trimethylbenzene	**<65.8**	ug/kg	65.8	19.6	1	11/23/20 08:30	11/23/20 17:50	95-63-6	
1,2-Dibromo-3-chloropropane	**<329**	ug/kg	329	51.0	1	11/23/20 08:30	11/23/20 17:50	96-12-8	
1,2-Dibromoethane (EDB)	**<65.8**	ug/kg	65.8	18.0	1	11/23/20 08:30	11/23/20 17:50	106-93-4	
1,2-Dichlorobenzene	**<65.8**	ug/kg	65.8	20.4	1	11/23/20 08:30	11/23/20 17:50	95-50-1	
1,2-Dichloroethane	**<65.8**	ug/kg	65.8	15.1	1	11/23/20 08:30	11/23/20 17:50	107-06-2	
1,2-Dichloropropane	**<65.8**	ug/kg	65.8	15.6	1	11/23/20 08:30	11/23/20 17:50	78-87-5	
1,3,5-Trimethylbenzene	**<65.8**	ug/kg	65.8	21.2	1	11/23/20 08:30	11/23/20 17:50	108-67-8	
1,3-Dichlorobenzene	**<65.8**	ug/kg	65.8	18.0	1	11/23/20 08:30	11/23/20 17:50	541-73-1	
1,3-Dichloropropane	**<65.8**	ug/kg	65.8	14.3	1	11/23/20 08:30	11/23/20 17:50	142-28-9	
1,4-Dichlorobenzene	**<65.8**	ug/kg	65.8	18.0	1	11/23/20 08:30	11/23/20 17:50	106-46-7	
2,2-Dichloropropane	**<65.8**	ug/kg	65.8	17.8	1	11/23/20 08:30	11/23/20 17:50	594-20-7	v1
2-Butanone (MEK)	**<1640**	ug/kg	1640	208	1	11/23/20 08:30	11/23/20 17:50	78-93-3	
2-Chlorotoluene	**<65.8**	ug/kg	65.8	21.3	1	11/23/20 08:30	11/23/20 17:50	95-49-8	
4-Chlorotoluene	**<65.8**	ug/kg	65.8	25.0	1	11/23/20 08:30	11/23/20 17:50	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1640**	ug/kg	1640	962	1	11/23/20 08:30	11/23/20 17:50	108-10-1	
Acetone	**<1640**	ug/kg	1640	173	1	11/23/20 08:30	11/23/20 17:50	67-64-1	
Allyl chloride	**<329**	ug/kg	329	62.1	1	11/23/20 08:30	11/23/20 17:50	107-05-1	
Benzene	**<26.3**	ug/kg	26.3	15.6	1	11/23/20 08:30	11/23/20 17:50	71-43-2	
Bromobenzene	**<65.8**	ug/kg	65.8	25.6	1	11/23/20 08:30	11/23/20 17:50	108-86-1	
Bromochloromethane	**<65.8**	ug/kg	65.8	18.0	1	11/23/20 08:30	11/23/20 17:50	74-97-5	
Bromodichloromethane	**<65.8**	ug/kg	65.8	15.6	1	11/23/20 08:30	11/23/20 17:50	75-27-4	
Bromoform	**<329**	ug/kg	329	289	1	11/23/20 08:30	11/23/20 17:50	75-25-2	
Bromomethane	**<329**	ug/kg	329	92.2	1	11/23/20 08:30	11/23/20 17:50	74-83-9	v2
Carbon tetrachloride	**<65.8**	ug/kg	65.8	14.5	1	11/23/20 08:30	11/23/20 17:50	56-23-5	
Chlorobenzene	**<65.8**	ug/kg	65.8	7.9	1	11/23/20 08:30	11/23/20 17:50	108-90-7	
Chloroethane	**<329**	ug/kg	329	27.7	1	11/23/20 08:30	11/23/20 17:50	75-00-3	v2
Chloroform	**<329**	ug/kg	329	47.1	1	11/23/20 08:30	11/23/20 17:50	67-66-3	
Chloromethane	**<65.8**	ug/kg	65.8	25.0	1	11/23/20 08:30	11/23/20 17:50	74-87-3	
Dibromochloromethane	**<329**	ug/kg	329	225	1	11/23/20 08:30	11/23/20 17:50	124-48-1	v1
Dibromomethane	**<65.8**	ug/kg	65.8	19.5	1	11/23/20 08:30	11/23/20 17:50	74-95-3	
Dichlorodifluoromethane	**<65.8**	ug/kg	65.8	28.3	1	11/23/20 08:30	11/23/20 17:50	75-71-8	v2
Dichlorofluoromethane	**<65.8**	ug/kg	65.8	18.5	1	11/23/20 08:30	11/23/20 17:50	75-43-4	
Diethyl ether (Ethyl ether)	**<65.8**	ug/kg	65.8	20.4	1	11/23/20 08:30	11/23/20 17:50	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-15-SS(7.5-10) **Lab ID: 10539907008** Collected: 11/18/20 11:55 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<65.8**	ug/kg	65.8	15.6	1	11/23/20 08:30	11/23/20 17:50	100-41-4	
Hexachloro-1,3-butadiene	**<329**	ug/kg	329	131	1	11/23/20 08:30	11/23/20 17:50	87-68-3	
Isopropylbenzene (Cumene)	**<65.8**	ug/kg	65.8	17.8	1	11/23/20 08:30	11/23/20 17:50	98-82-8	
Methyl-tert-butyl ether	**<65.8**	ug/kg	65.8	19.3	1	11/23/20 08:30	11/23/20 17:50	1634-04-4	
Methylene Chloride	**<65.8**	ug/kg	65.8	18.3	1	11/23/20 08:30	11/23/20 17:50	75-09-2	
Naphthalene	**<329**	ug/kg	329	20.5	1	11/23/20 08:30	11/23/20 17:50	91-20-3	
Styrene	**<65.8**	ug/kg	65.8	16.8	1	11/23/20 08:30	11/23/20 17:50	100-42-5	
Tetrachloroethene	**<65.8**	ug/kg	65.8	25.5	1	11/23/20 08:30	11/23/20 17:50	127-18-4	
Tetrahydrofuran	**<329**	ug/kg	329	104	1	11/23/20 08:30	11/23/20 17:50	109-99-9	
Toluene	**<65.8**	ug/kg	65.8	16.6	1	11/23/20 08:30	11/23/20 17:50	108-88-3	
Trichloroethene	**<65.8**	ug/kg	65.8	24.6	1	11/23/20 08:30	11/23/20 17:50	79-01-6	
Trichlorofluoromethane	**<65.8**	ug/kg	65.8	19.1	1	11/23/20 08:30	11/23/20 17:50	75-69-4	
Vinyl chloride	**<65.8**	ug/kg	65.8	13.3	1	11/23/20 08:30	11/23/20 17:50	75-01-4	
Xylene (Total)	**<197**	ug/kg	197	47.5	1	11/23/20 08:30	11/23/20 17:50	1330-20-7	
cis-1,2-Dichloroethene	**<65.8**	ug/kg	65.8	14.1	1	11/23/20 08:30	11/23/20 17:50	156-59-2	
cis-1,3-Dichloropropene	**<329**	ug/kg	329	43.4	1	11/23/20 08:30	11/23/20 17:50	10061-01-5	
n-Butylbenzene	**<65.8**	ug/kg	65.8	30.1	1	11/23/20 08:30	11/23/20 17:50	104-51-8	
n-Propylbenzene	**<65.8**	ug/kg	65.8	15.8	1	11/23/20 08:30	11/23/20 17:50	103-65-1	
p-Isopropyltoluene	**<65.8**	ug/kg	65.8	20.0	1	11/23/20 08:30	11/23/20 17:50	99-87-6	
sec-Butylbenzene	**<65.8**	ug/kg	65.8	16.0	1	11/23/20 08:30	11/23/20 17:50	135-98-8	
tert-Butylbenzene	**<65.8**	ug/kg	65.8	20.6	1	11/23/20 08:30	11/23/20 17:50	98-06-6	
trans-1,2-Dichloroethene	**<65.8**	ug/kg	65.8	14.2	1	11/23/20 08:30	11/23/20 17:50	156-60-5	
trans-1,3-Dichloropropene	**<329**	ug/kg	329	188	1	11/23/20 08:30	11/23/20 17:50	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	94	%	58-145		1	11/23/20 08:30	11/23/20 17:50	1868-53-7	
Toluene-d8 (S)	97	%	56-140		1	11/23/20 08:30	11/23/20 17:50	2037-26-5	
4-Bromofluorobenzene (S)	95	%	52-137		1	11/23/20 08:30	11/23/20 17:50	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-21-SS(0-5) **Lab ID: 10539907009** Collected: 11/18/20 12:40 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**7.9J**	mg/kg	10.3	2.7	1	11/20/20 13:48	11/23/20 15:23		
Surrogates									
n-Triacontane (S)	80	%.	50-150		1	11/20/20 13:48	11/23/20 15:23	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**2.1**	mg/kg	1.2	0.25	1	12/01/20 15:30	12/02/20 15:19	7440-38-2	
Barium	**141**	mg/kg	0.61	0.096	1	12/01/20 15:30	12/02/20 15:19	7440-39-3	
Cadmium	**0.15J**	mg/kg	0.18	0.036	1	12/01/20 15:30	12/02/20 15:19	7440-43-9	
Chromium	**41.6**	mg/kg	0.61	0.12	1	12/01/20 15:30	12/02/20 15:19	7440-47-3	
Lead	**24.6**	mg/kg	0.61	0.14	1	12/01/20 15:30	12/02/20 15:19	7439-92-1	
Selenium	**1.1J**	mg/kg	1.2	0.40	1	12/01/20 15:30	12/02/20 15:19	7782-49-2	
Silver	**<0.61**	mg/kg	0.61	0.044	1	12/01/20 15:30	12/02/20 15:19	7440-22-4	
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**0.040**	mg/kg	0.024	0.010	1	12/07/20 08:42	12/07/20 15:01	7439-97-6	
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**19.9**	%	0.10	0.10	1		11/23/20 12:14		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**2.0J**	ug/kg	12.5	0.56	1	11/20/20 10:40	11/24/20 18:07	83-32-9	
Acenaphthylene	**9.3J**	ug/kg	12.5	0.85	1	11/20/20 10:40	11/24/20 18:07	208-96-8	
Anthracene	**14.2**	ug/kg	12.5	0.39	1	11/20/20 10:40	11/24/20 18:07	120-12-7	
Benzo(a)anthracene	**61.3**	ug/kg	12.5	0.51	1	11/20/20 10:40	11/24/20 18:07	56-55-3	
Benzo(a)pyrene	**62.5**	ug/kg	12.5	0.70	1	11/20/20 10:40	11/24/20 18:07	50-32-8	
Benzo(b)fluoranthene	**78.3**	ug/kg	12.5	0.58	1	11/20/20 10:40	11/24/20 18:07	205-99-2	
Benzo(g,h,i)perylene	**33.0**	ug/kg	12.5	0.58	1	11/20/20 10:40	11/24/20 18:07	191-24-2	
Benzo(k)fluoranthene	**43.7**	ug/kg	12.5	0.60	1	11/20/20 10:40	11/24/20 18:07	207-08-9	
Chrysene	**66.8**	ug/kg	12.5	0.50	1	11/20/20 10:40	11/24/20 18:07	218-01-9	
Dibenz(a,h)anthracene	**12.8**	ug/kg	12.5	0.82	1	11/20/20 10:40	11/24/20 18:07	53-70-3	
Fluoranthene	**115**	ug/kg	12.5	0.75	1	11/20/20 10:40	11/24/20 18:07	206-44-0	
Fluorene	**2.6J**	ug/kg	12.5	0.75	1	11/20/20 10:40	11/24/20 18:07	86-73-7	
Indeno(1,2,3-cd)pyrene	**29.4**	ug/kg	12.5	0.67	1	11/20/20 10:40	11/24/20 18:07	193-39-5	
Naphthalene	**3.9J**	ug/kg	12.5	0.56	1	11/20/20 10:40	11/24/20 18:07	91-20-3	
Phenanthrene	**38.0**	ug/kg	12.5	0.88	1	11/20/20 10:40	11/24/20 18:07	85-01-8	
Pyrene	**93.7**	ug/kg	12.5	0.81	1	11/20/20 10:40	11/24/20 18:07	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	67	%.	30-138		1	11/20/20 10:40	11/24/20 18:07	321-60-8	
p-Terphenyl-d14 (S)	65	%.	30-143		1	11/20/20 10:40	11/24/20 18:07	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-21-SS(0-5) **Lab ID: 10539907009** Collected: 11/18/20 12:40 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<62.4**	ug/kg	62.4	15.0	1	11/23/20 08:30	11/23/20 18:13	630-20-6	
1,1,1-Trichloroethane	**<62.4**	ug/kg	62.4	16.0	1	11/23/20 08:30	11/23/20 18:13	71-55-6	
1,1,2,2-Tetrachloroethane	**<62.4**	ug/kg	62.4	22.6	1	11/23/20 08:30	11/23/20 18:13	79-34-5	
1,1,2-Trichloroethane	**<62.4**	ug/kg	62.4	22.7	1	11/23/20 08:30	11/23/20 18:13	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<62.4**	ug/kg	62.4	20.3	1	11/23/20 08:30	11/23/20 18:13	76-13-1	v2
1,1-Dichloroethane	**<62.4**	ug/kg	62.4	16.0	1	11/23/20 08:30	11/23/20 18:13	75-34-3	
1,1-Dichloroethene	**<62.4**	ug/kg	62.4	20.7	1	11/23/20 08:30	11/23/20 18:13	75-35-4	
1,1-Dichloropropene	**<62.4**	ug/kg	62.4	20.2	1	11/23/20 08:30	11/23/20 18:13	563-58-6	
1,2,3-Trichlorobenzene	**<312**	ug/kg	312	69.5	1	11/23/20 08:30	11/23/20 18:13	87-61-6	
1,2,3-Trichloropropane	**<62.4**	ug/kg	62.4	30.3	1	11/23/20 08:30	11/23/20 18:13	96-18-4	
1,2,4-Trichlorobenzene	**<312**	ug/kg	312	51.4	1	11/23/20 08:30	11/23/20 18:13	120-82-1	
1,2,4-Trimethylbenzene	**<62.4**	ug/kg	62.4	18.6	1	11/23/20 08:30	11/23/20 18:13	95-63-6	
1,2-Dibromo-3-chloropropane	**<312**	ug/kg	312	48.4	1	11/23/20 08:30	11/23/20 18:13	96-12-8	
1,2-Dibromoethane (EDB)	**<62.4**	ug/kg	62.4	17.1	1	11/23/20 08:30	11/23/20 18:13	106-93-4	
1,2-Dichlorobenzene	**<62.4**	ug/kg	62.4	19.3	1	11/23/20 08:30	11/23/20 18:13	95-50-1	
1,2-Dichloroethane	**<62.4**	ug/kg	62.4	14.3	1	11/23/20 08:30	11/23/20 18:13	107-06-2	
1,2-Dichloropropane	**<62.4**	ug/kg	62.4	14.8	1	11/23/20 08:30	11/23/20 18:13	78-87-5	
1,3,5-Trimethylbenzene	**<62.4**	ug/kg	62.4	20.1	1	11/23/20 08:30	11/23/20 18:13	108-67-8	
1,3-Dichlorobenzene	**<62.4**	ug/kg	62.4	17.1	1	11/23/20 08:30	11/23/20 18:13	541-73-1	
1,3-Dichloropropane	**<62.4**	ug/kg	62.4	13.6	1	11/23/20 08:30	11/23/20 18:13	142-28-9	
1,4-Dichlorobenzene	**<62.4**	ug/kg	62.4	17.1	1	11/23/20 08:30	11/23/20 18:13	106-46-7	
2,2-Dichloropropane	**<62.4**	ug/kg	62.4	16.8	1	11/23/20 08:30	11/23/20 18:13	594-20-7	v1
2-Butanone (MEK)	**<1560**	ug/kg	1560	197	1	11/23/20 08:30	11/23/20 18:13	78-93-3	
2-Chlorotoluene	**<62.4**	ug/kg	62.4	20.2	1	11/23/20 08:30	11/23/20 18:13	95-49-8	
4-Chlorotoluene	**<62.4**	ug/kg	62.4	23.7	1	11/23/20 08:30	11/23/20 18:13	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1560**	ug/kg	1560	912	1	11/23/20 08:30	11/23/20 18:13	108-10-1	
Acetone	**<1560**	ug/kg	1560	165	1	11/23/20 08:30	11/23/20 18:13	67-64-1	
Allyl chloride	**<312**	ug/kg	312	58.9	1	11/23/20 08:30	11/23/20 18:13	107-05-1	
Benzene	**<25.0**	ug/kg	25.0	14.8	1	11/23/20 08:30	11/23/20 18:13	71-43-2	
Bromobenzene	**<62.4**	ug/kg	62.4	24.3	1	11/23/20 08:30	11/23/20 18:13	108-86-1	
Bromochloromethane	**<62.4**	ug/kg	62.4	17.1	1	11/23/20 08:30	11/23/20 18:13	74-97-5	
Bromodichloromethane	**<62.4**	ug/kg	62.4	14.8	1	11/23/20 08:30	11/23/20 18:13	75-27-4	
Bromoform	**<312**	ug/kg	312	274	1	11/23/20 08:30	11/23/20 18:13	75-25-2	
Bromomethane	**<312**	ug/kg	312	87.5	1	11/23/20 08:30	11/23/20 18:13	74-83-9	v2
Carbon tetrachloride	**<62.4**	ug/kg	62.4	13.7	1	11/23/20 08:30	11/23/20 18:13	56-23-5	
Chlorobenzene	**<62.4**	ug/kg	62.4	7.5	1	11/23/20 08:30	11/23/20 18:13	108-90-7	
Chloroethane	**<312**	ug/kg	312	26.3	1	11/23/20 08:30	11/23/20 18:13	75-00-3	v2
Chloroform	**<312**	ug/kg	312	44.7	1	11/23/20 08:30	11/23/20 18:13	67-66-3	
Chloromethane	**<62.4**	ug/kg	62.4	23.7	1	11/23/20 08:30	11/23/20 18:13	74-87-3	
Dibromochloromethane	**<312**	ug/kg	312	213	1	11/23/20 08:30	11/23/20 18:13	124-48-1	v1
Dibromomethane	**<62.4**	ug/kg	62.4	18.5	1	11/23/20 08:30	11/23/20 18:13	74-95-3	
Dichlorodifluoromethane	**<62.4**	ug/kg	62.4	26.8	1	11/23/20 08:30	11/23/20 18:13	75-71-8	v2
Dichlorofluoromethane	**<62.4**	ug/kg	62.4	17.6	1	11/23/20 08:30	11/23/20 18:13	75-43-4	
Diethyl ether (Ethyl ether)	**<62.4**	ug/kg	62.4	19.3	1	11/23/20 08:30	11/23/20 18:13	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-21-SS(0-5) **Lab ID: 10539907009** Collected: 11/18/20 12:40 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<62.4**	ug/kg	62.4	14.8	1	11/23/20 08:30	11/23/20 18:13	100-41-4	
Hexachloro-1,3-butadiene	**<312**	ug/kg	312	124	1	11/23/20 08:30	11/23/20 18:13	87-68-3	
Isopropylbenzene (Cumene)	**<62.4**	ug/kg	62.4	16.8	1	11/23/20 08:30	11/23/20 18:13	98-82-8	
Methyl-tert-butyl ether	**<62.4**	ug/kg	62.4	18.3	1	11/23/20 08:30	11/23/20 18:13	1634-04-4	
Methylene Chloride	**<62.4**	ug/kg	62.4	17.3	1	11/23/20 08:30	11/23/20 18:13	75-09-2	
Naphthalene	**<312**	ug/kg	312	19.5	1	11/23/20 08:30	11/23/20 18:13	91-20-3	
Styrene	**<62.4**	ug/kg	62.4	16.0	1	11/23/20 08:30	11/23/20 18:13	100-42-5	
Tetrachloroethene	**<62.4**	ug/kg	62.4	24.2	1	11/23/20 08:30	11/23/20 18:13	127-18-4	
Tetrahydrofuran	**<312**	ug/kg	312	98.3	1	11/23/20 08:30	11/23/20 18:13	109-99-9	
Toluene	**<62.4**	ug/kg	62.4	15.7	1	11/23/20 08:30	11/23/20 18:13	108-88-3	
Trichloroethene	**<62.4**	ug/kg	62.4	23.3	1	11/23/20 08:30	11/23/20 18:13	79-01-6	
Trichlorofluoromethane	**<62.4**	ug/kg	62.4	18.1	1	11/23/20 08:30	11/23/20 18:13	75-69-4	
Vinyl chloride	**<62.4**	ug/kg	62.4	12.6	1	11/23/20 08:30	11/23/20 18:13	75-01-4	
Xylene (Total)	**<187**	ug/kg	187	45.0	1	11/23/20 08:30	11/23/20 18:13	1330-20-7	
cis-1,2-Dichloroethene	**<62.4**	ug/kg	62.4	13.4	1	11/23/20 08:30	11/23/20 18:13	156-59-2	
cis-1,3-Dichloropropene	**<312**	ug/kg	312	41.2	1	11/23/20 08:30	11/23/20 18:13	10061-01-5	
n-Butylbenzene	**<62.4**	ug/kg	62.4	28.6	1	11/23/20 08:30	11/23/20 18:13	104-51-8	
n-Propylbenzene	**<62.4**	ug/kg	62.4	15.0	1	11/23/20 08:30	11/23/20 18:13	103-65-1	
p-Isopropyltoluene	**<62.4**	ug/kg	62.4	19.0	1	11/23/20 08:30	11/23/20 18:13	99-87-6	
sec-Butylbenzene	**<62.4**	ug/kg	62.4	15.2	1	11/23/20 08:30	11/23/20 18:13	135-98-8	
tert-Butylbenzene	**<62.4**	ug/kg	62.4	19.6	1	11/23/20 08:30	11/23/20 18:13	98-06-6	
trans-1,2-Dichloroethene	**<62.4**	ug/kg	62.4	13.5	1	11/23/20 08:30	11/23/20 18:13	156-60-5	
trans-1,3-Dichloropropene	**<312**	ug/kg	312	178	1	11/23/20 08:30	11/23/20 18:13	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	103	%	58-145		1	11/23/20 08:30	11/23/20 18:13	1868-53-7	
Toluene-d8 (S)	106	%	56-140		1	11/23/20 08:30	11/23/20 18:13	2037-26-5	
4-Bromofluorobenzene (S)	105	%	52-137		1	11/23/20 08:30	11/23/20 18:13	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-21-SS(7.5-10) **Lab ID: 10539907010** Collected: 11/18/20 12:50 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**<10.5**	mg/kg	10.5	2.8	1	11/20/20 13:48	11/23/20 16:28		
Surrogates									
n-Triacontane (S)	78	%.	50-150		1	11/20/20 13:48	11/23/20 16:28	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**1.7J**	mg/kg	2.3	0.48	2	12/01/20 15:30	12/02/20 15:46	7440-38-2	D3
Barium	**142**	mg/kg	1.2	0.18	2	12/01/20 15:30	12/02/20 15:46	7440-39-3	
Cadmium	**<0.35**	mg/kg	0.35	0.070	2	12/01/20 15:30	12/02/20 15:46	7440-43-9	D3
Chromium	**42.9**	mg/kg	1.2	0.23	2	12/01/20 15:30	12/02/20 15:46	7440-47-3	
Lead	**8.2**	mg/kg	1.2	0.26	2	12/01/20 15:30	12/02/20 15:46	7439-92-1	
Selenium	**<2.3**	mg/kg	2.3	0.76	2	12/01/20 15:30	12/02/20 15:46	7782-49-2	D3
Silver	**<1.2**	mg/kg	1.2	0.085	2	12/01/20 15:30	12/02/20 15:46	7440-22-4	D3
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**0.015J**	mg/kg	0.022	0.0091	1	12/01/20 18:45	12/03/20 17:19	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**17.5**	%	0.10	0.10	1		11/23/20 12:14		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<12.0**	ug/kg	12.0	0.54	1	11/20/20 10:40	11/24/20 18:30	83-32-9	
Acenaphthylene	**<12.0**	ug/kg	12.0	0.82	1	11/20/20 10:40	11/24/20 18:30	208-96-8	
Anthracene	**<12.0**	ug/kg	12.0	0.38	1	11/20/20 10:40	11/24/20 18:30	120-12-7	
Benzo(a)anthracene	**1.7J**	ug/kg	12.0	0.49	1	11/20/20 10:40	11/24/20 18:30	56-55-3	
Benzo(a)pyrene	**1.1J**	ug/kg	12.0	0.68	1	11/20/20 10:40	11/24/20 18:30	50-32-8	
Benzo(b)fluoranthene	**2.6J**	ug/kg	12.0	0.56	1	11/20/20 10:40	11/24/20 18:30	205-99-2	
Benzo(g,h,i)perylene	**0.83J**	ug/kg	12.0	0.56	1	11/20/20 10:40	11/24/20 18:30	191-24-2	
Benzo(k)fluoranthene	**0.96J**	ug/kg	12.0	0.58	1	11/20/20 10:40	11/24/20 18:30	207-08-9	
Chrysene	**2.3J**	ug/kg	12.0	0.48	1	11/20/20 10:40	11/24/20 18:30	218-01-9	
Dibenz(a,h)anthracene	**<12.0**	ug/kg	12.0	0.79	1	11/20/20 10:40	11/24/20 18:30	53-70-3	
Fluoranthene	**3.9J**	ug/kg	12.0	0.73	1	11/20/20 10:40	11/24/20 18:30	206-44-0	
Fluorene	**<12.0**	ug/kg	12.0	0.72	1	11/20/20 10:40	11/24/20 18:30	86-73-7	
Indeno(1,2,3-cd)pyrene	**0.86J**	ug/kg	12.0	0.64	1	11/20/20 10:40	11/24/20 18:30	193-39-5	
Naphthalene	**<12.0**	ug/kg	12.0	0.54	1	11/20/20 10:40	11/24/20 18:30	91-20-3	
Phenanthrene	**1.0J**	ug/kg	12.0	0.85	1	11/20/20 10:40	11/24/20 18:30	85-01-8	
Pyrene	**2.4J**	ug/kg	12.0	0.78	1	11/20/20 10:40	11/24/20 18:30	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	63	%.	30-138		1	11/20/20 10:40	11/24/20 18:30	321-60-8	
p-Terphenyl-d14 (S)	68	%.	30-143		1	11/20/20 10:40	11/24/20 18:30	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-21-SS(7.5-10) **Lab ID: 10539907010** Collected: 11/18/20 12:50 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<60.6**	ug/kg	60.6	14.6	1	11/23/20 08:30	11/23/20 18:36	630-20-6	
1,1,1-Trichloroethane	**<60.6**	ug/kg	60.6	15.5	1	11/23/20 08:30	11/23/20 18:36	71-55-6	
1,1,2,2-Tetrachloroethane	**<60.6**	ug/kg	60.6	21.9	1	11/23/20 08:30	11/23/20 18:36	79-34-5	
1,1,2-Trichloroethane	**<60.6**	ug/kg	60.6	22.1	1	11/23/20 08:30	11/23/20 18:36	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<60.6**	ug/kg	60.6	19.8	1	11/23/20 08:30	11/23/20 18:36	76-13-1	v2
1,1-Dichloroethane	**<60.6**	ug/kg	60.6	15.5	1	11/23/20 08:30	11/23/20 18:36	75-34-3	
1,1-Dichloroethene	**<60.6**	ug/kg	60.6	20.1	1	11/23/20 08:30	11/23/20 18:36	75-35-4	
1,1-Dichloropropene	**<60.6**	ug/kg	60.6	19.6	1	11/23/20 08:30	11/23/20 18:36	563-58-6	
1,2,3-Trichlorobenzene	**<303**	ug/kg	303	67.5	1	11/23/20 08:30	11/23/20 18:36	87-61-6	
1,2,3-Trichloropropane	**<60.6**	ug/kg	60.6	29.5	1	11/23/20 08:30	11/23/20 18:36	96-18-4	
1,2,4-Trichlorobenzene	**<303**	ug/kg	303	50.0	1	11/23/20 08:30	11/23/20 18:36	120-82-1	
1,2,4-Trimethylbenzene	**<60.6**	ug/kg	60.6	18.1	1	11/23/20 08:30	11/23/20 18:36	95-63-6	
1,2-Dibromo-3-chloropropane	**<303**	ug/kg	303	47.0	1	11/23/20 08:30	11/23/20 18:36	96-12-8	
1,2-Dibromoethane (EDB)	**<60.6**	ug/kg	60.6	16.6	1	11/23/20 08:30	11/23/20 18:36	106-93-4	
1,2-Dichlorobenzene	**<60.6**	ug/kg	60.6	18.8	1	11/23/20 08:30	11/23/20 18:36	95-50-1	
1,2-Dichloroethane	**<60.6**	ug/kg	60.6	13.9	1	11/23/20 08:30	11/23/20 18:36	107-06-2	
1,2-Dichloropropane	**<60.6**	ug/kg	60.6	14.4	1	11/23/20 08:30	11/23/20 18:36	78-87-5	
1,3,5-Trimethylbenzene	**<60.6**	ug/kg	60.6	19.5	1	11/23/20 08:30	11/23/20 18:36	108-67-8	
1,3-Dichlorobenzene	**<60.6**	ug/kg	60.6	16.6	1	11/23/20 08:30	11/23/20 18:36	541-73-1	
1,3-Dichloropropane	**<60.6**	ug/kg	60.6	13.2	1	11/23/20 08:30	11/23/20 18:36	142-28-9	
1,4-Dichlorobenzene	**<60.6**	ug/kg	60.6	16.6	1	11/23/20 08:30	11/23/20 18:36	106-46-7	
2,2-Dichloropropane	**<60.6**	ug/kg	60.6	16.4	1	11/23/20 08:30	11/23/20 18:36	594-20-7	v1
2-Butanone (MEK)	**<1520**	ug/kg	1520	192	1	11/23/20 08:30	11/23/20 18:36	78-93-3	
2-Chlorotoluene	**<60.6**	ug/kg	60.6	19.6	1	11/23/20 08:30	11/23/20 18:36	95-49-8	
4-Chlorotoluene	**<60.6**	ug/kg	60.6	23.0	1	11/23/20 08:30	11/23/20 18:36	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1520**	ug/kg	1520	887	1	11/23/20 08:30	11/23/20 18:36	108-10-1	
Acetone	**<1520**	ug/kg	1520	160	1	11/23/20 08:30	11/23/20 18:36	67-64-1	
Allyl chloride	**<303**	ug/kg	303	57.2	1	11/23/20 08:30	11/23/20 18:36	107-05-1	
Benzene	**<24.3**	ug/kg	24.3	14.4	1	11/23/20 08:30	11/23/20 18:36	71-43-2	
Bromobenzene	**<60.6**	ug/kg	60.6	23.6	1	11/23/20 08:30	11/23/20 18:36	108-86-1	
Bromochloromethane	**<60.6**	ug/kg	60.6	16.6	1	11/23/20 08:30	11/23/20 18:36	74-97-5	
Bromodichloromethane	**<60.6**	ug/kg	60.6	14.4	1	11/23/20 08:30	11/23/20 18:36	75-27-4	
Bromoform	**<303**	ug/kg	303	267	1	11/23/20 08:30	11/23/20 18:36	75-25-2	
Bromomethane	**<303**	ug/kg	303	85.0	1	11/23/20 08:30	11/23/20 18:36	74-83-9	v2
Carbon tetrachloride	**<60.6**	ug/kg	60.6	13.3	1	11/23/20 08:30	11/23/20 18:36	56-23-5	
Chlorobenzene	**<60.6**	ug/kg	60.6	7.3	1	11/23/20 08:30	11/23/20 18:36	108-90-7	
Chloroethane	**<303**	ug/kg	303	25.6	1	11/23/20 08:30	11/23/20 18:36	75-00-3	v2
Chloroform	**<303**	ug/kg	303	43.4	1	11/23/20 08:30	11/23/20 18:36	67-66-3	
Chloromethane	**<60.6**	ug/kg	60.6	23.0	1	11/23/20 08:30	11/23/20 18:36	74-87-3	
Dibromochloromethane	**<303**	ug/kg	303	207	1	11/23/20 08:30	11/23/20 18:36	124-48-1	v1
Dibromomethane	**<60.6**	ug/kg	60.6	17.9	1	11/23/20 08:30	11/23/20 18:36	74-95-3	
Dichlorodifluoromethane	**<60.6**	ug/kg	60.6	26.1	1	11/23/20 08:30	11/23/20 18:36	75-71-8	v2
Dichlorofluoromethane	**<60.6**	ug/kg	60.6	17.1	1	11/23/20 08:30	11/23/20 18:36	75-43-4	
Diethyl ether (Ethyl ether)	**<60.6**	ug/kg	60.6	18.8	1	11/23/20 08:30	11/23/20 18:36	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-21-SS(7.5-10) **Lab ID: 10539907010** Collected: 11/18/20 12:50 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<60.6**	ug/kg	60.6	14.4	1	11/23/20 08:30	11/23/20 18:36	100-41-4	
Hexachloro-1,3-butadiene	**<303**	ug/kg	303	121	1	11/23/20 08:30	11/23/20 18:36	87-68-3	
Isopropylbenzene (Cumene)	**<60.6**	ug/kg	60.6	16.4	1	11/23/20 08:30	11/23/20 18:36	98-82-8	
Methyl-tert-butyl ether	**<60.6**	ug/kg	60.6	17.8	1	11/23/20 08:30	11/23/20 18:36	1634-04-4	
Methylene Chloride	**<60.6**	ug/kg	60.6	16.9	1	11/23/20 08:30	11/23/20 18:36	75-09-2	
Naphthalene	**<303**	ug/kg	303	18.9	1	11/23/20 08:30	11/23/20 18:36	91-20-3	
Styrene	**<60.6**	ug/kg	60.6	15.5	1	11/23/20 08:30	11/23/20 18:36	100-42-5	
Tetrachloroethene	**<60.6**	ug/kg	60.6	23.5	1	11/23/20 08:30	11/23/20 18:36	127-18-4	
Tetrahydrofuran	**<303**	ug/kg	303	95.5	1	11/23/20 08:30	11/23/20 18:36	109-99-9	
Toluene	**<60.6**	ug/kg	60.6	15.3	1	11/23/20 08:30	11/23/20 18:36	108-88-3	
Trichloroethene	**<60.6**	ug/kg	60.6	22.7	1	11/23/20 08:30	11/23/20 18:36	79-01-6	
Trichlorofluoromethane	**<60.6**	ug/kg	60.6	17.6	1	11/23/20 08:30	11/23/20 18:36	75-69-4	
Vinyl chloride	**<60.6**	ug/kg	60.6	12.2	1	11/23/20 08:30	11/23/20 18:36	75-01-4	
Xylene (Total)	**<182**	ug/kg	182	43.8	1	11/23/20 08:30	11/23/20 18:36	1330-20-7	
cis-1,2-Dichloroethene	**<60.6**	ug/kg	60.6	13.0	1	11/23/20 08:30	11/23/20 18:36	156-59-2	
cis-1,3-Dichloropropene	**<303**	ug/kg	303	40.0	1	11/23/20 08:30	11/23/20 18:36	10061-01-5	
n-Butylbenzene	**<60.6**	ug/kg	60.6	27.8	1	11/23/20 08:30	11/23/20 18:36	104-51-8	
n-Propylbenzene	**<60.6**	ug/kg	60.6	14.6	1	11/23/20 08:30	11/23/20 18:36	103-65-1	
p-Isopropyltoluene	**<60.6**	ug/kg	60.6	18.4	1	11/23/20 08:30	11/23/20 18:36	99-87-6	
sec-Butylbenzene	**<60.6**	ug/kg	60.6	14.8	1	11/23/20 08:30	11/23/20 18:36	135-98-8	
tert-Butylbenzene	**<60.6**	ug/kg	60.6	19.0	1	11/23/20 08:30	11/23/20 18:36	98-06-6	
trans-1,2-Dichloroethene	**<60.6**	ug/kg	60.6	13.1	1	11/23/20 08:30	11/23/20 18:36	156-60-5	
trans-1,3-Dichloropropene	**<303**	ug/kg	303	173	1	11/23/20 08:30	11/23/20 18:36	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	95	%	58-145		1	11/23/20 08:30	11/23/20 18:36	1868-53-7	
Toluene-d8 (S)	101	%	56-140		1	11/23/20 08:30	11/23/20 18:36	2037-26-5	
4-Bromofluorobenzene (S)	99	%	52-137		1	11/23/20 08:30	11/23/20 18:36	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-22-SS(0-5) **Lab ID: 10539907011** Collected: 11/18/20 13:05 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**5.2J**	mg/kg	11.4	3.1	1	11/20/20 13:48	11/23/20 15:31		
Surrogates									
n-Triacontane (S)	85	%.	50-150		1	11/20/20 13:48	11/23/20 15:31	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**2.5J**	mg/kg	2.5	0.52	2	12/01/20 15:30	12/02/20 15:48	7440-38-2	D3
Barium	**242**	mg/kg	1.3	0.20	2	12/01/20 15:30	12/02/20 15:48	7440-39-3	
Cadmium	**<0.38**	mg/kg	0.38	0.076	2	12/01/20 15:30	12/02/20 15:48	7440-43-9	D3
Chromium	**41.9**	mg/kg	1.3	0.25	2	12/01/20 15:30	12/02/20 15:48	7440-47-3	
Lead	**15.5**	mg/kg	1.3	0.29	2	12/01/20 15:30	12/02/20 15:48	7439-92-1	
Selenium	**<2.5**	mg/kg	2.5	0.84	2	12/01/20 15:30	12/02/20 15:48	7782-49-2	D3
Silver	**<1.3**	mg/kg	1.3	0.093	2	12/01/20 15:30	12/02/20 15:48	7440-22-4	D3
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**0.017J**	mg/kg	0.026	0.011	1	12/01/20 18:45	12/03/20 17:20	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**27.4**	%	0.10	0.10	1		11/23/20 12:15		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**0.94J**	ug/kg	13.7	0.61	1	11/20/20 10:40	11/24/20 18:53	83-32-9	
Acenaphthylene	**1.7J**	ug/kg	13.7	0.94	1	11/20/20 10:40	11/24/20 18:53	208-96-8	
Anthracene	**3.6J**	ug/kg	13.7	0.43	1	11/20/20 10:40	11/24/20 18:53	120-12-7	
Benzo(a)anthracene	**15.8**	ug/kg	13.7	0.56	1	11/20/20 10:40	11/24/20 18:53	56-55-3	
Benzo(a)pyrene	**18.5**	ug/kg	13.7	0.77	1	11/20/20 10:40	11/24/20 18:53	50-32-8	
Benzo(b)fluoranthene	**28.1**	ug/kg	13.7	0.64	1	11/20/20 10:40	11/24/20 18:53	205-99-2	
Benzo(g,h,i)perylene	**11.6J**	ug/kg	13.7	0.63	1	11/20/20 10:40	11/24/20 18:53	191-24-2	
Benzo(k)fluoranthene	**9.5J**	ug/kg	13.7	0.66	1	11/20/20 10:40	11/24/20 18:53	207-08-9	
Chrysene	**20.5**	ug/kg	13.7	0.55	1	11/20/20 10:40	11/24/20 18:53	218-01-9	
Dibenz(a,h)anthracene	**<13.7**	ug/kg	13.7	0.90	1	11/20/20 10:40	11/24/20 18:53	53-70-3	
Fluoranthene	**32.4**	ug/kg	13.7	0.83	1	11/20/20 10:40	11/24/20 18:53	206-44-0	
Fluorene	**1.2J**	ug/kg	13.7	0.82	1	11/20/20 10:40	11/24/20 18:53	86-73-7	
Indeno(1,2,3-cd)pyrene	**9.4J**	ug/kg	13.7	0.73	1	11/20/20 10:40	11/24/20 18:53	193-39-5	
Naphthalene	**5.0J**	ug/kg	13.7	0.62	1	11/20/20 10:40	11/24/20 18:53	91-20-3	
Phenanthrene	**18.4**	ug/kg	13.7	0.96	1	11/20/20 10:40	11/24/20 18:53	85-01-8	
Pyrene	**24.8**	ug/kg	13.7	0.88	1	11/20/20 10:40	11/24/20 18:53	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	62	%.	30-138		1	11/20/20 10:40	11/24/20 18:53	321-60-8	
p-Terphenyl-d14 (S)	62	%.	30-143		1	11/20/20 10:40	11/24/20 18:53	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-22-SS(0-5) **Lab ID: 10539907011** Collected: 11/18/20 13:05 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<68.8**	ug/kg	68.8	16.5	1	11/23/20 08:30	11/23/20 18:59	630-20-6	
1,1,1-Trichloroethane	**<68.8**	ug/kg	68.8	17.6	1	11/23/20 08:30	11/23/20 18:59	71-55-6	
1,1,2,2-Tetrachloroethane	**<68.8**	ug/kg	68.8	24.9	1	11/23/20 08:30	11/23/20 18:59	79-34-5	
1,1,2-Trichloroethane	**<68.8**	ug/kg	68.8	25.1	1	11/23/20 08:30	11/23/20 18:59	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<68.8**	ug/kg	68.8	22.4	1	11/23/20 08:30	11/23/20 18:59	76-13-1	v2
1,1-Dichloroethane	**<68.8**	ug/kg	68.8	17.6	1	11/23/20 08:30	11/23/20 18:59	75-34-3	
1,1-Dichloroethene	**<68.8**	ug/kg	68.8	22.9	1	11/23/20 08:30	11/23/20 18:59	75-35-4	
1,1-Dichloropropene	**<68.8**	ug/kg	68.8	22.3	1	11/23/20 08:30	11/23/20 18:59	563-58-6	
1,2,3-Trichlorobenzene	**<344**	ug/kg	344	76.7	1	11/23/20 08:30	11/23/20 18:59	87-61-6	
1,2,3-Trichloropropane	**<68.8**	ug/kg	68.8	33.5	1	11/23/20 08:30	11/23/20 18:59	96-18-4	
1,2,4-Trichlorobenzene	**<344**	ug/kg	344	56.7	1	11/23/20 08:30	11/23/20 18:59	120-82-1	
1,2,4-Trimethylbenzene	**<68.8**	ug/kg	68.8	20.5	1	11/23/20 08:30	11/23/20 18:59	95-63-6	
1,2-Dibromo-3-chloropropane	**<344**	ug/kg	344	53.4	1	11/23/20 08:30	11/23/20 18:59	96-12-8	
1,2-Dibromoethane (EDB)	**<68.8**	ug/kg	68.8	18.9	1	11/23/20 08:30	11/23/20 18:59	106-93-4	
1,2-Dichlorobenzene	**<68.8**	ug/kg	68.8	21.3	1	11/23/20 08:30	11/23/20 18:59	95-50-1	
1,2-Dichloroethane	**<68.8**	ug/kg	68.8	15.8	1	11/23/20 08:30	11/23/20 18:59	107-06-2	
1,2-Dichloropropane	**<68.8**	ug/kg	68.8	16.4	1	11/23/20 08:30	11/23/20 18:59	78-87-5	
1,3,5-Trimethylbenzene	**<68.8**	ug/kg	68.8	22.2	1	11/23/20 08:30	11/23/20 18:59	108-67-8	
1,3-Dichlorobenzene	**<68.8**	ug/kg	68.8	18.9	1	11/23/20 08:30	11/23/20 18:59	541-73-1	
1,3-Dichloropropane	**<68.8**	ug/kg	68.8	15.0	1	11/23/20 08:30	11/23/20 18:59	142-28-9	
1,4-Dichlorobenzene	**<68.8**	ug/kg	68.8	18.9	1	11/23/20 08:30	11/23/20 18:59	106-46-7	
2,2-Dichloropropane	**<68.8**	ug/kg	68.8	18.6	1	11/23/20 08:30	11/23/20 18:59	594-20-7	v1
2-Butanone (MEK)	**<1720**	ug/kg	1720	218	1	11/23/20 08:30	11/23/20 18:59	78-93-3	
2-Chlorotoluene	**<68.8**	ug/kg	68.8	22.3	1	11/23/20 08:30	11/23/20 18:59	95-49-8	
4-Chlorotoluene	**<68.8**	ug/kg	68.8	26.2	1	11/23/20 08:30	11/23/20 18:59	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1720**	ug/kg	1720	1010	1	11/23/20 08:30	11/23/20 18:59	108-10-1	
Acetone	**<1720**	ug/kg	1720	182	1	11/23/20 08:30	11/23/20 18:59	67-64-1	
Allyl chloride	**<344**	ug/kg	344	65.0	1	11/23/20 08:30	11/23/20 18:59	107-05-1	
Benzene	**<27.5**	ug/kg	27.5	16.4	1	11/23/20 08:30	11/23/20 18:59	71-43-2	
Bromobenzene	**<68.8**	ug/kg	68.8	26.8	1	11/23/20 08:30	11/23/20 18:59	108-86-1	
Bromochloromethane	**<68.8**	ug/kg	68.8	18.9	1	11/23/20 08:30	11/23/20 18:59	74-97-5	
Bromodichloromethane	**<68.8**	ug/kg	68.8	16.4	1	11/23/20 08:30	11/23/20 18:59	75-27-4	
Bromoform	**<344**	ug/kg	344	303	1	11/23/20 08:30	11/23/20 18:59	75-25-2	
Bromomethane	**<344**	ug/kg	344	96.5	1	11/23/20 08:30	11/23/20 18:59	74-83-9	v2
Carbon tetrachloride	**<68.8**	ug/kg	68.8	15.1	1	11/23/20 08:30	11/23/20 18:59	56-23-5	
Chlorobenzene	**<68.8**	ug/kg	68.8	8.2	1	11/23/20 08:30	11/23/20 18:59	108-90-7	
Chloroethane	**<344**	ug/kg	344	29.1	1	11/23/20 08:30	11/23/20 18:59	75-00-3	v2
Chloroform	**<344**	ug/kg	344	49.3	1	11/23/20 08:30	11/23/20 18:59	67-66-3	
Chloromethane	**<68.8**	ug/kg	68.8	26.2	1	11/23/20 08:30	11/23/20 18:59	74-87-3	
Dibromochloromethane	**<344**	ug/kg	344	235	1	11/23/20 08:30	11/23/20 18:59	124-48-1	v1
Dibromomethane	**<68.8**	ug/kg	68.8	20.4	1	11/23/20 08:30	11/23/20 18:59	74-95-3	
Dichlorodifluoromethane	**<68.8**	ug/kg	68.8	29.6	1	11/23/20 08:30	11/23/20 18:59	75-71-8	v2
Dichlorofluoromethane	**<68.8**	ug/kg	68.8	19.4	1	11/23/20 08:30	11/23/20 18:59	75-43-4	
Diethyl ether (Ethyl ether)	**<68.8**	ug/kg	68.8	21.3	1	11/23/20 08:30	11/23/20 18:59	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-22-SS(0-5) **Lab ID: 10539907011** Collected: 11/18/20 13:05 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<68.8**	ug/kg	68.8	16.4	1	11/23/20 08:30	11/23/20 18:59	100-41-4	
Hexachloro-1,3-butadiene	**<344**	ug/kg	344	137	1	11/23/20 08:30	11/23/20 18:59	87-68-3	
Isopropylbenzene (Cumene)	**<68.8**	ug/kg	68.8	18.6	1	11/23/20 08:30	11/23/20 18:59	98-82-8	
Methyl-tert-butyl ether	**<68.8**	ug/kg	68.8	20.2	1	11/23/20 08:30	11/23/20 18:59	1634-04-4	
Methylene Chloride	**<68.8**	ug/kg	68.8	19.1	1	11/23/20 08:30	11/23/20 18:59	75-09-2	
Naphthalene	**<344**	ug/kg	344	21.5	1	11/23/20 08:30	11/23/20 18:59	91-20-3	
Styrene	**<68.8**	ug/kg	68.8	17.6	1	11/23/20 08:30	11/23/20 18:59	100-42-5	
Tetrachloroethene	**<68.8**	ug/kg	68.8	26.7	1	11/23/20 08:30	11/23/20 18:59	127-18-4	
Tetrahydrofuran	**<344**	ug/kg	344	108	1	11/23/20 08:30	11/23/20 18:59	109-99-9	
Toluene	**<68.8**	ug/kg	68.8	17.3	1	11/23/20 08:30	11/23/20 18:59	108-88-3	
Trichloroethene	**<68.8**	ug/kg	68.8	25.7	1	11/23/20 08:30	11/23/20 18:59	79-01-6	
Trichlorofluoromethane	**<68.8**	ug/kg	68.8	20.0	1	11/23/20 08:30	11/23/20 18:59	75-69-4	
Vinyl chloride	**<68.8**	ug/kg	68.8	13.9	1	11/23/20 08:30	11/23/20 18:59	75-01-4	
Xylene (Total)	**<207**	ug/kg	207	49.7	1	11/23/20 08:30	11/23/20 18:59	1330-20-7	
cis-1,2-Dichloroethene	**<68.8**	ug/kg	68.8	14.7	1	11/23/20 08:30	11/23/20 18:59	156-59-2	
cis-1,3-Dichloropropene	**<344**	ug/kg	344	45.4	1	11/23/20 08:30	11/23/20 18:59	10061-01-5	
n-Butylbenzene	**<68.8**	ug/kg	68.8	31.5	1	11/23/20 08:30	11/23/20 18:59	104-51-8	
n-Propylbenzene	**<68.8**	ug/kg	68.8	16.5	1	11/23/20 08:30	11/23/20 18:59	103-65-1	
p-Isopropyltoluene	**<68.8**	ug/kg	68.8	20.9	1	11/23/20 08:30	11/23/20 18:59	99-87-6	
sec-Butylbenzene	**<68.8**	ug/kg	68.8	16.8	1	11/23/20 08:30	11/23/20 18:59	135-98-8	
tert-Butylbenzene	**<68.8**	ug/kg	68.8	21.6	1	11/23/20 08:30	11/23/20 18:59	98-06-6	
trans-1,2-Dichloroethene	**<68.8**	ug/kg	68.8	14.9	1	11/23/20 08:30	11/23/20 18:59	156-60-5	
trans-1,3-Dichloropropene	**<344**	ug/kg	344	197	1	11/23/20 08:30	11/23/20 18:59	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	101	%	58-145		1	11/23/20 08:30	11/23/20 18:59	1868-53-7	
Toluene-d8 (S)	105	%	56-140		1	11/23/20 08:30	11/23/20 18:59	2037-26-5	
4-Bromofluorobenzene (S)	104	%	52-137		1	11/23/20 08:30	11/23/20 18:59	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-22-SS(7.5-10) **Lab ID: 10539907012** Collected: 11/18/20 13:15 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**<11.6**	mg/kg	11.6	3.1	1	11/20/20 13:48	11/23/20 16:36		
Surrogates									
n-Triacontane (S)	73	%.	50-150		1	11/20/20 13:48	11/23/20 16:36	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**1.7**	mg/kg	1.3	0.26	1	12/01/20 15:30	12/02/20 15:28	7440-38-2	
Barium	**136**	mg/kg	0.64	0.10	1	12/01/20 15:30	12/02/20 15:28	7440-39-3	
Cadmium	**<0.19**	mg/kg	0.19	0.038	1	12/01/20 15:30	12/02/20 15:28	7440-43-9	
Chromium	**45.2**	mg/kg	0.64	0.13	1	12/01/20 15:30	12/02/20 15:28	7440-47-3	
Lead	**8.5**	mg/kg	0.64	0.14	1	12/01/20 15:30	12/02/20 15:28	7439-92-1	
Selenium	**<1.3**	mg/kg	1.3	0.42	1	12/01/20 15:30	12/02/20 15:28	7782-49-2	
Silver	**<0.64**	mg/kg	0.64	0.047	1	12/01/20 15:30	12/02/20 15:28	7440-22-4	
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**<0.025**	mg/kg	0.025	0.010	1	12/01/20 18:45	12/03/20 17:22	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**27.1**	%	0.10	0.10	1		11/23/20 12:15		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<13.7**	ug/kg	13.7	0.61	1	11/20/20 10:40	11/24/20 19:16	83-32-9	
Acenaphthylene	**<13.7**	ug/kg	13.7	0.93	1	11/20/20 10:40	11/24/20 19:16	208-96-8	
Anthracene	**<13.7**	ug/kg	13.7	0.43	1	11/20/20 10:40	11/24/20 19:16	120-12-7	
Benzo(a)anthracene	**<13.7**	ug/kg	13.7	0.56	1	11/20/20 10:40	11/24/20 19:16	56-55-3	
Benzo(a)pyrene	**<13.7**	ug/kg	13.7	0.77	1	11/20/20 10:40	11/24/20 19:16	50-32-8	
Benzo(b)fluoranthene	**<13.7**	ug/kg	13.7	0.64	1	11/20/20 10:40	11/24/20 19:16	205-99-2	
Benzo(g,h,i)perylene	**<13.7**	ug/kg	13.7	0.63	1	11/20/20 10:40	11/24/20 19:16	191-24-2	
Benzo(k)fluoranthene	**<13.7**	ug/kg	13.7	0.66	1	11/20/20 10:40	11/24/20 19:16	207-08-9	
Chrysene	**<13.7**	ug/kg	13.7	0.55	1	11/20/20 10:40	11/24/20 19:16	218-01-9	
Dibenz(a,h)anthracene	**<13.7**	ug/kg	13.7	0.90	1	11/20/20 10:40	11/24/20 19:16	53-70-3	
Fluoranthene	**<13.7**	ug/kg	13.7	0.83	1	11/20/20 10:40	11/24/20 19:16	206-44-0	
Fluorene	**<13.7**	ug/kg	13.7	0.82	1	11/20/20 10:40	11/24/20 19:16	86-73-7	
Indeno(1,2,3-cd)pyrene	**<13.7**	ug/kg	13.7	0.73	1	11/20/20 10:40	11/24/20 19:16	193-39-5	
Naphthalene	**<13.7**	ug/kg	13.7	0.62	1	11/20/20 10:40	11/24/20 19:16	91-20-3	
Phenanthrene	**<13.7**	ug/kg	13.7	0.96	1	11/20/20 10:40	11/24/20 19:16	85-01-8	
Pyrene	**<13.7**	ug/kg	13.7	0.88	1	11/20/20 10:40	11/24/20 19:16	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	55	%.	30-138		1	11/20/20 10:40	11/24/20 19:16	321-60-8	
p-Terphenyl-d14 (S)	58	%.	30-143		1	11/20/20 10:40	11/24/20 19:16	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-22-SS(7.5-10) **Lab ID: 10539907012** Collected: 11/18/20 13:15 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<68.6**	ug/kg	68.6	16.5	1	11/23/20 08:30	11/23/20 12:33	630-20-6	
1,1,1-Trichloroethane	**<68.6**	ug/kg	68.6	17.6	1	11/23/20 08:30	11/23/20 12:33	71-55-6	
1,1,2,2-Tetrachloroethane	**<68.6**	ug/kg	68.6	24.8	1	11/23/20 08:30	11/23/20 12:33	79-34-5	
1,1,2-Trichloroethane	**<68.6**	ug/kg	68.6	25.0	1	11/23/20 08:30	11/23/20 12:33	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<68.6**	ug/kg	68.6	22.3	1	11/23/20 08:30	11/23/20 12:33	76-13-1	v2
1,1-Dichloroethane	**<68.6**	ug/kg	68.6	17.6	1	11/23/20 08:30	11/23/20 12:33	75-34-3	
1,1-Dichloroethene	**<68.6**	ug/kg	68.6	22.8	1	11/23/20 08:30	11/23/20 12:33	75-35-4	
1,1-Dichloropropene	**<68.6**	ug/kg	68.6	22.2	1	11/23/20 08:30	11/23/20 12:33	563-58-6	
1,2,3-Trichlorobenzene	**<343**	ug/kg	343	76.4	1	11/23/20 08:30	11/23/20 12:33	87-61-6	
1,2,3-Trichloropropane	**<68.6**	ug/kg	68.6	33.3	1	11/23/20 08:30	11/23/20 12:33	96-18-4	
1,2,4-Trichlorobenzene	**<343**	ug/kg	343	56.5	1	11/23/20 08:30	11/23/20 12:33	120-82-1	
1,2,4-Trimethylbenzene	**<68.6**	ug/kg	68.6	20.4	1	11/23/20 08:30	11/23/20 12:33	95-63-6	
1,2-Dibromo-3-chloropropane	**<343**	ug/kg	343	53.2	1	11/23/20 08:30	11/23/20 12:33	96-12-8	
1,2-Dibromoethane (EDB)	**<68.6**	ug/kg	68.6	18.8	1	11/23/20 08:30	11/23/20 12:33	106-93-4	
1,2-Dichlorobenzene	**<68.6**	ug/kg	68.6	21.3	1	11/23/20 08:30	11/23/20 12:33	95-50-1	
1,2-Dichloroethane	**<68.6**	ug/kg	68.6	15.8	1	11/23/20 08:30	11/23/20 12:33	107-06-2	
1,2-Dichloropropane	**<68.6**	ug/kg	68.6	16.3	1	11/23/20 08:30	11/23/20 12:33	78-87-5	
1,3,5-Trimethylbenzene	**<68.6**	ug/kg	68.6	22.1	1	11/23/20 08:30	11/23/20 12:33	108-67-8	
1,3-Dichlorobenzene	**<68.6**	ug/kg	68.6	18.8	1	11/23/20 08:30	11/23/20 12:33	541-73-1	
1,3-Dichloropropane	**<68.6**	ug/kg	68.6	14.9	1	11/23/20 08:30	11/23/20 12:33	142-28-9	
1,4-Dichlorobenzene	**<68.6**	ug/kg	68.6	18.8	1	11/23/20 08:30	11/23/20 12:33	106-46-7	
2,2-Dichloropropane	**<68.6**	ug/kg	68.6	18.5	1	11/23/20 08:30	11/23/20 12:33	594-20-7	v1
2-Butanone (MEK)	**<1710**	ug/kg	1710	217	1	11/23/20 08:30	11/23/20 12:33	78-93-3	
2-Chlorotoluene	**<68.6**	ug/kg	68.6	22.2	1	11/23/20 08:30	11/23/20 12:33	95-49-8	
4-Chlorotoluene	**<68.6**	ug/kg	68.6	26.1	1	11/23/20 08:30	11/23/20 12:33	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1710**	ug/kg	1710	1000	1	11/23/20 08:30	11/23/20 12:33	108-10-1	
Acetone	**<1710**	ug/kg	1710	181	1	11/23/20 08:30	11/23/20 12:33	67-64-1	
Allyl chloride	**<343**	ug/kg	343	64.7	1	11/23/20 08:30	11/23/20 12:33	107-05-1	
Benzene	**<27.4**	ug/kg	27.4	16.3	1	11/23/20 08:30	11/23/20 12:33	71-43-2	
Bromobenzene	**<68.6**	ug/kg	68.6	26.7	1	11/23/20 08:30	11/23/20 12:33	108-86-1	
Bromochloromethane	**<68.6**	ug/kg	68.6	18.8	1	11/23/20 08:30	11/23/20 12:33	74-97-5	
Bromodichloromethane	**<68.6**	ug/kg	68.6	16.3	1	11/23/20 08:30	11/23/20 12:33	75-27-4	
Bromoform	**<343**	ug/kg	343	302	1	11/23/20 08:30	11/23/20 12:33	75-25-2	
Bromomethane	**<343**	ug/kg	343	96.1	1	11/23/20 08:30	11/23/20 12:33	74-83-9	v2
Carbon tetrachloride	**<68.6**	ug/kg	68.6	15.1	1	11/23/20 08:30	11/23/20 12:33	56-23-5	
Chlorobenzene	**<68.6**	ug/kg	68.6	8.2	1	11/23/20 08:30	11/23/20 12:33	108-90-7	
Chloroethane	**<343**	ug/kg	343	28.9	1	11/23/20 08:30	11/23/20 12:33	75-00-3	v2
Chloroform	**<343**	ug/kg	343	49.1	1	11/23/20 08:30	11/23/20 12:33	67-66-3	
Chloromethane	**<68.6**	ug/kg	68.6	26.1	1	11/23/20 08:30	11/23/20 12:33	74-87-3	
Dibromochloromethane	**<343**	ug/kg	343	234	1	11/23/20 08:30	11/23/20 12:33	124-48-1	v1
Dibromomethane	**<68.6**	ug/kg	68.6	20.3	1	11/23/20 08:30	11/23/20 12:33	74-95-3	
Dichlorodifluoromethane	**<68.6**	ug/kg	68.6	29.5	1	11/23/20 08:30	11/23/20 12:33	75-71-8	v2
Dichlorofluoromethane	**<68.6**	ug/kg	68.6	19.3	1	11/23/20 08:30	11/23/20 12:33	75-43-4	
Diethyl ether (Ethyl ether)	**<68.6**	ug/kg	68.6	21.3	1	11/23/20 08:30	11/23/20 12:33	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-22-SS(7.5-10) **Lab ID: 10539907012** Collected: 11/18/20 13:15 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<68.6**	ug/kg	68.6	16.3	1	11/23/20 08:30	11/23/20 12:33	100-41-4	
Hexachloro-1,3-butadiene	**<343**	ug/kg	343	136	1	11/23/20 08:30	11/23/20 12:33	87-68-3	
Isopropylbenzene (Cumene)	**<68.6**	ug/kg	68.6	18.5	1	11/23/20 08:30	11/23/20 12:33	98-82-8	
Methyl-tert-butyl ether	**<68.6**	ug/kg	68.6	20.2	1	11/23/20 08:30	11/23/20 12:33	1634-04-4	
Methylene Chloride	**<68.6**	ug/kg	68.6	19.1	1	11/23/20 08:30	11/23/20 12:33	75-09-2	
Naphthalene	**<343**	ug/kg	343	21.4	1	11/23/20 08:30	11/23/20 12:33	91-20-3	
Styrene	**<68.6**	ug/kg	68.6	17.6	1	11/23/20 08:30	11/23/20 12:33	100-42-5	
Tetrachloroethene	**<68.6**	ug/kg	68.6	26.6	1	11/23/20 08:30	11/23/20 12:33	127-18-4	
Tetrahydrofuran	**<343**	ug/kg	343	108	1	11/23/20 08:30	11/23/20 12:33	109-99-9	
Toluene	**<68.6**	ug/kg	68.6	17.3	1	11/23/20 08:30	11/23/20 12:33	108-88-3	
Trichloroethene	**<68.6**	ug/kg	68.6	25.6	1	11/23/20 08:30	11/23/20 12:33	79-01-6	
Trichlorofluoromethane	**<68.6**	ug/kg	68.6	19.9	1	11/23/20 08:30	11/23/20 12:33	75-69-4	
Vinyl chloride	**<68.6**	ug/kg	68.6	13.8	1	11/23/20 08:30	11/23/20 12:33	75-01-4	
Xylene (Total)	**<206**	ug/kg	206	49.5	1	11/23/20 08:30	11/23/20 12:33	1330-20-7	
cis-1,2-Dichloroethene	**<68.6**	ug/kg	68.6	14.7	1	11/23/20 08:30	11/23/20 12:33	156-59-2	
cis-1,3-Dichloropropene	**<343**	ug/kg	343	45.2	1	11/23/20 08:30	11/23/20 12:33	10061-01-5	
n-Butylbenzene	**<68.6**	ug/kg	68.6	31.4	1	11/23/20 08:30	11/23/20 12:33	104-51-8	
n-Propylbenzene	**<68.6**	ug/kg	68.6	16.5	1	11/23/20 08:30	11/23/20 12:33	103-65-1	
p-Isopropyltoluene	**<68.6**	ug/kg	68.6	20.8	1	11/23/20 08:30	11/23/20 12:33	99-87-6	
sec-Butylbenzene	**<68.6**	ug/kg	68.6	16.7	1	11/23/20 08:30	11/23/20 12:33	135-98-8	
tert-Butylbenzene	**<68.6**	ug/kg	68.6	21.5	1	11/23/20 08:30	11/23/20 12:33	98-06-6	
trans-1,2-Dichloroethene	**<68.6**	ug/kg	68.6	14.8	1	11/23/20 08:30	11/23/20 12:33	156-60-5	
trans-1,3-Dichloropropene	**<343**	ug/kg	343	196	1	11/23/20 08:30	11/23/20 12:33	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	96	%	58-145		1	11/23/20 08:30	11/23/20 12:33	1868-53-7	
Toluene-d8 (S)	98	%	56-140		1	11/23/20 08:30	11/23/20 12:33	2037-26-5	
4-Bromofluorobenzene (S)	100	%	52-137		1	11/23/20 08:30	11/23/20 12:33	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-18-SS(0-5) **Lab ID: 10539907013** Collected: 11/18/20 13:50 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**<11.0**	mg/kg	11.0	2.9	1	11/20/20 13:48	11/23/20 16:43		
Surrogates									
n-Triacontane (S)	81	%.	50-150		1	11/20/20 13:48	11/23/20 16:43	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**1.8**	mg/kg	1.2	0.24	1	12/01/20 15:30	12/02/20 15:29	7440-38-2	
Barium	**99.6**	mg/kg	0.60	0.095	1	12/01/20 15:30	12/02/20 15:29	7440-39-3	
Cadmium	**<0.18**	mg/kg	0.18	0.036	1	12/01/20 15:30	12/02/20 15:29	7440-43-9	
Chromium	**40.1**	mg/kg	0.60	0.12	1	12/01/20 15:30	12/02/20 15:29	7440-47-3	
Lead	**7.4**	mg/kg	0.60	0.14	1	12/01/20 15:30	12/02/20 15:29	7439-92-1	
Selenium	**0.47J**	mg/kg	1.2	0.39	1	12/01/20 15:30	12/02/20 15:29	7782-49-2	
Silver	**<0.60**	mg/kg	0.60	0.043	1	12/01/20 15:30	12/02/20 15:29	7440-22-4	
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**0.014J**	mg/kg	0.025	0.010	1	12/01/20 18:45	12/03/20 17:27	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**21.8**	%	0.10	0.10	1		11/23/20 12:15		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<12.7**	ug/kg	12.7	0.57	1	11/20/20 10:40	11/24/20 19:39	83-32-9	
Acenaphthylene	**<12.7**	ug/kg	12.7	0.87	1	11/20/20 10:40	11/24/20 19:39	208-96-8	
Anthracene	**<12.7**	ug/kg	12.7	0.40	1	11/20/20 10:40	11/24/20 19:39	120-12-7	
Benzo(a)anthracene	**<12.7**	ug/kg	12.7	0.53	1	11/20/20 10:40	11/24/20 19:39	56-55-3	
Benzo(a)pyrene	**<12.7**	ug/kg	12.7	0.72	1	11/20/20 10:40	11/24/20 19:39	50-32-8	
Benzo(b)fluoranthene	**<12.7**	ug/kg	12.7	0.59	1	11/20/20 10:40	11/24/20 19:39	205-99-2	
Benzo(g,h,i)perylene	**<12.7**	ug/kg	12.7	0.59	1	11/20/20 10:40	11/24/20 19:39	191-24-2	
Benzo(k)fluoranthene	**<12.7**	ug/kg	12.7	0.61	1	11/20/20 10:40	11/24/20 19:39	207-08-9	
Chrysene	**<12.7**	ug/kg	12.7	0.51	1	11/20/20 10:40	11/24/20 19:39	218-01-9	
Dibenz(a,h)anthracene	**<12.7**	ug/kg	12.7	0.84	1	11/20/20 10:40	11/24/20 19:39	53-70-3	
Fluoranthene	**<12.7**	ug/kg	12.7	0.77	1	11/20/20 10:40	11/24/20 19:39	206-44-0	
Fluorene	**<12.7**	ug/kg	12.7	0.77	1	11/20/20 10:40	11/24/20 19:39	86-73-7	
Indeno(1,2,3-cd)pyrene	**<12.7**	ug/kg	12.7	0.68	1	11/20/20 10:40	11/24/20 19:39	193-39-5	
Naphthalene	**<12.7**	ug/kg	12.7	0.57	1	11/20/20 10:40	11/24/20 19:39	91-20-3	
Phenanthrene	**<12.7**	ug/kg	12.7	0.90	1	11/20/20 10:40	11/24/20 19:39	85-01-8	
Pyrene	**<12.7**	ug/kg	12.7	0.82	1	11/20/20 10:40	11/24/20 19:39	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	62	%.	30-138		1	11/20/20 10:40	11/24/20 19:39	321-60-8	
p-Terphenyl-d14 (S)	62	%.	30-143		1	11/20/20 10:40	11/24/20 19:39	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-18-SS(0-5) **Lab ID: 10539907013** Collected: 11/18/20 13:50 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<63.9**	ug/kg	63.9	15.3	1	11/23/20 08:30	11/23/20 19:21	630-20-6	
1,1,1-Trichloroethane	**<63.9**	ug/kg	63.9	16.4	1	11/23/20 08:30	11/23/20 19:21	71-55-6	
1,1,2,2-Tetrachloroethane	**<63.9**	ug/kg	63.9	23.1	1	11/23/20 08:30	11/23/20 19:21	79-34-5	
1,1,2-Trichloroethane	**<63.9**	ug/kg	63.9	23.3	1	11/23/20 08:30	11/23/20 19:21	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<63.9**	ug/kg	63.9	20.8	1	11/23/20 08:30	11/23/20 19:21	76-13-1	v2
1,1-Dichloroethane	**<63.9**	ug/kg	63.9	16.4	1	11/23/20 08:30	11/23/20 19:21	75-34-3	
1,1-Dichloroethene	**<63.9**	ug/kg	63.9	21.2	1	11/23/20 08:30	11/23/20 19:21	75-35-4	
1,1-Dichloropropene	**<63.9**	ug/kg	63.9	20.7	1	11/23/20 08:30	11/23/20 19:21	563-58-6	
1,2,3-Trichlorobenzene	**<320**	ug/kg	320	71.2	1	11/23/20 08:30	11/23/20 19:21	87-61-6	
1,2,3-Trichloropropane	**<63.9**	ug/kg	63.9	31.1	1	11/23/20 08:30	11/23/20 19:21	96-18-4	
1,2,4-Trichlorobenzene	**<320**	ug/kg	320	52.7	1	11/23/20 08:30	11/23/20 19:21	120-82-1	
1,2,4-Trimethylbenzene	**<63.9**	ug/kg	63.9	19.1	1	11/23/20 08:30	11/23/20 19:21	95-63-6	
1,2-Dibromo-3-chloropropane	**<320**	ug/kg	320	49.6	1	11/23/20 08:30	11/23/20 19:21	96-12-8	
1,2-Dibromoethane (EDB)	**<63.9**	ug/kg	63.9	17.5	1	11/23/20 08:30	11/23/20 19:21	106-93-4	
1,2-Dichlorobenzene	**<63.9**	ug/kg	63.9	19.8	1	11/23/20 08:30	11/23/20 19:21	95-50-1	
1,2-Dichloroethane	**<63.9**	ug/kg	63.9	14.7	1	11/23/20 08:30	11/23/20 19:21	107-06-2	
1,2-Dichloropropane	**<63.9**	ug/kg	63.9	15.2	1	11/23/20 08:30	11/23/20 19:21	78-87-5	
1,3,5-Trimethylbenzene	**<63.9**	ug/kg	63.9	20.6	1	11/23/20 08:30	11/23/20 19:21	108-67-8	
1,3-Dichlorobenzene	**<63.9**	ug/kg	63.9	17.5	1	11/23/20 08:30	11/23/20 19:21	541-73-1	
1,3-Dichloropropane	**<63.9**	ug/kg	63.9	13.9	1	11/23/20 08:30	11/23/20 19:21	142-28-9	
1,4-Dichlorobenzene	**<63.9**	ug/kg	63.9	17.5	1	11/23/20 08:30	11/23/20 19:21	106-46-7	
2,2-Dichloropropane	**<63.9**	ug/kg	63.9	17.3	1	11/23/20 08:30	11/23/20 19:21	594-20-7	v1
2-Butanone (MEK)	**<1600**	ug/kg	1600	202	1	11/23/20 08:30	11/23/20 19:21	78-93-3	
2-Chlorotoluene	**<63.9**	ug/kg	63.9	20.7	1	11/23/20 08:30	11/23/20 19:21	95-49-8	
4-Chlorotoluene	**<63.9**	ug/kg	63.9	24.3	1	11/23/20 08:30	11/23/20 19:21	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1600**	ug/kg	1600	935	1	11/23/20 08:30	11/23/20 19:21	108-10-1	
Acetone	**<1600**	ug/kg	1600	169	1	11/23/20 08:30	11/23/20 19:21	67-64-1	
Allyl chloride	**<320**	ug/kg	320	60.3	1	11/23/20 08:30	11/23/20 19:21	107-05-1	
Benzene	**<25.6**	ug/kg	25.6	15.2	1	11/23/20 08:30	11/23/20 19:21	71-43-2	
Bromobenzene	**<63.9**	ug/kg	63.9	24.9	1	11/23/20 08:30	11/23/20 19:21	108-86-1	
Bromochloromethane	**<63.9**	ug/kg	63.9	17.5	1	11/23/20 08:30	11/23/20 19:21	74-97-5	
Bromodichloromethane	**<63.9**	ug/kg	63.9	15.2	1	11/23/20 08:30	11/23/20 19:21	75-27-4	
Bromoform	**<320**	ug/kg	320	281	1	11/23/20 08:30	11/23/20 19:21	75-25-2	
Bromomethane	**<320**	ug/kg	320	89.6	1	11/23/20 08:30	11/23/20 19:21	74-83-9	v2
Carbon tetrachloride	**<63.9**	ug/kg	63.9	14.1	1	11/23/20 08:30	11/23/20 19:21	56-23-5	
Chlorobenzene	**<63.9**	ug/kg	63.9	7.7	1	11/23/20 08:30	11/23/20 19:21	108-90-7	
Chloroethane	**<320**	ug/kg	320	27.0	1	11/23/20 08:30	11/23/20 19:21	75-00-3	v2
Chloroform	**<320**	ug/kg	320	45.8	1	11/23/20 08:30	11/23/20 19:21	67-66-3	
Chloromethane	**<63.9**	ug/kg	63.9	24.3	1	11/23/20 08:30	11/23/20 19:21	74-87-3	
Dibromochloromethane	**<320**	ug/kg	320	219	1	11/23/20 08:30	11/23/20 19:21	124-48-1	v1
Dibromomethane	**<63.9**	ug/kg	63.9	18.9	1	11/23/20 08:30	11/23/20 19:21	74-95-3	
Dichlorodifluoromethane	**<63.9**	ug/kg	63.9	27.5	1	11/23/20 08:30	11/23/20 19:21	75-71-8	v2
Dichlorofluoromethane	**<63.9**	ug/kg	63.9	18.0	1	11/23/20 08:30	11/23/20 19:21	75-43-4	
Diethyl ether (Ethyl ether)	**<63.9**	ug/kg	63.9	19.8	1	11/23/20 08:30	11/23/20 19:21	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-18-SS(0-5) **Lab ID: 10539907013** Collected: 11/18/20 13:50 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<63.9**	ug/kg	63.9	15.2	1	11/23/20 08:30	11/23/20 19:21	100-41-4	
Hexachloro-1,3-butadiene	**<320**	ug/kg	320	127	1	11/23/20 08:30	11/23/20 19:21	87-68-3	
Isopropylbenzene (Cumene)	**<63.9**	ug/kg	63.9	17.3	1	11/23/20 08:30	11/23/20 19:21	98-82-8	
Methyl-tert-butyl ether	**<63.9**	ug/kg	63.9	18.8	1	11/23/20 08:30	11/23/20 19:21	1634-04-4	
Methylene Chloride	**<63.9**	ug/kg	63.9	17.8	1	11/23/20 08:30	11/23/20 19:21	75-09-2	
Naphthalene	**<320**	ug/kg	320	19.9	1	11/23/20 08:30	11/23/20 19:21	91-20-3	
Styrene	**<63.9**	ug/kg	63.9	16.4	1	11/23/20 08:30	11/23/20 19:21	100-42-5	
Tetrachloroethene	**<63.9**	ug/kg	63.9	24.8	1	11/23/20 08:30	11/23/20 19:21	127-18-4	
Tetrahydrofuran	**<320**	ug/kg	320	101	1	11/23/20 08:30	11/23/20 19:21	109-99-9	
Toluene	**<63.9**	ug/kg	63.9	16.1	1	11/23/20 08:30	11/23/20 19:21	108-88-3	
Trichloroethene	**<63.9**	ug/kg	63.9	23.9	1	11/23/20 08:30	11/23/20 19:21	79-01-6	
Trichlorofluoromethane	**<63.9**	ug/kg	63.9	18.5	1	11/23/20 08:30	11/23/20 19:21	75-69-4	
Vinyl chloride	**<63.9**	ug/kg	63.9	12.9	1	11/23/20 08:30	11/23/20 19:21	75-01-4	
Xylene (Total)	**<192**	ug/kg	192	46.2	1	11/23/20 08:30	11/23/20 19:21	1330-20-7	
cis-1,2-Dichloroethene	**<63.9**	ug/kg	63.9	13.7	1	11/23/20 08:30	11/23/20 19:21	156-59-2	
cis-1,3-Dichloropropene	**<320**	ug/kg	320	42.2	1	11/23/20 08:30	11/23/20 19:21	10061-01-5	
n-Butylbenzene	**<63.9**	ug/kg	63.9	29.3	1	11/23/20 08:30	11/23/20 19:21	104-51-8	
n-Propylbenzene	**<63.9**	ug/kg	63.9	15.3	1	11/23/20 08:30	11/23/20 19:21	103-65-1	
p-Isopropyltoluene	**<63.9**	ug/kg	63.9	19.4	1	11/23/20 08:30	11/23/20 19:21	99-87-6	
sec-Butylbenzene	**<63.9**	ug/kg	63.9	15.6	1	11/23/20 08:30	11/23/20 19:21	135-98-8	
tert-Butylbenzene	**<63.9**	ug/kg	63.9	20.1	1	11/23/20 08:30	11/23/20 19:21	98-06-6	
trans-1,2-Dichloroethene	**<63.9**	ug/kg	63.9	13.8	1	11/23/20 08:30	11/23/20 19:21	156-60-5	
trans-1,3-Dichloropropene	**<320**	ug/kg	320	183	1	11/23/20 08:30	11/23/20 19:21	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	91	%	58-145		1	11/23/20 08:30	11/23/20 19:21	1868-53-7	
Toluene-d8 (S)	94	%	56-140		1	11/23/20 08:30	11/23/20 19:21	2037-26-5	
4-Bromofluorobenzene (S)	91	%	52-137		1	11/23/20 08:30	11/23/20 19:21	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-18-SS(7.5-10) **Lab ID: 10539907014** Collected: 11/18/20 14:00 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**<11.7**	mg/kg	11.7	3.1	1	11/20/20 13:48	11/23/20 16:50		
Surrogates									
n-Triacontane (S)	82	%.	50-150		1	11/20/20 13:48	11/23/20 16:50	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**2.5J**	mg/kg	2.6	0.54	2	12/01/20 15:30	12/02/20 15:49	7440-38-2	
Barium	**155**	mg/kg	1.3	0.21	2	12/01/20 15:30	12/02/20 15:49	7440-39-3	
Cadmium	**<0.39**	mg/kg	0.39	0.079	2	12/01/20 15:30	12/02/20 15:49	7440-43-9	
Chromium	**43.3**	mg/kg	1.3	0.26	2	12/01/20 15:30	12/02/20 15:49	7440-47-3	
Lead	**11.1**	mg/kg	1.3	0.30	2	12/01/20 15:30	12/02/20 15:49	7439-92-1	
Selenium	**<2.6**	mg/kg	2.6	0.86	2	12/01/20 15:30	12/02/20 15:49	7782-49-2	
Silver	**<1.3**	mg/kg	1.3	0.095	2	12/01/20 15:30	12/02/20 15:49	7440-22-4	
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**<0.026**	mg/kg	0.026	0.011	1	12/01/20 18:45	12/03/20 17:29	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**25.1**	%	0.10	0.10	1		11/23/20 12:15		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<13.3**	ug/kg	13.3	0.60	1	11/20/20 15:01	11/23/20 13:59	83-32-9	
Acenaphthylene	**<13.3**	ug/kg	13.3	0.91	1	11/20/20 15:01	11/23/20 13:59	208-96-8	
Anthracene	**<13.3**	ug/kg	13.3	0.42	1	11/20/20 15:01	11/23/20 13:59	120-12-7	
Benzo(a)anthracene	**<13.3**	ug/kg	13.3	0.55	1	11/20/20 15:01	11/23/20 13:59	56-55-3	
Benzo(a)pyrene	**<13.3**	ug/kg	13.3	0.75	1	11/20/20 15:01	11/23/20 13:59	50-32-8	
Benzo(b)fluoranthene	**<13.3**	ug/kg	13.3	0.62	1	11/20/20 15:01	11/23/20 13:59	205-99-2	
Benzo(g,h,i)perylene	**<13.3**	ug/kg	13.3	0.62	1	11/20/20 15:01	11/23/20 13:59	191-24-2	
Benzo(k)fluoranthene	**<13.3**	ug/kg	13.3	0.64	1	11/20/20 15:01	11/23/20 13:59	207-08-9	
Chrysene	**<13.3**	ug/kg	13.3	0.54	1	11/20/20 15:01	11/23/20 13:59	218-01-9	
Dibenz(a,h)anthracene	**<13.3**	ug/kg	13.3	0.88	1	11/20/20 15:01	11/23/20 13:59	53-70-3	
Fluoranthene	**<13.3**	ug/kg	13.3	0.81	1	11/20/20 15:01	11/23/20 13:59	206-44-0	
Fluorene	**<13.3**	ug/kg	13.3	0.80	1	11/20/20 15:01	11/23/20 13:59	86-73-7	
Indeno(1,2,3-cd)pyrene	**<13.3**	ug/kg	13.3	0.71	1	11/20/20 15:01	11/23/20 13:59	193-39-5	
Naphthalene	**<13.3**	ug/kg	13.3	0.60	1	11/20/20 15:01	11/23/20 13:59	91-20-3	
Phenanthrene	**<13.3**	ug/kg	13.3	0.94	1	11/20/20 15:01	11/23/20 13:59	85-01-8	
Pyrene	**<13.3**	ug/kg	13.3	0.86	1	11/20/20 15:01	11/23/20 13:59	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	69	%.	30-138		1	11/20/20 15:01	11/23/20 13:59	321-60-8	
p-Terphenyl-d14 (S)	72	%.	30-143		1	11/20/20 15:01	11/23/20 13:59	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-18-SS(7.5-10) **Lab ID: 10539907014** Collected: 11/18/20 14:00 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<66.7**	ug/kg	66.7	16.0	1	11/25/20 08:30	11/25/20 13:43	630-20-6	
1,1,1-Trichloroethane	**<66.7**	ug/kg	66.7	17.1	1	11/25/20 08:30	11/25/20 13:43	71-55-6	
1,1,2,2-Tetrachloroethane	**<66.7**	ug/kg	66.7	24.2	1	11/25/20 08:30	11/25/20 13:43	79-34-5	
1,1,2-Trichloroethane	**<66.7**	ug/kg	66.7	24.3	1	11/25/20 08:30	11/25/20 13:43	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<66.7**	ug/kg	66.7	21.8	1	11/25/20 08:30	11/25/20 13:43	76-13-1	
1,1-Dichloroethane	**<66.7**	ug/kg	66.7	17.1	1	11/25/20 08:30	11/25/20 13:43	75-34-3	
1,1-Dichloroethene	**<66.7**	ug/kg	66.7	22.2	1	11/25/20 08:30	11/25/20 13:43	75-35-4	
1,1-Dichloropropene	**<66.7**	ug/kg	66.7	21.6	1	11/25/20 08:30	11/25/20 13:43	563-58-6	
1,2,3-Trichlorobenzene	**<334**	ug/kg	334	74.4	1	11/25/20 08:30	11/25/20 13:43	87-61-6	
1,2,3-Trichloropropane	**<66.7**	ug/kg	66.7	32.4	1	11/25/20 08:30	11/25/20 13:43	96-18-4	
1,2,4-Trichlorobenzene	**<334**	ug/kg	334	55.0	1	11/25/20 08:30	11/25/20 13:43	120-82-1	
1,2,4-Trimethylbenzene	**<66.7**	ug/kg	66.7	19.9	1	11/25/20 08:30	11/25/20 13:43	95-63-6	
1,2-Dibromo-3-chloropropane	**<334**	ug/kg	334	51.8	1	11/25/20 08:30	11/25/20 13:43	96-12-8	
1,2-Dibromoethane (EDB)	**<66.7**	ug/kg	66.7	18.3	1	11/25/20 08:30	11/25/20 13:43	106-93-4	
1,2-Dichlorobenzene	**<66.7**	ug/kg	66.7	20.7	1	11/25/20 08:30	11/25/20 13:43	95-50-1	
1,2-Dichloroethane	**<66.7**	ug/kg	66.7	15.4	1	11/25/20 08:30	11/25/20 13:43	107-06-2	
1,2-Dichloropropane	**<66.7**	ug/kg	66.7	15.9	1	11/25/20 08:30	11/25/20 13:43	78-87-5	
1,3,5-Trimethylbenzene	**<66.7**	ug/kg	66.7	21.5	1	11/25/20 08:30	11/25/20 13:43	108-67-8	
1,3-Dichlorobenzene	**<66.7**	ug/kg	66.7	18.3	1	11/25/20 08:30	11/25/20 13:43	541-73-1	
1,3-Dichloropropane	**<66.7**	ug/kg	66.7	14.6	1	11/25/20 08:30	11/25/20 13:43	142-28-9	
1,4-Dichlorobenzene	**<66.7**	ug/kg	66.7	18.3	1	11/25/20 08:30	11/25/20 13:43	106-46-7	
2,2-Dichloropropane	**<66.7**	ug/kg	66.7	18.0	1	11/25/20 08:30	11/25/20 13:43	594-20-7	
2-Butanone (MEK)	**<1670**	ug/kg	1670	211	1	11/25/20 08:30	11/25/20 13:43	78-93-3	
2-Chlorotoluene	**<66.7**	ug/kg	66.7	21.6	1	11/25/20 08:30	11/25/20 13:43	95-49-8	
4-Chlorotoluene	**<66.7**	ug/kg	66.7	25.4	1	11/25/20 08:30	11/25/20 13:43	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1670**	ug/kg	1670	976	1	11/25/20 08:30	11/25/20 13:43	108-10-1	
Acetone	**<1670**	ug/kg	1670	176	1	11/25/20 08:30	11/25/20 13:43	67-64-1	v1
Allyl chloride	**<334**	ug/kg	334	63.0	1	11/25/20 08:30	11/25/20 13:43	107-05-1	
Benzene	**<26.7**	ug/kg	26.7	15.9	1	11/25/20 08:30	11/25/20 13:43	71-43-2	
Bromobenzene	**<66.7**	ug/kg	66.7	26.0	1	11/25/20 08:30	11/25/20 13:43	108-86-1	
Bromochloromethane	**<66.7**	ug/kg	66.7	18.3	1	11/25/20 08:30	11/25/20 13:43	74-97-5	
Bromodichloromethane	**<66.7**	ug/kg	66.7	15.9	1	11/25/20 08:30	11/25/20 13:43	75-27-4	
Bromoform	**<334**	ug/kg	334	294	1	11/25/20 08:30	11/25/20 13:43	75-25-2	
Bromomethane	**<334**	ug/kg	334	93.6	1	11/25/20 08:30	11/25/20 13:43	74-83-9	v2
Carbon tetrachloride	**<66.7**	ug/kg	66.7	14.7	1	11/25/20 08:30	11/25/20 13:43	56-23-5	
Chlorobenzene	**<66.7**	ug/kg	66.7	8.0	1	11/25/20 08:30	11/25/20 13:43	108-90-7	
Chloroethane	**<334**	ug/kg	334	28.2	1	11/25/20 08:30	11/25/20 13:43	75-00-3	v2
Chloroform	**<334**	ug/kg	334	47.8	1	11/25/20 08:30	11/25/20 13:43	67-66-3	
Chloromethane	**<66.7**	ug/kg	66.7	25.4	1	11/25/20 08:30	11/25/20 13:43	74-87-3	
Dibromochloromethane	**<334**	ug/kg	334	228	1	11/25/20 08:30	11/25/20 13:43	124-48-1	v1
Dibromomethane	**<66.7**	ug/kg	66.7	19.8	1	11/25/20 08:30	11/25/20 13:43	74-95-3	
Dichlorodifluoromethane	**<66.7**	ug/kg	66.7	28.7	1	11/25/20 08:30	11/25/20 13:43	75-71-8	
Dichlorofluoromethane	**<66.7**	ug/kg	66.7	18.8	1	11/25/20 08:30	11/25/20 13:43	75-43-4	
Diethyl ether (Ethyl ether)	**<66.7**	ug/kg	66.7	20.7	1	11/25/20 08:30	11/25/20 13:43	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-18-SS(7.5-10) **Lab ID: 10539907014** Collected: 11/18/20 14:00 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<66.7**	ug/kg	66.7	15.9	1	11/25/20 08:30	11/25/20 13:43	100-41-4	
Hexachloro-1,3-butadiene	**<334**	ug/kg	334	133	1	11/25/20 08:30	11/25/20 13:43	87-68-3	
Isopropylbenzene (Cumene)	**<66.7**	ug/kg	66.7	18.0	1	11/25/20 08:30	11/25/20 13:43	98-82-8	
Methyl-tert-butyl ether	**<66.7**	ug/kg	66.7	19.6	1	11/25/20 08:30	11/25/20 13:43	1634-04-4	
Methylene Chloride	**<66.7**	ug/kg	66.7	18.6	1	11/25/20 08:30	11/25/20 13:43	75-09-2	
Naphthalene	**<334**	ug/kg	334	20.8	1	11/25/20 08:30	11/25/20 13:43	91-20-3	
Styrene	**<66.7**	ug/kg	66.7	17.1	1	11/25/20 08:30	11/25/20 13:43	100-42-5	
Tetrachloroethene	**<66.7**	ug/kg	66.7	25.9	1	11/25/20 08:30	11/25/20 13:43	127-18-4	
Tetrahydrofuran	**<334**	ug/kg	334	105	1	11/25/20 08:30	11/25/20 13:43	109-99-9	
Toluene	**<66.7**	ug/kg	66.7	16.8	1	11/25/20 08:30	11/25/20 13:43	108-88-3	
Trichloroethene	**<66.7**	ug/kg	66.7	25.0	1	11/25/20 08:30	11/25/20 13:43	79-01-6	
Trichlorofluoromethane	**<66.7**	ug/kg	66.7	19.4	1	11/25/20 08:30	11/25/20 13:43	75-69-4	
Vinyl chloride	**<66.7**	ug/kg	66.7	13.5	1	11/25/20 08:30	11/25/20 13:43	75-01-4	
Xylene (Total)	**<200**	ug/kg	200	48.2	1	11/25/20 08:30	11/25/20 13:43	1330-20-7	
cis-1,2-Dichloroethene	**<66.7**	ug/kg	66.7	14.3	1	11/25/20 08:30	11/25/20 13:43	156-59-2	
cis-1,3-Dichloropropene	**<334**	ug/kg	334	44.1	1	11/25/20 08:30	11/25/20 13:43	10061-01-5	
n-Butylbenzene	**<66.7**	ug/kg	66.7	30.6	1	11/25/20 08:30	11/25/20 13:43	104-51-8	
n-Propylbenzene	**<66.7**	ug/kg	66.7	16.0	1	11/25/20 08:30	11/25/20 13:43	103-65-1	
p-Isopropyltoluene	**<66.7**	ug/kg	66.7	20.3	1	11/25/20 08:30	11/25/20 13:43	99-87-6	
sec-Butylbenzene	**<66.7**	ug/kg	66.7	16.3	1	11/25/20 08:30	11/25/20 13:43	135-98-8	
tert-Butylbenzene	**<66.7**	ug/kg	66.7	21.0	1	11/25/20 08:30	11/25/20 13:43	98-06-6	
trans-1,2-Dichloroethene	**<66.7**	ug/kg	66.7	14.4	1	11/25/20 08:30	11/25/20 13:43	156-60-5	
trans-1,3-Dichloropropene	**<334**	ug/kg	334	191	1	11/25/20 08:30	11/25/20 13:43	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	95	%	58-145		1	11/25/20 08:30	11/25/20 13:43	1868-53-7	
Toluene-d8 (S)	92	%	56-140		1	11/25/20 08:30	11/25/20 13:43	2037-26-5	
4-Bromofluorobenzene (S)	91	%	52-137		1	11/25/20 08:30	11/25/20 13:43	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-19-SS(0-5) **Lab ID: 10539907015** Collected: 11/18/20 14:20 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**<11.2**	mg/kg	11.2	3.0	1	11/20/20 13:48	11/23/20 16:57		
Surrogates									
n-Triacontane (S)	96	%.	50-150		1	11/20/20 13:48	11/23/20 16:57	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**2.4J**	mg/kg	2.5	0.51	2	12/01/20 15:30	12/02/20 15:51	7440-38-2	D3
Barium	**160**	mg/kg	1.2	0.20	2	12/01/20 15:30	12/02/20 15:51	7440-39-3	
Cadmium	**<0.37**	mg/kg	0.37	0.075	2	12/01/20 15:30	12/02/20 15:51	7440-43-9	D3
Chromium	**39.3**	mg/kg	1.2	0.25	2	12/01/20 15:30	12/02/20 15:51	7440-47-3	
Lead	**11.1**	mg/kg	1.2	0.28	2	12/01/20 15:30	12/02/20 15:51	7439-92-1	
Selenium	**<2.5**	mg/kg	2.5	0.82	2	12/01/20 15:30	12/02/20 15:51	7782-49-2	D3
Silver	**<1.2**	mg/kg	1.2	0.090	2	12/01/20 15:30	12/02/20 15:51	7440-22-4	D3
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**<0.025**	mg/kg	0.025	0.010	1	12/01/20 18:45	12/03/20 17:30	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**22.7**	%	0.10	0.10	1		12/04/20 14:15		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<12.9**	ug/kg	12.9	0.58	1	11/20/20 15:01	11/23/20 15:08	83-32-9	
Acenaphthylene	**<12.9**	ug/kg	12.9	0.88	1	11/20/20 15:01	11/23/20 15:08	208-96-8	
Anthracene	**<12.9**	ug/kg	12.9	0.41	1	11/20/20 15:01	11/23/20 15:08	120-12-7	
Benzo(a)anthracene	**0.57J**	ug/kg	12.9	0.53	1	11/20/20 15:01	11/23/20 15:08	56-55-3	
Benzo(a)pyrene	**<12.9**	ug/kg	12.9	0.73	1	11/20/20 15:01	11/23/20 15:08	50-32-8	
Benzo(b)fluoranthene	**0.68J**	ug/kg	12.9	0.60	1	11/20/20 15:01	11/23/20 15:08	205-99-2	
Benzo(g,h,i)perylene	**<12.9**	ug/kg	12.9	0.60	1	11/20/20 15:01	11/23/20 15:08	191-24-2	
Benzo(k)fluoranthene	**<12.9**	ug/kg	12.9	0.62	1	11/20/20 15:01	11/23/20 15:08	207-08-9	
Chrysene	**<12.9**	ug/kg	12.9	0.52	1	11/20/20 15:01	11/23/20 15:08	218-01-9	
Dibenz(a,h)anthracene	**<12.9**	ug/kg	12.9	0.85	1	11/20/20 15:01	11/23/20 15:08	53-70-3	
Fluoranthene	**0.98J**	ug/kg	12.9	0.78	1	11/20/20 15:01	11/23/20 15:08	206-44-0	
Fluorene	**<12.9**	ug/kg	12.9	0.78	1	11/20/20 15:01	11/23/20 15:08	86-73-7	
Indeno(1,2,3-cd)pyrene	**<12.9**	ug/kg	12.9	0.69	1	11/20/20 15:01	11/23/20 15:08	193-39-5	
Naphthalene	**<12.9**	ug/kg	12.9	0.58	1	11/20/20 15:01	11/23/20 15:08	91-20-3	
Phenanthrene	**<12.9**	ug/kg	12.9	0.91	1	11/20/20 15:01	11/23/20 15:08	85-01-8	
Pyrene	**<12.9**	ug/kg	12.9	0.84	1	11/20/20 15:01	11/23/20 15:08	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	67	%.	30-138		1	11/20/20 15:01	11/23/20 15:08	321-60-8	
p-Terphenyl-d14 (S)	68	%.	30-143		1	11/20/20 15:01	11/23/20 15:08	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-19-SS(0-5) **Lab ID: 10539907015** Collected: 11/18/20 14:20 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<64.7**	ug/kg	64.7	15.5	1	11/25/20 08:30	11/25/20 14:05	630-20-6	
1,1,1-Trichloroethane	**<64.7**	ug/kg	64.7	16.6	1	11/25/20 08:30	11/25/20 14:05	71-55-6	
1,1,2,2-Tetrachloroethane	**<64.7**	ug/kg	64.7	23.4	1	11/25/20 08:30	11/25/20 14:05	79-34-5	
1,1,2-Trichloroethane	**<64.7**	ug/kg	64.7	23.5	1	11/25/20 08:30	11/25/20 14:05	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<64.7**	ug/kg	64.7	21.1	1	11/25/20 08:30	11/25/20 14:05	76-13-1	
1,1-Dichloroethane	**<64.7**	ug/kg	64.7	16.6	1	11/25/20 08:30	11/25/20 14:05	75-34-3	
1,1-Dichloroethene	**<64.7**	ug/kg	64.7	21.5	1	11/25/20 08:30	11/25/20 14:05	75-35-4	
1,1-Dichloropropene	**<64.7**	ug/kg	64.7	20.9	1	11/25/20 08:30	11/25/20 14:05	563-58-6	
1,2,3-Trichlorobenzene	**<323**	ug/kg	323	72.0	1	11/25/20 08:30	11/25/20 14:05	87-61-6	
1,2,3-Trichloropropane	**<64.7**	ug/kg	64.7	31.4	1	11/25/20 08:30	11/25/20 14:05	96-18-4	
1,2,4-Trichlorobenzene	**<323**	ug/kg	323	53.3	1	11/25/20 08:30	11/25/20 14:05	120-82-1	
1,2,4-Trimethylbenzene	**<64.7**	ug/kg	64.7	19.3	1	11/25/20 08:30	11/25/20 14:05	95-63-6	
1,2-Dibromo-3-chloropropane	**<323**	ug/kg	323	50.2	1	11/25/20 08:30	11/25/20 14:05	96-12-8	
1,2-Dibromoethane (EDB)	**<64.7**	ug/kg	64.7	17.7	1	11/25/20 08:30	11/25/20 14:05	106-93-4	
1,2-Dichlorobenzene	**<64.7**	ug/kg	64.7	20.0	1	11/25/20 08:30	11/25/20 14:05	95-50-1	
1,2-Dichloroethane	**<64.7**	ug/kg	64.7	14.9	1	11/25/20 08:30	11/25/20 14:05	107-06-2	
1,2-Dichloropropane	**<64.7**	ug/kg	64.7	15.4	1	11/25/20 08:30	11/25/20 14:05	78-87-5	
1,3,5-Trimethylbenzene	**<64.7**	ug/kg	64.7	20.8	1	11/25/20 08:30	11/25/20 14:05	108-67-8	
1,3-Dichlorobenzene	**<64.7**	ug/kg	64.7	17.7	1	11/25/20 08:30	11/25/20 14:05	541-73-1	
1,3-Dichloropropane	**<64.7**	ug/kg	64.7	14.1	1	11/25/20 08:30	11/25/20 14:05	142-28-9	
1,4-Dichlorobenzene	**<64.7**	ug/kg	64.7	17.7	1	11/25/20 08:30	11/25/20 14:05	106-46-7	
2,2-Dichloropropane	**<64.7**	ug/kg	64.7	17.5	1	11/25/20 08:30	11/25/20 14:05	594-20-7	
2-Butanone (MEK)	**<1620**	ug/kg	1620	204	1	11/25/20 08:30	11/25/20 14:05	78-93-3	
2-Chlorotoluene	**<64.7**	ug/kg	64.7	20.9	1	11/25/20 08:30	11/25/20 14:05	95-49-8	
4-Chlorotoluene	**<64.7**	ug/kg	64.7	24.6	1	11/25/20 08:30	11/25/20 14:05	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1620**	ug/kg	1620	946	1	11/25/20 08:30	11/25/20 14:05	108-10-1	
Acetone	**<1620**	ug/kg	1620	171	1	11/25/20 08:30	11/25/20 14:05	67-64-1	v1
Allyl chloride	**<323**	ug/kg	323	61.0	1	11/25/20 08:30	11/25/20 14:05	107-05-1	
Benzene	**<25.9**	ug/kg	25.9	15.4	1	11/25/20 08:30	11/25/20 14:05	71-43-2	
Bromobenzene	**<64.7**	ug/kg	64.7	25.2	1	11/25/20 08:30	11/25/20 14:05	108-86-1	
Bromochloromethane	**<64.7**	ug/kg	64.7	17.7	1	11/25/20 08:30	11/25/20 14:05	74-97-5	
Bromodichloromethane	**<64.7**	ug/kg	64.7	15.4	1	11/25/20 08:30	11/25/20 14:05	75-27-4	
Bromoform	**<323**	ug/kg	323	284	1	11/25/20 08:30	11/25/20 14:05	75-25-2	
Bromomethane	**<323**	ug/kg	323	90.7	1	11/25/20 08:30	11/25/20 14:05	74-83-9	v2
Carbon tetrachloride	**<64.7**	ug/kg	64.7	14.2	1	11/25/20 08:30	11/25/20 14:05	56-23-5	
Chlorobenzene	**<64.7**	ug/kg	64.7	7.7	1	11/25/20 08:30	11/25/20 14:05	108-90-7	
Chloroethane	**<323**	ug/kg	323	27.3	1	11/25/20 08:30	11/25/20 14:05	75-00-3	v2
Chloroform	**<323**	ug/kg	323	46.3	1	11/25/20 08:30	11/25/20 14:05	67-66-3	
Chloromethane	**<64.7**	ug/kg	64.7	24.6	1	11/25/20 08:30	11/25/20 14:05	74-87-3	
Dibromochloromethane	**<323**	ug/kg	323	221	1	11/25/20 08:30	11/25/20 14:05	124-48-1	v1
Dibromomethane	**<64.7**	ug/kg	64.7	19.1	1	11/25/20 08:30	11/25/20 14:05	74-95-3	
Dichlorodifluoromethane	**<64.7**	ug/kg	64.7	27.8	1	11/25/20 08:30	11/25/20 14:05	75-71-8	
Dichlorofluoromethane	**<64.7**	ug/kg	64.7	18.2	1	11/25/20 08:30	11/25/20 14:05	75-43-4	
Diethyl ether (Ethyl ether)	**<64.7**	ug/kg	64.7	20.0	1	11/25/20 08:30	11/25/20 14:05	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-19-SS(0-5) **Lab ID: 10539907015** Collected: 11/18/20 14:20 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<64.7**	ug/kg	64.7	15.4	1	11/25/20 08:30	11/25/20 14:05	100-41-4	
Hexachloro-1,3-butadiene	**<323**	ug/kg	323	129	1	11/25/20 08:30	11/25/20 14:05	87-68-3	
Isopropylbenzene (Cumene)	**<64.7**	ug/kg	64.7	17.5	1	11/25/20 08:30	11/25/20 14:05	98-82-8	
Methyl-tert-butyl ether	**<64.7**	ug/kg	64.7	19.0	1	11/25/20 08:30	11/25/20 14:05	1634-04-4	
Methylene Chloride	**<64.7**	ug/kg	64.7	18.0	1	11/25/20 08:30	11/25/20 14:05	75-09-2	
Naphthalene	**<323**	ug/kg	323	20.2	1	11/25/20 08:30	11/25/20 14:05	91-20-3	
Styrene	**<64.7**	ug/kg	64.7	16.6	1	11/25/20 08:30	11/25/20 14:05	100-42-5	
Tetrachloroethene	**<64.7**	ug/kg	64.7	25.1	1	11/25/20 08:30	11/25/20 14:05	127-18-4	
Tetrahydrofuran	**<323**	ug/kg	323	102	1	11/25/20 08:30	11/25/20 14:05	109-99-9	
Toluene	**<64.7**	ug/kg	64.7	16.3	1	11/25/20 08:30	11/25/20 14:05	108-88-3	
Trichloroethene	**<64.7**	ug/kg	64.7	24.2	1	11/25/20 08:30	11/25/20 14:05	79-01-6	
Trichlorofluoromethane	**<64.7**	ug/kg	64.7	18.8	1	11/25/20 08:30	11/25/20 14:05	75-69-4	
Vinyl chloride	**<64.7**	ug/kg	64.7	13.1	1	11/25/20 08:30	11/25/20 14:05	75-01-4	
Xylene (Total)	**<194**	ug/kg	194	46.7	1	11/25/20 08:30	11/25/20 14:05	1330-20-7	
cis-1,2-Dichloroethene	**<64.7**	ug/kg	64.7	13.8	1	11/25/20 08:30	11/25/20 14:05	156-59-2	
cis-1,3-Dichloropropene	**<323**	ug/kg	323	42.7	1	11/25/20 08:30	11/25/20 14:05	10061-01-5	
n-Butylbenzene	**<64.7**	ug/kg	64.7	29.6	1	11/25/20 08:30	11/25/20 14:05	104-51-8	
n-Propylbenzene	**<64.7**	ug/kg	64.7	15.5	1	11/25/20 08:30	11/25/20 14:05	103-65-1	
p-Isopropyltoluene	**<64.7**	ug/kg	64.7	19.7	1	11/25/20 08:30	11/25/20 14:05	99-87-6	
sec-Butylbenzene	**<64.7**	ug/kg	64.7	15.8	1	11/25/20 08:30	11/25/20 14:05	135-98-8	
tert-Butylbenzene	**<64.7**	ug/kg	64.7	20.3	1	11/25/20 08:30	11/25/20 14:05	98-06-6	
trans-1,2-Dichloroethene	**<64.7**	ug/kg	64.7	14.0	1	11/25/20 08:30	11/25/20 14:05	156-60-5	
trans-1,3-Dichloropropene	**<323**	ug/kg	323	185	1	11/25/20 08:30	11/25/20 14:05	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	96	%	58-145		1	11/25/20 08:30	11/25/20 14:05	1868-53-7	
Toluene-d8 (S)	93	%	56-140		1	11/25/20 08:30	11/25/20 14:05	2037-26-5	
4-Bromofluorobenzene (S)	94	%	52-137		1	11/25/20 08:30	11/25/20 14:05	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-19-SS(7.5-10) **Lab ID: 10539907016** Collected: 11/18/20 14:35 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**<12.2**	mg/kg	12.2	3.3	1	11/20/20 13:48	11/23/20 17:05		
Surrogates									
n-Triacontane (S)	81	%.	50-150		1	11/20/20 13:48	11/23/20 17:05	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**2.4J**	mg/kg	2.6	0.54	2	12/01/20 15:30	12/02/20 15:53	7440-38-2	D3
Barium	**138**	mg/kg	1.3	0.21	2	12/01/20 15:30	12/02/20 15:53	7440-39-3	
Cadmium	**<0.39**	mg/kg	0.39	0.079	2	12/01/20 15:30	12/02/20 15:53	7440-43-9	D3
Chromium	**43.2**	mg/kg	1.3	0.26	2	12/01/20 15:30	12/02/20 15:53	7440-47-3	
Lead	**11.2**	mg/kg	1.3	0.30	2	12/01/20 15:30	12/02/20 15:53	7439-92-1	
Selenium	**<2.6**	mg/kg	2.6	0.86	2	12/01/20 15:30	12/02/20 15:53	7782-49-2	D3
Silver	**<1.3**	mg/kg	1.3	0.095	2	12/01/20 15:30	12/02/20 15:53	7440-22-4	D3
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**<0.027**	mg/kg	0.027	0.011	1	12/01/20 18:45	12/03/20 17:32	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**28.7**	%	0.10	0.10	1		11/23/20 12:15		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<13.9**	ug/kg	13.9	0.62	1	11/20/20 15:01	11/23/20 15:31	83-32-9	
Acenaphthylene	**<13.9**	ug/kg	13.9	0.95	1	11/20/20 15:01	11/23/20 15:31	208-96-8	
Anthracene	**<13.9**	ug/kg	13.9	0.44	1	11/20/20 15:01	11/23/20 15:31	120-12-7	
Benzo(a)anthracene	**<13.9**	ug/kg	13.9	0.57	1	11/20/20 15:01	11/23/20 15:31	56-55-3	
Benzo(a)pyrene	**<13.9**	ug/kg	13.9	0.78	1	11/20/20 15:01	11/23/20 15:31	50-32-8	
Benzo(b)fluoranthene	**<13.9**	ug/kg	13.9	0.65	1	11/20/20 15:01	11/23/20 15:31	205-99-2	
Benzo(g,h,i)perylene	**<13.9**	ug/kg	13.9	0.65	1	11/20/20 15:01	11/23/20 15:31	191-24-2	
Benzo(k)fluoranthene	**<13.9**	ug/kg	13.9	0.67	1	11/20/20 15:01	11/23/20 15:31	207-08-9	
Chrysene	**<13.9**	ug/kg	13.9	0.56	1	11/20/20 15:01	11/23/20 15:31	218-01-9	
Dibenz(a,h)anthracene	**<13.9**	ug/kg	13.9	0.91	1	11/20/20 15:01	11/23/20 15:31	53-70-3	
Fluoranthene	**<13.9**	ug/kg	13.9	0.84	1	11/20/20 15:01	11/23/20 15:31	206-44-0	
Fluorene	**<13.9**	ug/kg	13.9	0.84	1	11/20/20 15:01	11/23/20 15:31	86-73-7	
Indeno(1,2,3-cd)pyrene	**<13.9**	ug/kg	13.9	0.74	1	11/20/20 15:01	11/23/20 15:31	193-39-5	
Naphthalene	**<13.9**	ug/kg	13.9	0.63	1	11/20/20 15:01	11/23/20 15:31	91-20-3	
Phenanthrene	**<13.9**	ug/kg	13.9	0.98	1	11/20/20 15:01	11/23/20 15:31	85-01-8	
Pyrene	**<13.9**	ug/kg	13.9	0.90	1	11/20/20 15:01	11/23/20 15:31	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	47	%.	30-138		1	11/20/20 15:01	11/23/20 15:31	321-60-8	
p-Terphenyl-d14 (S)	64	%.	30-143		1	11/20/20 15:01	11/23/20 15:31	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-19-SS(7.5-10) **Lab ID: 10539907016** Collected: 11/18/20 14:35 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<70.1**	ug/kg	70.1	16.8	1	11/25/20 08:30	11/25/20 14:28	630-20-6	
1,1,1-Trichloroethane	**<70.1**	ug/kg	70.1	17.9	1	11/25/20 08:30	11/25/20 14:28	71-55-6	
1,1,2,2-Tetrachloroethane	**<70.1**	ug/kg	70.1	25.4	1	11/25/20 08:30	11/25/20 14:28	79-34-5	
1,1,2-Trichloroethane	**<70.1**	ug/kg	70.1	25.5	1	11/25/20 08:30	11/25/20 14:28	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<70.1**	ug/kg	70.1	22.9	1	11/25/20 08:30	11/25/20 14:28	76-13-1	
1,1-Dichloroethane	**<70.1**	ug/kg	70.1	17.9	1	11/25/20 08:30	11/25/20 14:28	75-34-3	
1,1-Dichloroethene	**<70.1**	ug/kg	70.1	23.3	1	11/25/20 08:30	11/25/20 14:28	75-35-4	
1,1-Dichloropropene	**<70.1**	ug/kg	70.1	22.7	1	11/25/20 08:30	11/25/20 14:28	563-58-6	
1,2,3-Trichlorobenzene	**<351**	ug/kg	351	78.1	1	11/25/20 08:30	11/25/20 14:28	87-61-6	
1,2,3-Trichloropropane	**<70.1**	ug/kg	70.1	34.1	1	11/25/20 08:30	11/25/20 14:28	96-18-4	
1,2,4-Trichlorobenzene	**<351**	ug/kg	351	57.8	1	11/25/20 08:30	11/25/20 14:28	120-82-1	
1,2,4-Trimethylbenzene	**<70.1**	ug/kg	70.1	20.9	1	11/25/20 08:30	11/25/20 14:28	95-63-6	
1,2-Dibromo-3-chloropropane	**<351**	ug/kg	351	54.4	1	11/25/20 08:30	11/25/20 14:28	96-12-8	
1,2-Dibromoethane (EDB)	**<70.1**	ug/kg	70.1	19.2	1	11/25/20 08:30	11/25/20 14:28	106-93-4	
1,2-Dichlorobenzene	**<70.1**	ug/kg	70.1	21.7	1	11/25/20 08:30	11/25/20 14:28	95-50-1	
1,2-Dichloroethane	**<70.1**	ug/kg	70.1	16.1	1	11/25/20 08:30	11/25/20 14:28	107-06-2	
1,2-Dichloropropane	**<70.1**	ug/kg	70.1	16.7	1	11/25/20 08:30	11/25/20 14:28	78-87-5	
1,3,5-Trimethylbenzene	**<70.1**	ug/kg	70.1	22.6	1	11/25/20 08:30	11/25/20 14:28	108-67-8	
1,3-Dichlorobenzene	**<70.1**	ug/kg	70.1	19.2	1	11/25/20 08:30	11/25/20 14:28	541-73-1	
1,3-Dichloropropane	**<70.1**	ug/kg	70.1	15.3	1	11/25/20 08:30	11/25/20 14:28	142-28-9	
1,4-Dichlorobenzene	**<70.1**	ug/kg	70.1	19.2	1	11/25/20 08:30	11/25/20 14:28	106-46-7	
2,2-Dichloropropane	**<70.1**	ug/kg	70.1	18.9	1	11/25/20 08:30	11/25/20 14:28	594-20-7	
2-Butanone (MEK)	**<1750**	ug/kg	1750	222	1	11/25/20 08:30	11/25/20 14:28	78-93-3	
2-Chlorotoluene	**<70.1**	ug/kg	70.1	22.7	1	11/25/20 08:30	11/25/20 14:28	95-49-8	
4-Chlorotoluene	**<70.1**	ug/kg	70.1	26.6	1	11/25/20 08:30	11/25/20 14:28	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1750**	ug/kg	1750	1030	1	11/25/20 08:30	11/25/20 14:28	108-10-1	
Acetone	**<1750**	ug/kg	1750	185	1	11/25/20 08:30	11/25/20 14:28	67-64-1	v1
Allyl chloride	**<351**	ug/kg	351	66.2	1	11/25/20 08:30	11/25/20 14:28	107-05-1	
Benzene	**<28.0**	ug/kg	28.0	16.7	1	11/25/20 08:30	11/25/20 14:28	71-43-2	
Bromobenzene	**<70.1**	ug/kg	70.1	27.3	1	11/25/20 08:30	11/25/20 14:28	108-86-1	
Bromochloromethane	**<70.1**	ug/kg	70.1	19.2	1	11/25/20 08:30	11/25/20 14:28	74-97-5	
Bromodichloromethane	**<70.1**	ug/kg	70.1	16.7	1	11/25/20 08:30	11/25/20 14:28	75-27-4	
Bromoform	**<351**	ug/kg	351	308	1	11/25/20 08:30	11/25/20 14:28	75-25-2	
Bromomethane	**<351**	ug/kg	351	98.3	1	11/25/20 08:30	11/25/20 14:28	74-83-9	v2
Carbon tetrachloride	**<70.1**	ug/kg	70.1	15.4	1	11/25/20 08:30	11/25/20 14:28	56-23-5	
Chlorobenzene	**<70.1**	ug/kg	70.1	8.4	1	11/25/20 08:30	11/25/20 14:28	108-90-7	
Chloroethane	**<351**	ug/kg	351	29.6	1	11/25/20 08:30	11/25/20 14:28	75-00-3	v2
Chloroform	**<351**	ug/kg	351	50.2	1	11/25/20 08:30	11/25/20 14:28	67-66-3	
Chloromethane	**<70.1**	ug/kg	70.1	26.6	1	11/25/20 08:30	11/25/20 14:28	74-87-3	
Dibromochloromethane	**<351**	ug/kg	351	240	1	11/25/20 08:30	11/25/20 14:28	124-48-1	v1
Dibromomethane	**<70.1**	ug/kg	70.1	20.8	1	11/25/20 08:30	11/25/20 14:28	74-95-3	
Dichlorodifluoromethane	**<70.1**	ug/kg	70.1	30.1	1	11/25/20 08:30	11/25/20 14:28	75-71-8	
Dichlorofluoromethane	**<70.1**	ug/kg	70.1	19.8	1	11/25/20 08:30	11/25/20 14:28	75-43-4	
Diethyl ether (Ethyl ether)	**<70.1**	ug/kg	70.1	21.7	1	11/25/20 08:30	11/25/20 14:28	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-19-SS(7.5-10) **Lab ID: 10539907016** Collected: 11/18/20 14:35 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<70.1**	ug/kg	70.1	16.7	1	11/25/20 08:30	11/25/20 14:28	100-41-4	
Hexachloro-1,3-butadiene	**<351**	ug/kg	351	139	1	11/25/20 08:30	11/25/20 14:28	87-68-3	
Isopropylbenzene (Cumene)	**<70.1**	ug/kg	70.1	18.9	1	11/25/20 08:30	11/25/20 14:28	98-82-8	
Methyl-tert-butyl ether	**<70.1**	ug/kg	70.1	20.6	1	11/25/20 08:30	11/25/20 14:28	1634-04-4	
Methylene Chloride	**<70.1**	ug/kg	70.1	19.5	1	11/25/20 08:30	11/25/20 14:28	75-09-2	
Naphthalene	**<351**	ug/kg	351	21.9	1	11/25/20 08:30	11/25/20 14:28	91-20-3	
Styrene	**<70.1**	ug/kg	70.1	17.9	1	11/25/20 08:30	11/25/20 14:28	100-42-5	
Tetrachloroethene	**<70.1**	ug/kg	70.1	27.2	1	11/25/20 08:30	11/25/20 14:28	127-18-4	
Tetrahydrofuran	**<351**	ug/kg	351	110	1	11/25/20 08:30	11/25/20 14:28	109-99-9	
Toluene	**<70.1**	ug/kg	70.1	17.7	1	11/25/20 08:30	11/25/20 14:28	108-88-3	
Trichloroethene	**<70.1**	ug/kg	70.1	26.2	1	11/25/20 08:30	11/25/20 14:28	79-01-6	
Trichlorofluoromethane	**<70.1**	ug/kg	70.1	20.3	1	11/25/20 08:30	11/25/20 14:28	75-69-4	
Vinyl chloride	**<70.1**	ug/kg	70.1	14.2	1	11/25/20 08:30	11/25/20 14:28	75-01-4	
Xylene (Total)	**<210**	ug/kg	210	50.6	1	11/25/20 08:30	11/25/20 14:28	1330-20-7	
cis-1,2-Dichloroethene	**<70.1**	ug/kg	70.1	15.0	1	11/25/20 08:30	11/25/20 14:28	156-59-2	
cis-1,3-Dichloropropene	**<351**	ug/kg	351	46.3	1	11/25/20 08:30	11/25/20 14:28	10061-01-5	
n-Butylbenzene	**<70.1**	ug/kg	70.1	32.1	1	11/25/20 08:30	11/25/20 14:28	104-51-8	
n-Propylbenzene	**<70.1**	ug/kg	70.1	16.8	1	11/25/20 08:30	11/25/20 14:28	103-65-1	
p-Isopropyltoluene	**<70.1**	ug/kg	70.1	21.3	1	11/25/20 08:30	11/25/20 14:28	99-87-6	
sec-Butylbenzene	**<70.1**	ug/kg	70.1	17.1	1	11/25/20 08:30	11/25/20 14:28	135-98-8	
tert-Butylbenzene	**<70.1**	ug/kg	70.1	22.0	1	11/25/20 08:30	11/25/20 14:28	98-06-6	
trans-1,2-Dichloroethene	**<70.1**	ug/kg	70.1	15.1	1	11/25/20 08:30	11/25/20 14:28	156-60-5	
trans-1,3-Dichloropropene	**<351**	ug/kg	351	201	1	11/25/20 08:30	11/25/20 14:28	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	94	%	58-145		1	11/25/20 08:30	11/25/20 14:28	1868-53-7	
Toluene-d8 (S)	92	%	56-140		1	11/25/20 08:30	11/25/20 14:28	2037-26-5	
4-Bromofluorobenzene (S)	90	%	52-137		1	11/25/20 08:30	11/25/20 14:28	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-20-SS(0-5) **Lab ID: 10539907017** Collected: 11/18/20 15:00 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**3.2J**	mg/kg	10	2.7	1	11/20/20 13:48	11/23/20 15:52		
Surrogates									
n-Triacontane (S)	78	%.	50-150		1	11/20/20 13:48	11/23/20 15:52	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**1.3J**	mg/kg	6.1	1.2	5	12/01/20 15:30	12/02/20 15:54	7440-38-2	D3
Barium	**245**	mg/kg	3.0	0.48	5	12/01/20 15:30	12/02/20 15:54	7440-39-3	
Cadmium	**<0.91**	mg/kg	0.91	0.18	5	12/01/20 15:30	12/02/20 15:54	7440-43-9	D3
Chromium	**46.3**	mg/kg	3.0	0.61	5	12/01/20 15:30	12/02/20 15:54	7440-47-3	
Lead	**10.3**	mg/kg	3.0	0.69	5	12/01/20 15:30	12/02/20 15:54	7439-92-1	
Selenium	**<6.1**	mg/kg	6.1	2.0	5	12/01/20 15:30	12/02/20 15:54	7782-49-2	D3
Silver	**<3.0**	mg/kg	3.0	0.22	5	12/01/20 15:30	12/02/20 15:54	7440-22-4	D3
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**0.018J**	mg/kg	0.023	0.0097	1	12/01/20 18:45	12/03/20 17:33	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**20.1**	%	0.10	0.10	1		11/23/20 13:07		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<12.4**	ug/kg	12.4	0.56	1	11/20/20 15:01	11/23/20 15:54	83-32-9	
Acenaphthylene	**<12.4**	ug/kg	12.4	0.85	1	11/20/20 15:01	11/23/20 15:54	208-96-8	
Anthracene	**<12.4**	ug/kg	12.4	0.39	1	11/20/20 15:01	11/23/20 15:54	120-12-7	
Benzo(a)anthracene	**0.78J**	ug/kg	12.4	0.51	1	11/20/20 15:01	11/23/20 15:54	56-55-3	
Benzo(a)pyrene	**<12.4**	ug/kg	12.4	0.70	1	11/20/20 15:01	11/23/20 15:54	50-32-8	
Benzo(b)fluoranthene	**0.91J**	ug/kg	12.4	0.58	1	11/20/20 15:01	11/23/20 15:54	205-99-2	
Benzo(g,h,i)perylene	**<12.4**	ug/kg	12.4	0.58	1	11/20/20 15:01	11/23/20 15:54	191-24-2	
Benzo(k)fluoranthene	**<12.4**	ug/kg	12.4	0.60	1	11/20/20 15:01	11/23/20 15:54	207-08-9	
Chrysene	**0.69J**	ug/kg	12.4	0.50	1	11/20/20 15:01	11/23/20 15:54	218-01-9	
Dibenz(a,h)anthracene	**<12.4**	ug/kg	12.4	0.82	1	11/20/20 15:01	11/23/20 15:54	53-70-3	
Fluoranthene	**1.3J**	ug/kg	12.4	0.75	1	11/20/20 15:01	11/23/20 15:54	206-44-0	
Fluorene	**<12.4**	ug/kg	12.4	0.75	1	11/20/20 15:01	11/23/20 15:54	86-73-7	
Indeno(1,2,3-cd)pyrene	**<12.4**	ug/kg	12.4	0.66	1	11/20/20 15:01	11/23/20 15:54	193-39-5	
Naphthalene	**<12.4**	ug/kg	12.4	0.56	1	11/20/20 15:01	11/23/20 15:54	91-20-3	
Phenanthrene	**<12.4**	ug/kg	12.4	0.87	1	11/20/20 15:01	11/23/20 15:54	85-01-8	
Pyrene	**1.0J**	ug/kg	12.4	0.80	1	11/20/20 15:01	11/23/20 15:54	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	60	%.	30-138		1	11/20/20 15:01	11/23/20 15:54	321-60-8	
p-Terphenyl-d14 (S)	68	%.	30-143		1	11/20/20 15:01	11/23/20 15:54	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-20-SS(0-5) **Lab ID: 10539907017** Collected: 11/18/20 15:00 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<62.6**	ug/kg	62.6	15.0	1	11/25/20 08:30	11/25/20 14:51	630-20-6	
1,1,1-Trichloroethane	**<62.6**	ug/kg	62.6	16.0	1	11/25/20 08:30	11/25/20 14:51	71-55-6	
1,1,2,2-Tetrachloroethane	**<62.6**	ug/kg	62.6	22.6	1	11/25/20 08:30	11/25/20 14:51	79-34-5	
1,1,2-Trichloroethane	**<62.6**	ug/kg	62.6	22.8	1	11/25/20 08:30	11/25/20 14:51	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<62.6**	ug/kg	62.6	20.4	1	11/25/20 08:30	11/25/20 14:51	76-13-1	
1,1-Dichloroethane	**<62.6**	ug/kg	62.6	16.0	1	11/25/20 08:30	11/25/20 14:51	75-34-3	
1,1-Dichloroethene	**<62.6**	ug/kg	62.6	20.8	1	11/25/20 08:30	11/25/20 14:51	75-35-4	
1,1-Dichloropropene	**<62.6**	ug/kg	62.6	20.3	1	11/25/20 08:30	11/25/20 14:51	563-58-6	
1,2,3-Trichlorobenzene	**<313**	ug/kg	313	69.7	1	11/25/20 08:30	11/25/20 14:51	87-61-6	
1,2,3-Trichloropropane	**<62.6**	ug/kg	62.6	30.4	1	11/25/20 08:30	11/25/20 14:51	96-18-4	
1,2,4-Trichlorobenzene	**<313**	ug/kg	313	51.6	1	11/25/20 08:30	11/25/20 14:51	120-82-1	
1,2,4-Trimethylbenzene	**<62.6**	ug/kg	62.6	18.6	1	11/25/20 08:30	11/25/20 14:51	95-63-6	
1,2-Dibromo-3-chloropropane	**<313**	ug/kg	313	48.5	1	11/25/20 08:30	11/25/20 14:51	96-12-8	
1,2-Dibromoethane (EDB)	**<62.6**	ug/kg	62.6	17.1	1	11/25/20 08:30	11/25/20 14:51	106-93-4	
1,2-Dichlorobenzene	**<62.6**	ug/kg	62.6	19.4	1	11/25/20 08:30	11/25/20 14:51	95-50-1	
1,2-Dichloroethane	**<62.6**	ug/kg	62.6	14.4	1	11/25/20 08:30	11/25/20 14:51	107-06-2	
1,2-Dichloropropane	**<62.6**	ug/kg	62.6	14.9	1	11/25/20 08:30	11/25/20 14:51	78-87-5	
1,3,5-Trimethylbenzene	**<62.6**	ug/kg	62.6	20.1	1	11/25/20 08:30	11/25/20 14:51	108-67-8	
1,3-Dichlorobenzene	**<62.6**	ug/kg	62.6	17.1	1	11/25/20 08:30	11/25/20 14:51	541-73-1	
1,3-Dichloropropane	**<62.6**	ug/kg	62.6	13.6	1	11/25/20 08:30	11/25/20 14:51	142-28-9	
1,4-Dichlorobenzene	**<62.6**	ug/kg	62.6	17.1	1	11/25/20 08:30	11/25/20 14:51	106-46-7	
2,2-Dichloropropane	**<62.6**	ug/kg	62.6	16.9	1	11/25/20 08:30	11/25/20 14:51	594-20-7	
2-Butanone (MEK)	**<1560**	ug/kg	1560	198	1	11/25/20 08:30	11/25/20 14:51	78-93-3	
2-Chlorotoluene	**<62.6**	ug/kg	62.6	20.3	1	11/25/20 08:30	11/25/20 14:51	95-49-8	
4-Chlorotoluene	**<62.6**	ug/kg	62.6	23.8	1	11/25/20 08:30	11/25/20 14:51	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1560**	ug/kg	1560	915	1	11/25/20 08:30	11/25/20 14:51	108-10-1	
Acetone	**<1560**	ug/kg	1560	165	1	11/25/20 08:30	11/25/20 14:51	67-64-1	v1
Allyl chloride	**<313**	ug/kg	313	59.1	1	11/25/20 08:30	11/25/20 14:51	107-05-1	
Benzene	**<25.0**	ug/kg	25.0	14.9	1	11/25/20 08:30	11/25/20 14:51	71-43-2	
Bromobenzene	**<62.6**	ug/kg	62.6	24.4	1	11/25/20 08:30	11/25/20 14:51	108-86-1	
Bromochloromethane	**<62.6**	ug/kg	62.6	17.1	1	11/25/20 08:30	11/25/20 14:51	74-97-5	
Bromodichloromethane	**<62.6**	ug/kg	62.6	14.9	1	11/25/20 08:30	11/25/20 14:51	75-27-4	
Bromoform	**<313**	ug/kg	313	275	1	11/25/20 08:30	11/25/20 14:51	75-25-2	
Bromomethane	**<313**	ug/kg	313	87.7	1	11/25/20 08:30	11/25/20 14:51	74-83-9	v2
Carbon tetrachloride	**<62.6**	ug/kg	62.6	13.8	1	11/25/20 08:30	11/25/20 14:51	56-23-5	
Chlorobenzene	**<62.6**	ug/kg	62.6	7.5	1	11/25/20 08:30	11/25/20 14:51	108-90-7	
Chloroethane	**<313**	ug/kg	313	26.4	1	11/25/20 08:30	11/25/20 14:51	75-00-3	v2
Chloroform	**<313**	ug/kg	313	44.8	1	11/25/20 08:30	11/25/20 14:51	67-66-3	
Chloromethane	**<62.6**	ug/kg	62.6	23.8	1	11/25/20 08:30	11/25/20 14:51	74-87-3	
Dibromochloromethane	**<313**	ug/kg	313	214	1	11/25/20 08:30	11/25/20 14:51	124-48-1	v1
Dibromomethane	**<62.6**	ug/kg	62.6	18.5	1	11/25/20 08:30	11/25/20 14:51	74-95-3	
Dichlorodifluoromethane	**<62.6**	ug/kg	62.6	26.9	1	11/25/20 08:30	11/25/20 14:51	75-71-8	
Dichlorofluoromethane	**<62.6**	ug/kg	62.6	17.6	1	11/25/20 08:30	11/25/20 14:51	75-43-4	
Diethyl ether (Ethyl ether)	**<62.6**	ug/kg	62.6	19.4	1	11/25/20 08:30	11/25/20 14:51	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-20-SS(0-5) **Lab ID: 10539907017** Collected: 11/18/20 15:00 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<62.6**	ug/kg	62.6	14.9	1	11/25/20 08:30	11/25/20 14:51	100-41-4	
Hexachloro-1,3-butadiene	**<313**	ug/kg	313	124	1	11/25/20 08:30	11/25/20 14:51	87-68-3	
Isopropylbenzene (Cumene)	**<62.6**	ug/kg	62.6	16.9	1	11/25/20 08:30	11/25/20 14:51	98-82-8	
Methyl-tert-butyl ether	**<62.6**	ug/kg	62.6	18.4	1	11/25/20 08:30	11/25/20 14:51	1634-04-4	
Methylene Chloride	**<62.6**	ug/kg	62.6	17.4	1	11/25/20 08:30	11/25/20 14:51	75-09-2	
Naphthalene	**<313**	ug/kg	313	19.5	1	11/25/20 08:30	11/25/20 14:51	91-20-3	
Styrene	**<62.6**	ug/kg	62.6	16.0	1	11/25/20 08:30	11/25/20 14:51	100-42-5	
Tetrachloroethene	**<62.6**	ug/kg	62.6	24.3	1	11/25/20 08:30	11/25/20 14:51	127-18-4	
Tetrahydrofuran	**<313**	ug/kg	313	98.6	1	11/25/20 08:30	11/25/20 14:51	109-99-9	
Toluene	**<62.6**	ug/kg	62.6	15.8	1	11/25/20 08:30	11/25/20 14:51	108-88-3	
Trichloroethene	**<62.6**	ug/kg	62.6	23.4	1	11/25/20 08:30	11/25/20 14:51	79-01-6	
Trichlorofluoromethane	**<62.6**	ug/kg	62.6	18.1	1	11/25/20 08:30	11/25/20 14:51	75-69-4	
Vinyl chloride	**<62.6**	ug/kg	62.6	12.6	1	11/25/20 08:30	11/25/20 14:51	75-01-4	
Xylene (Total)	**<188**	ug/kg	188	45.2	1	11/25/20 08:30	11/25/20 14:51	1330-20-7	
cis-1,2-Dichloroethene	**<62.6**	ug/kg	62.6	13.4	1	11/25/20 08:30	11/25/20 14:51	156-59-2	
cis-1,3-Dichloropropene	**<313**	ug/kg	313	41.3	1	11/25/20 08:30	11/25/20 14:51	10061-01-5	
n-Butylbenzene	**<62.6**	ug/kg	62.6	28.7	1	11/25/20 08:30	11/25/20 14:51	104-51-8	
n-Propylbenzene	**<62.6**	ug/kg	62.6	15.0	1	11/25/20 08:30	11/25/20 14:51	103-65-1	
p-Isopropyltoluene	**<62.6**	ug/kg	62.6	19.0	1	11/25/20 08:30	11/25/20 14:51	99-87-6	
sec-Butylbenzene	**<62.6**	ug/kg	62.6	15.3	1	11/25/20 08:30	11/25/20 14:51	135-98-8	
tert-Butylbenzene	**<62.6**	ug/kg	62.6	19.6	1	11/25/20 08:30	11/25/20 14:51	98-06-6	
trans-1,2-Dichloroethene	**<62.6**	ug/kg	62.6	13.5	1	11/25/20 08:30	11/25/20 14:51	156-60-5	
trans-1,3-Dichloropropene	**<313**	ug/kg	313	179	1	11/25/20 08:30	11/25/20 14:51	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	98	%	58-145		1	11/25/20 08:30	11/25/20 14:51	1868-53-7	
Toluene-d8 (S)	96	%	56-140		1	11/25/20 08:30	11/25/20 14:51	2037-26-5	
4-Bromofluorobenzene (S)	93	%	52-137		1	11/25/20 08:30	11/25/20 14:51	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-20-SS(7.5-10) **Lab ID: 10539907018** Collected: 11/18/20 15:10 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**<10.6**	mg/kg	10.6	2.8	1	11/20/20 13:48	11/23/20 17:12		
Surrogates									
n-Triacontane (S)	82	%.	50-150		1	11/20/20 13:48	11/23/20 17:12	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**2.3J**	mg/kg	2.4	0.48	2	12/01/20 15:30	12/02/20 15:56	7440-38-2	D3
Barium	**148**	mg/kg	1.2	0.19	2	12/01/20 15:30	12/02/20 15:56	7440-39-3	
Cadmium	**<0.35**	mg/kg	0.35	0.071	2	12/01/20 15:30	12/02/20 15:56	7440-43-9	D3
Chromium	**42.5**	mg/kg	1.2	0.24	2	12/01/20 15:30	12/02/20 15:56	7440-47-3	
Lead	**10.6**	mg/kg	1.2	0.27	2	12/01/20 15:30	12/02/20 15:56	7439-92-1	
Selenium	**<2.4**	mg/kg	2.4	0.77	2	12/01/20 15:30	12/02/20 15:56	7782-49-2	D3
Silver	**<1.2**	mg/kg	1.2	0.085	2	12/01/20 15:30	12/02/20 15:56	7440-22-4	D3
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**<0.023**	mg/kg	0.023	0.0097	1	12/01/20 18:45	12/03/20 17:35	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**19.8**	%	0.10	0.10	1		11/23/20 13:07		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<12.4**	ug/kg	12.4	0.56	1	11/20/20 15:01	11/23/20 16:17	83-32-9	
Acenaphthylene	**<12.4**	ug/kg	12.4	0.85	1	11/20/20 15:01	11/23/20 16:17	208-96-8	
Anthracene	**<12.4**	ug/kg	12.4	0.39	1	11/20/20 15:01	11/23/20 16:17	120-12-7	
Benzo(a)anthracene	**0.60J**	ug/kg	12.4	0.51	1	11/20/20 15:01	11/23/20 16:17	56-55-3	
Benzo(a)pyrene	**<12.4**	ug/kg	12.4	0.70	1	11/20/20 15:01	11/23/20 16:17	50-32-8	
Benzo(b)fluoranthene	**0.62J**	ug/kg	12.4	0.58	1	11/20/20 15:01	11/23/20 16:17	205-99-2	
Benzo(g,h,i)perylene	**<12.4**	ug/kg	12.4	0.58	1	11/20/20 15:01	11/23/20 16:17	191-24-2	
Benzo(k)fluoranthene	**<12.4**	ug/kg	12.4	0.60	1	11/20/20 15:01	11/23/20 16:17	207-08-9	
Chrysene	**<12.4**	ug/kg	12.4	0.50	1	11/20/20 15:01	11/23/20 16:17	218-01-9	
Dibenz(a,h)anthracene	**<12.4**	ug/kg	12.4	0.82	1	11/20/20 15:01	11/23/20 16:17	53-70-3	
Fluoranthene	**0.83J**	ug/kg	12.4	0.75	1	11/20/20 15:01	11/23/20 16:17	206-44-0	
Fluorene	**<12.4**	ug/kg	12.4	0.75	1	11/20/20 15:01	11/23/20 16:17	86-73-7	
Indeno(1,2,3-cd)pyrene	**<12.4**	ug/kg	12.4	0.66	1	11/20/20 15:01	11/23/20 16:17	193-39-5	
Naphthalene	**<12.4**	ug/kg	12.4	0.56	1	11/20/20 15:01	11/23/20 16:17	91-20-3	
Phenanthrene	**<12.4**	ug/kg	12.4	0.87	1	11/20/20 15:01	11/23/20 16:17	85-01-8	
Pyrene	**<12.4**	ug/kg	12.4	0.80	1	11/20/20 15:01	11/23/20 16:17	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	64	%.	30-138		1	11/20/20 15:01	11/23/20 16:17	321-60-8	
p-Terphenyl-d14 (S)	66	%.	30-143		1	11/20/20 15:01	11/23/20 16:17	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-20-SS(7.5-10) **Lab ID: 10539907018** Collected: 11/18/20 15:10 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<62.4**	ug/kg	62.4	15.0	1	11/25/20 08:30	11/25/20 15:13	630-20-6	
1,1,1-Trichloroethane	**<62.4**	ug/kg	62.4	16.0	1	11/25/20 08:30	11/25/20 15:13	71-55-6	
1,1,2,2-Tetrachloroethane	**<62.4**	ug/kg	62.4	22.6	1	11/25/20 08:30	11/25/20 15:13	79-34-5	
1,1,2-Trichloroethane	**<62.4**	ug/kg	62.4	22.7	1	11/25/20 08:30	11/25/20 15:13	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<62.4**	ug/kg	62.4	20.3	1	11/25/20 08:30	11/25/20 15:13	76-13-1	
1,1-Dichloroethane	**<62.4**	ug/kg	62.4	16.0	1	11/25/20 08:30	11/25/20 15:13	75-34-3	
1,1-Dichloroethene	**<62.4**	ug/kg	62.4	20.7	1	11/25/20 08:30	11/25/20 15:13	75-35-4	
1,1-Dichloropropene	**<62.4**	ug/kg	62.4	20.2	1	11/25/20 08:30	11/25/20 15:13	563-58-6	
1,2,3-Trichlorobenzene	**<312**	ug/kg	312	69.5	1	11/25/20 08:30	11/25/20 15:13	87-61-6	
1,2,3-Trichloropropane	**<62.4**	ug/kg	62.4	30.3	1	11/25/20 08:30	11/25/20 15:13	96-18-4	
1,2,4-Trichlorobenzene	**<312**	ug/kg	312	51.4	1	11/25/20 08:30	11/25/20 15:13	120-82-1	
1,2,4-Trimethylbenzene	**<62.4**	ug/kg	62.4	18.6	1	11/25/20 08:30	11/25/20 15:13	95-63-6	
1,2-Dibromo-3-chloropropane	**<312**	ug/kg	312	48.4	1	11/25/20 08:30	11/25/20 15:13	96-12-8	
1,2-Dibromoethane (EDB)	**<62.4**	ug/kg	62.4	17.1	1	11/25/20 08:30	11/25/20 15:13	106-93-4	
1,2-Dichlorobenzene	**<62.4**	ug/kg	62.4	19.3	1	11/25/20 08:30	11/25/20 15:13	95-50-1	
1,2-Dichloroethane	**<62.4**	ug/kg	62.4	14.3	1	11/25/20 08:30	11/25/20 15:13	107-06-2	
1,2-Dichloropropane	**<62.4**	ug/kg	62.4	14.8	1	11/25/20 08:30	11/25/20 15:13	78-87-5	
1,3,5-Trimethylbenzene	**<62.4**	ug/kg	62.4	20.1	1	11/25/20 08:30	11/25/20 15:13	108-67-8	
1,3-Dichlorobenzene	**<62.4**	ug/kg	62.4	17.1	1	11/25/20 08:30	11/25/20 15:13	541-73-1	
1,3-Dichloropropane	**<62.4**	ug/kg	62.4	13.6	1	11/25/20 08:30	11/25/20 15:13	142-28-9	
1,4-Dichlorobenzene	**<62.4**	ug/kg	62.4	17.1	1	11/25/20 08:30	11/25/20 15:13	106-46-7	
2,2-Dichloropropane	**<62.4**	ug/kg	62.4	16.8	1	11/25/20 08:30	11/25/20 15:13	594-20-7	
2-Butanone (MEK)	**<1560**	ug/kg	1560	197	1	11/25/20 08:30	11/25/20 15:13	78-93-3	
2-Chlorotoluene	**<62.4**	ug/kg	62.4	20.2	1	11/25/20 08:30	11/25/20 15:13	95-49-8	
4-Chlorotoluene	**<62.4**	ug/kg	62.4	23.7	1	11/25/20 08:30	11/25/20 15:13	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1560**	ug/kg	1560	912	1	11/25/20 08:30	11/25/20 15:13	108-10-1	
Acetone	**<1560**	ug/kg	1560	165	1	11/25/20 08:30	11/25/20 15:13	67-64-1	v1
Allyl chloride	**<312**	ug/kg	312	58.9	1	11/25/20 08:30	11/25/20 15:13	107-05-1	
Benzene	**<25.0**	ug/kg	25.0	14.8	1	11/25/20 08:30	11/25/20 15:13	71-43-2	
Bromobenzene	**<62.4**	ug/kg	62.4	24.3	1	11/25/20 08:30	11/25/20 15:13	108-86-1	
Bromochloromethane	**<62.4**	ug/kg	62.4	17.1	1	11/25/20 08:30	11/25/20 15:13	74-97-5	
Bromodichloromethane	**<62.4**	ug/kg	62.4	14.8	1	11/25/20 08:30	11/25/20 15:13	75-27-4	
Bromoform	**<312**	ug/kg	312	274	1	11/25/20 08:30	11/25/20 15:13	75-25-2	
Bromomethane	**<312**	ug/kg	312	87.5	1	11/25/20 08:30	11/25/20 15:13	74-83-9	v2
Carbon tetrachloride	**<62.4**	ug/kg	62.4	13.7	1	11/25/20 08:30	11/25/20 15:13	56-23-5	
Chlorobenzene	**<62.4**	ug/kg	62.4	7.5	1	11/25/20 08:30	11/25/20 15:13	108-90-7	
Chloroethane	**<312**	ug/kg	312	26.3	1	11/25/20 08:30	11/25/20 15:13	75-00-3	v2
Chloroform	**<312**	ug/kg	312	44.7	1	11/25/20 08:30	11/25/20 15:13	67-66-3	
Chloromethane	**<62.4**	ug/kg	62.4	23.7	1	11/25/20 08:30	11/25/20 15:13	74-87-3	
Dibromochloromethane	**<312**	ug/kg	312	213	1	11/25/20 08:30	11/25/20 15:13	124-48-1	v1
Dibromomethane	**<62.4**	ug/kg	62.4	18.5	1	11/25/20 08:30	11/25/20 15:13	74-95-3	
Dichlorodifluoromethane	**<62.4**	ug/kg	62.4	26.8	1	11/25/20 08:30	11/25/20 15:13	75-71-8	
Dichlorofluoromethane	**<62.4**	ug/kg	62.4	17.6	1	11/25/20 08:30	11/25/20 15:13	75-43-4	
Diethyl ether (Ethyl ether)	**<62.4**	ug/kg	62.4	19.3	1	11/25/20 08:30	11/25/20 15:13	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-20-SS(7.5-10) **Lab ID: 10539907018** Collected: 11/18/20 15:10 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<62.4**	ug/kg	62.4	14.8	1	11/25/20 08:30	11/25/20 15:13	100-41-4	
Hexachloro-1,3-butadiene	**<312**	ug/kg	312	124	1	11/25/20 08:30	11/25/20 15:13	87-68-3	
Isopropylbenzene (Cumene)	**<62.4**	ug/kg	62.4	16.8	1	11/25/20 08:30	11/25/20 15:13	98-82-8	
Methyl-tert-butyl ether	**<62.4**	ug/kg	62.4	18.3	1	11/25/20 08:30	11/25/20 15:13	1634-04-4	
Methylene Chloride	**<62.4**	ug/kg	62.4	17.3	1	11/25/20 08:30	11/25/20 15:13	75-09-2	
Naphthalene	**<312**	ug/kg	312	19.5	1	11/25/20 08:30	11/25/20 15:13	91-20-3	
Styrene	**<62.4**	ug/kg	62.4	16.0	1	11/25/20 08:30	11/25/20 15:13	100-42-5	
Tetrachloroethene	**<62.4**	ug/kg	62.4	24.2	1	11/25/20 08:30	11/25/20 15:13	127-18-4	
Tetrahydrofuran	**<312**	ug/kg	312	98.3	1	11/25/20 08:30	11/25/20 15:13	109-99-9	
Toluene	**<62.4**	ug/kg	62.4	15.7	1	11/25/20 08:30	11/25/20 15:13	108-88-3	
Trichloroethene	**<62.4**	ug/kg	62.4	23.3	1	11/25/20 08:30	11/25/20 15:13	79-01-6	
Trichlorofluoromethane	**<62.4**	ug/kg	62.4	18.1	1	11/25/20 08:30	11/25/20 15:13	75-69-4	
Vinyl chloride	**<62.4**	ug/kg	62.4	12.6	1	11/25/20 08:30	11/25/20 15:13	75-01-4	
Xylene (Total)	**<187**	ug/kg	187	45.0	1	11/25/20 08:30	11/25/20 15:13	1330-20-7	
cis-1,2-Dichloroethene	**<62.4**	ug/kg	62.4	13.3	1	11/25/20 08:30	11/25/20 15:13	156-59-2	
cis-1,3-Dichloropropene	**<312**	ug/kg	312	41.2	1	11/25/20 08:30	11/25/20 15:13	10061-01-5	
n-Butylbenzene	**<62.4**	ug/kg	62.4	28.6	1	11/25/20 08:30	11/25/20 15:13	104-51-8	
n-Propylbenzene	**<62.4**	ug/kg	62.4	15.0	1	11/25/20 08:30	11/25/20 15:13	103-65-1	
p-Isopropyltoluene	**<62.4**	ug/kg	62.4	19.0	1	11/25/20 08:30	11/25/20 15:13	99-87-6	
sec-Butylbenzene	**<62.4**	ug/kg	62.4	15.2	1	11/25/20 08:30	11/25/20 15:13	135-98-8	
tert-Butylbenzene	**<62.4**	ug/kg	62.4	19.6	1	11/25/20 08:30	11/25/20 15:13	98-06-6	
trans-1,2-Dichloroethene	**<62.4**	ug/kg	62.4	13.5	1	11/25/20 08:30	11/25/20 15:13	156-60-5	
trans-1,3-Dichloropropene	**<312**	ug/kg	312	178	1	11/25/20 08:30	11/25/20 15:13	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	107	%	58-145		1	11/25/20 08:30	11/25/20 15:13	1868-53-7	
Toluene-d8 (S)	103	%	56-140		1	11/25/20 08:30	11/25/20 15:13	2037-26-5	
4-Bromofluorobenzene (S)	99	%	52-137		1	11/25/20 08:30	11/25/20 15:13	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-16-SS(0-5) **Lab ID: 10539907019** Collected: 11/19/20 09:20 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**<9.0**	mg/kg	9.0	2.4	1	11/20/20 13:48	11/23/20 16:14		
Surrogates									
n-Triacontane (S)	67	%.	50-150		1	11/20/20 13:48	11/23/20 16:14	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**1.9**	mg/kg	1.2	0.25	1	12/01/20 15:30	12/02/20 15:39	7440-38-2	
Barium	**130**	mg/kg	0.61	0.096	1	12/01/20 15:30	12/02/20 15:39	7440-39-3	
Cadmium	**<0.18**	mg/kg	0.18	0.037	1	12/01/20 15:30	12/02/20 15:39	7440-43-9	
Chromium	**30.6**	mg/kg	0.61	0.12	1	12/01/20 15:30	12/02/20 15:39	7440-47-3	
Lead	**10.3**	mg/kg	0.61	0.14	1	12/01/20 15:30	12/02/20 15:39	7439-92-1	
Selenium	**<1.2**	mg/kg	1.2	0.40	1	12/01/20 15:30	12/02/20 15:39	7782-49-2	
Silver	**<0.61**	mg/kg	0.61	0.044	1	12/01/20 15:30	12/02/20 15:39	7440-22-4	
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**0.016J**	mg/kg	0.023	0.0096	1	12/01/20 18:45	12/03/20 17:37	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**18.7**	%	0.10	0.10	1		11/23/20 13:07		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<12.3**	ug/kg	12.3	0.55	1	11/20/20 15:01	11/23/20 16:40	83-32-9	
Acenaphthylene	**<12.3**	ug/kg	12.3	0.84	1	11/20/20 15:01	11/23/20 16:40	208-96-8	
Anthracene	**<12.3**	ug/kg	12.3	0.39	1	11/20/20 15:01	11/23/20 16:40	120-12-7	
Benzo(a)anthracene	**1.6J**	ug/kg	12.3	0.51	1	11/20/20 15:01	11/23/20 16:40	56-55-3	
Benzo(a)pyrene	**1.5J**	ug/kg	12.3	0.69	1	11/20/20 15:01	11/23/20 16:40	50-32-8	
Benzo(b)fluoranthene	**2.5J**	ug/kg	12.3	0.57	1	11/20/20 15:01	11/23/20 16:40	205-99-2	
Benzo(g,h,i)perylene	**1.2J**	ug/kg	12.3	0.57	1	11/20/20 15:01	11/23/20 16:40	191-24-2	
Benzo(k)fluoranthene	**0.97J**	ug/kg	12.3	0.59	1	11/20/20 15:01	11/23/20 16:40	207-08-9	
Chrysene	**2.0J**	ug/kg	12.3	0.49	1	11/20/20 15:01	11/23/20 16:40	218-01-9	
Dibenz(a,h)anthracene	**<12.3**	ug/kg	12.3	0.81	1	11/20/20 15:01	11/23/20 16:40	53-70-3	
Fluoranthene	**3.3J**	ug/kg	12.3	0.74	1	11/20/20 15:01	11/23/20 16:40	206-44-0	
Fluorene	**<12.3**	ug/kg	12.3	0.74	1	11/20/20 15:01	11/23/20 16:40	86-73-7	
Indeno(1,2,3-cd)pyrene	**1.0J**	ug/kg	12.3	0.66	1	11/20/20 15:01	11/23/20 16:40	193-39-5	
Naphthalene	**0.66J**	ug/kg	12.3	0.55	1	11/20/20 15:01	11/23/20 16:40	91-20-3	
Phenanthrene	**1.8J**	ug/kg	12.3	0.87	1	11/20/20 15:01	11/23/20 16:40	85-01-8	
Pyrene	**2.4J**	ug/kg	12.3	0.80	1	11/20/20 15:01	11/23/20 16:40	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	64	%.	30-138		1	11/20/20 15:01	11/23/20 16:40	321-60-8	
p-Terphenyl-d14 (S)	67	%.	30-143		1	11/20/20 15:01	11/23/20 16:40	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-16-SS(0-5) **Lab ID: 10539907019** Collected: 11/19/20 09:20 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<61.5**	ug/kg	61.5	14.8	1	11/25/20 08:30	11/25/20 13:20	630-20-6	
1,1,1-Trichloroethane	**<61.5**	ug/kg	61.5	15.7	1	11/25/20 08:30	11/25/20 13:20	71-55-6	
1,1,2,2-Tetrachloroethane	**<61.5**	ug/kg	61.5	22.3	1	11/25/20 08:30	11/25/20 13:20	79-34-5	
1,1,2-Trichloroethane	**<61.5**	ug/kg	61.5	22.4	1	11/25/20 08:30	11/25/20 13:20	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<61.5**	ug/kg	61.5	20.1	1	11/25/20 08:30	11/25/20 13:20	76-13-1	
1,1-Dichloroethane	**<61.5**	ug/kg	61.5	15.7	1	11/25/20 08:30	11/25/20 13:20	75-34-3	
1,1-Dichloroethene	**<61.5**	ug/kg	61.5	20.4	1	11/25/20 08:30	11/25/20 13:20	75-35-4	
1,1-Dichloropropene	**<61.5**	ug/kg	61.5	19.9	1	11/25/20 08:30	11/25/20 13:20	563-58-6	
1,2,3-Trichlorobenzene	**<308**	ug/kg	308	68.5	1	11/25/20 08:30	11/25/20 13:20	87-61-6	
1,2,3-Trichloropropane	**<61.5**	ug/kg	61.5	29.9	1	11/25/20 08:30	11/25/20 13:20	96-18-4	
1,2,4-Trichlorobenzene	**<308**	ug/kg	308	50.7	1	11/25/20 08:30	11/25/20 13:20	120-82-1	
1,2,4-Trimethylbenzene	**<61.5**	ug/kg	61.5	18.3	1	11/25/20 08:30	11/25/20 13:20	95-63-6	
1,2-Dibromo-3-chloropropane	**<308**	ug/kg	308	47.7	1	11/25/20 08:30	11/25/20 13:20	96-12-8	
1,2-Dibromoethane (EDB)	**<61.5**	ug/kg	61.5	16.9	1	11/25/20 08:30	11/25/20 13:20	106-93-4	
1,2-Dichlorobenzene	**<61.5**	ug/kg	61.5	19.1	1	11/25/20 08:30	11/25/20 13:20	95-50-1	
1,2-Dichloroethane	**<61.5**	ug/kg	61.5	14.1	1	11/25/20 08:30	11/25/20 13:20	107-06-2	
1,2-Dichloropropane	**<61.5**	ug/kg	61.5	14.6	1	11/25/20 08:30	11/25/20 13:20	78-87-5	
1,3,5-Trimethylbenzene	**<61.5**	ug/kg	61.5	19.8	1	11/25/20 08:30	11/25/20 13:20	108-67-8	
1,3-Dichlorobenzene	**<61.5**	ug/kg	61.5	16.9	1	11/25/20 08:30	11/25/20 13:20	541-73-1	
1,3-Dichloropropane	**<61.5**	ug/kg	61.5	13.4	1	11/25/20 08:30	11/25/20 13:20	142-28-9	
1,4-Dichlorobenzene	**<61.5**	ug/kg	61.5	16.9	1	11/25/20 08:30	11/25/20 13:20	106-46-7	
2,2-Dichloropropane	**<61.5**	ug/kg	61.5	16.6	1	11/25/20 08:30	11/25/20 13:20	594-20-7	
2-Butanone (MEK)	**<1540**	ug/kg	1540	194	1	11/25/20 08:30	11/25/20 13:20	78-93-3	
2-Chlorotoluene	**<61.5**	ug/kg	61.5	19.9	1	11/25/20 08:30	11/25/20 13:20	95-49-8	
4-Chlorotoluene	**<61.5**	ug/kg	61.5	23.4	1	11/25/20 08:30	11/25/20 13:20	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1540**	ug/kg	1540	900	1	11/25/20 08:30	11/25/20 13:20	108-10-1	
Acetone	**<1540**	ug/kg	1540	162	1	11/25/20 08:30	11/25/20 13:20	67-64-1	v1
Allyl chloride	**<308**	ug/kg	308	58.1	1	11/25/20 08:30	11/25/20 13:20	107-05-1	
Benzene	**<24.6**	ug/kg	24.6	14.6	1	11/25/20 08:30	11/25/20 13:20	71-43-2	
Bromobenzene	**<61.5**	ug/kg	61.5	24.0	1	11/25/20 08:30	11/25/20 13:20	108-86-1	
Bromochloromethane	**<61.5**	ug/kg	61.5	16.9	1	11/25/20 08:30	11/25/20 13:20	74-97-5	
Bromodichloromethane	**<61.5**	ug/kg	61.5	14.6	1	11/25/20 08:30	11/25/20 13:20	75-27-4	
Bromoform	**<308**	ug/kg	308	271	1	11/25/20 08:30	11/25/20 13:20	75-25-2	
Bromomethane	**<308**	ug/kg	308	86.2	1	11/25/20 08:30	11/25/20 13:20	74-83-9	v2,v3
Carbon tetrachloride	**<61.5**	ug/kg	61.5	13.5	1	11/25/20 08:30	11/25/20 13:20	56-23-5	
Chlorobenzene	**<61.5**	ug/kg	61.5	7.4	1	11/25/20 08:30	11/25/20 13:20	108-90-7	
Chloroethane	**<308**	ug/kg	308	26.0	1	11/25/20 08:30	11/25/20 13:20	75-00-3	v2,v3
Chloroform	**<308**	ug/kg	308	44.0	1	11/25/20 08:30	11/25/20 13:20	67-66-3	
Chloromethane	**<61.5**	ug/kg	61.5	23.4	1	11/25/20 08:30	11/25/20 13:20	74-87-3	
Dibromochloromethane	**<308**	ug/kg	308	210	1	11/25/20 08:30	11/25/20 13:20	124-48-1	v1
Dibromomethane	**<61.5**	ug/kg	61.5	18.2	1	11/25/20 08:30	11/25/20 13:20	74-95-3	
Dichlorodifluoromethane	**<61.5**	ug/kg	61.5	26.5	1	11/25/20 08:30	11/25/20 13:20	75-71-8	
Dichlorofluoromethane	**<61.5**	ug/kg	61.5	17.3	1	11/25/20 08:30	11/25/20 13:20	75-43-4	
Diethyl ether (Ethyl ether)	**<61.5**	ug/kg	61.5	19.1	1	11/25/20 08:30	11/25/20 13:20	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-16-SS(0-5) **Lab ID: 10539907019** Collected: 11/19/20 09:20 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<61.5**	ug/kg	61.5	14.6	1	11/25/20 08:30	11/25/20 13:20	100-41-4	
Hexachloro-1,3-butadiene	**<308**	ug/kg	308	122	1	11/25/20 08:30	11/25/20 13:20	87-68-3	
Isopropylbenzene (Cumene)	**<61.5**	ug/kg	61.5	16.6	1	11/25/20 08:30	11/25/20 13:20	98-82-8	
Methyl-tert-butyl ether	**<61.5**	ug/kg	61.5	18.1	1	11/25/20 08:30	11/25/20 13:20	1634-04-4	
Methylene Chloride	**<61.5**	ug/kg	61.5	17.1	1	11/25/20 08:30	11/25/20 13:20	75-09-2	
Naphthalene	**<308**	ug/kg	308	19.2	1	11/25/20 08:30	11/25/20 13:20	91-20-3	
Styrene	**<61.5**	ug/kg	61.5	15.7	1	11/25/20 08:30	11/25/20 13:20	100-42-5	
Tetrachloroethene	**<61.5**	ug/kg	61.5	23.9	1	11/25/20 08:30	11/25/20 13:20	127-18-4	
Tetrahydrofuran	**<308**	ug/kg	308	96.9	1	11/25/20 08:30	11/25/20 13:20	109-99-9	
Toluene	**<61.5**	ug/kg	61.5	15.5	1	11/25/20 08:30	11/25/20 13:20	108-88-3	
Trichloroethene	**<61.5**	ug/kg	61.5	23.0	1	11/25/20 08:30	11/25/20 13:20	79-01-6	
Trichlorofluoromethane	**<61.5**	ug/kg	61.5	17.8	1	11/25/20 08:30	11/25/20 13:20	75-69-4	
Vinyl chloride	**<61.5**	ug/kg	61.5	12.4	1	11/25/20 08:30	11/25/20 13:20	75-01-4	
Xylene (Total)	**<185**	ug/kg	185	44.4	1	11/25/20 08:30	11/25/20 13:20	1330-20-7	
cis-1,2-Dichloroethene	**<61.5**	ug/kg	61.5	13.2	1	11/25/20 08:30	11/25/20 13:20	156-59-2	
cis-1,3-Dichloropropene	**<308**	ug/kg	308	40.6	1	11/25/20 08:30	11/25/20 13:20	10061-01-5	
n-Butylbenzene	**<61.5**	ug/kg	61.5	28.2	1	11/25/20 08:30	11/25/20 13:20	104-51-8	
n-Propylbenzene	**<61.5**	ug/kg	61.5	14.8	1	11/25/20 08:30	11/25/20 13:20	103-65-1	
p-Isopropyltoluene	**<61.5**	ug/kg	61.5	18.7	1	11/25/20 08:30	11/25/20 13:20	99-87-6	
sec-Butylbenzene	**<61.5**	ug/kg	61.5	15.0	1	11/25/20 08:30	11/25/20 13:20	135-98-8	
tert-Butylbenzene	**<61.5**	ug/kg	61.5	19.3	1	11/25/20 08:30	11/25/20 13:20	98-06-6	
trans-1,2-Dichloroethene	**<61.5**	ug/kg	61.5	13.3	1	11/25/20 08:30	11/25/20 13:20	156-60-5	
trans-1,3-Dichloropropene	**<308**	ug/kg	308	176	1	11/25/20 08:30	11/25/20 13:20	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	96	%	58-145		1	11/25/20 08:30	11/25/20 13:20	1868-53-7	
Toluene-d8 (S)	98	%	56-140		1	11/25/20 08:30	11/25/20 13:20	2037-26-5	
4-Bromofluorobenzene (S)	97	%	52-137		1	11/25/20 08:30	11/25/20 13:20	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-16-SS(7.5-10) **Lab ID: 10539907020** Collected: 11/19/20 09:30 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**<10.6**	mg/kg	10.6	2.8	1	11/20/20 13:48	11/23/20 17:19		
Surrogates									
n-Triacontane (S)	71	%.	50-150		1	11/20/20 13:48	11/23/20 17:19	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**2.2J**	mg/kg	2.6	0.53	2	12/01/20 15:30	12/02/20 15:58	7440-38-2	D3
Barium	**264**	mg/kg	1.3	0.20	2	12/01/20 15:30	12/02/20 15:58	7440-39-3	
Cadmium	**<0.39**	mg/kg	0.39	0.078	2	12/01/20 15:30	12/02/20 15:58	7440-43-9	D3
Chromium	**41.3**	mg/kg	1.3	0.26	2	12/01/20 15:30	12/02/20 15:58	7440-47-3	
Lead	**10.4**	mg/kg	1.3	0.29	2	12/01/20 15:30	12/02/20 15:58	7439-92-1	
Selenium	**<2.6**	mg/kg	2.6	0.85	2	12/01/20 15:30	12/02/20 15:58	7782-49-2	D3
Silver	**<1.3**	mg/kg	1.3	0.094	2	12/01/20 15:30	12/02/20 15:58	7440-22-4	D3
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**<0.026**	mg/kg	0.026	0.011	1	12/01/20 18:45	12/03/20 17:38	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**29.0**	%	0.10	0.10	1		11/23/20 13:07		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<14.0**	ug/kg	14.0	0.63	1	11/20/20 15:01	11/23/20 17:03	83-32-9	
Acenaphthylene	**<14.0**	ug/kg	14.0	0.96	1	11/20/20 15:01	11/23/20 17:03	208-96-8	
Anthracene	**<14.0**	ug/kg	14.0	0.44	1	11/20/20 15:01	11/23/20 17:03	120-12-7	
Benzo(a)anthracene	**<14.0**	ug/kg	14.0	0.58	1	11/20/20 15:01	11/23/20 17:03	56-55-3	
Benzo(a)pyrene	**<14.0**	ug/kg	14.0	0.79	1	11/20/20 15:01	11/23/20 17:03	50-32-8	
Benzo(b)fluoranthene	**<14.0**	ug/kg	14.0	0.65	1	11/20/20 15:01	11/23/20 17:03	205-99-2	
Benzo(g,h,i)perylene	**<14.0**	ug/kg	14.0	0.65	1	11/20/20 15:01	11/23/20 17:03	191-24-2	
Benzo(k)fluoranthene	**<14.0**	ug/kg	14.0	0.67	1	11/20/20 15:01	11/23/20 17:03	207-08-9	
Chrysene	**<14.0**	ug/kg	14.0	0.56	1	11/20/20 15:01	11/23/20 17:03	218-01-9	
Dibenz(a,h)anthracene	**<14.0**	ug/kg	14.0	0.92	1	11/20/20 15:01	11/23/20 17:03	53-70-3	
Fluoranthene	**<14.0**	ug/kg	14.0	0.85	1	11/20/20 15:01	11/23/20 17:03	206-44-0	
Fluorene	**<14.0**	ug/kg	14.0	0.84	1	11/20/20 15:01	11/23/20 17:03	86-73-7	
Indeno(1,2,3-cd)pyrene	**<14.0**	ug/kg	14.0	0.75	1	11/20/20 15:01	11/23/20 17:03	193-39-5	
Naphthalene	**<14.0**	ug/kg	14.0	0.63	1	11/20/20 15:01	11/23/20 17:03	91-20-3	
Phenanthrene	**<14.0**	ug/kg	14.0	0.99	1	11/20/20 15:01	11/23/20 17:03	85-01-8	
Pyrene	**<14.0**	ug/kg	14.0	0.91	1	11/20/20 15:01	11/23/20 17:03	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	68	%.	30-138		1	11/20/20 15:01	11/23/20 17:03	321-60-8	
p-Terphenyl-d14 (S)	68	%.	30-143		1	11/20/20 15:01	11/23/20 17:03	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-16-SS(7.5-10) **Lab ID: 10539907020** Collected: 11/19/20 09:30 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<70.4**	ug/kg	70.4	16.9	1	11/25/20 08:30	11/25/20 15:36	630-20-6	
1,1,1-Trichloroethane	**<70.4**	ug/kg	70.4	18.0	1	11/25/20 08:30	11/25/20 15:36	71-55-6	
1,1,2,2-Tetrachloroethane	**<70.4**	ug/kg	70.4	25.5	1	11/25/20 08:30	11/25/20 15:36	79-34-5	
1,1,2-Trichloroethane	**<70.4**	ug/kg	70.4	25.6	1	11/25/20 08:30	11/25/20 15:36	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<70.4**	ug/kg	70.4	23.0	1	11/25/20 08:30	11/25/20 15:36	76-13-1	
1,1-Dichloroethane	**<70.4**	ug/kg	70.4	18.0	1	11/25/20 08:30	11/25/20 15:36	75-34-3	
1,1-Dichloroethene	**<70.4**	ug/kg	70.4	23.4	1	11/25/20 08:30	11/25/20 15:36	75-35-4	
1,1-Dichloropropene	**<70.4**	ug/kg	70.4	22.8	1	11/25/20 08:30	11/25/20 15:36	563-58-6	
1,2,3-Trichlorobenzene	**<352**	ug/kg	352	78.5	1	11/25/20 08:30	11/25/20 15:36	87-61-6	
1,2,3-Trichloropropane	**<70.4**	ug/kg	70.4	34.2	1	11/25/20 08:30	11/25/20 15:36	96-18-4	
1,2,4-Trichlorobenzene	**<352**	ug/kg	352	58.0	1	11/25/20 08:30	11/25/20 15:36	120-82-1	
1,2,4-Trimethylbenzene	**<70.4**	ug/kg	70.4	21.0	1	11/25/20 08:30	11/25/20 15:36	95-63-6	
1,2-Dibromo-3-chloropropane	**<352**	ug/kg	352	54.7	1	11/25/20 08:30	11/25/20 15:36	96-12-8	
1,2-Dibromoethane (EDB)	**<70.4**	ug/kg	70.4	19.3	1	11/25/20 08:30	11/25/20 15:36	106-93-4	
1,2-Dichlorobenzene	**<70.4**	ug/kg	70.4	21.8	1	11/25/20 08:30	11/25/20 15:36	95-50-1	
1,2-Dichloroethane	**<70.4**	ug/kg	70.4	16.2	1	11/25/20 08:30	11/25/20 15:36	107-06-2	
1,2-Dichloropropane	**<70.4**	ug/kg	70.4	16.8	1	11/25/20 08:30	11/25/20 15:36	78-87-5	
1,3,5-Trimethylbenzene	**<70.4**	ug/kg	70.4	22.7	1	11/25/20 08:30	11/25/20 15:36	108-67-8	
1,3-Dichlorobenzene	**<70.4**	ug/kg	70.4	19.3	1	11/25/20 08:30	11/25/20 15:36	541-73-1	
1,3-Dichloropropane	**<70.4**	ug/kg	70.4	15.4	1	11/25/20 08:30	11/25/20 15:36	142-28-9	
1,4-Dichlorobenzene	**<70.4**	ug/kg	70.4	19.3	1	11/25/20 08:30	11/25/20 15:36	106-46-7	
2,2-Dichloropropane	**<70.4**	ug/kg	70.4	19.0	1	11/25/20 08:30	11/25/20 15:36	594-20-7	
2-Butanone (MEK)	**<1760**	ug/kg	1760	223	1	11/25/20 08:30	11/25/20 15:36	78-93-3	
2-Chlorotoluene	**<70.4**	ug/kg	70.4	22.8	1	11/25/20 08:30	11/25/20 15:36	95-49-8	
4-Chlorotoluene	**<70.4**	ug/kg	70.4	26.8	1	11/25/20 08:30	11/25/20 15:36	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1760**	ug/kg	1760	1030	1	11/25/20 08:30	11/25/20 15:36	108-10-1	
Acetone	**<1760**	ug/kg	1760	186	1	11/25/20 08:30	11/25/20 15:36	67-64-1	v1
Allyl chloride	**<352**	ug/kg	352	66.5	1	11/25/20 08:30	11/25/20 15:36	107-05-1	
Benzene	**<28.2**	ug/kg	28.2	16.8	1	11/25/20 08:30	11/25/20 15:36	71-43-2	
Bromobenzene	**<70.4**	ug/kg	70.4	27.5	1	11/25/20 08:30	11/25/20 15:36	108-86-1	
Bromochloromethane	**<70.4**	ug/kg	70.4	19.3	1	11/25/20 08:30	11/25/20 15:36	74-97-5	
Bromodichloromethane	**<70.4**	ug/kg	70.4	16.8	1	11/25/20 08:30	11/25/20 15:36	75-27-4	
Bromoform	**<352**	ug/kg	352	310	1	11/25/20 08:30	11/25/20 15:36	75-25-2	
Bromomethane	**<352**	ug/kg	352	98.7	1	11/25/20 08:30	11/25/20 15:36	74-83-9	v2
Carbon tetrachloride	**<70.4**	ug/kg	70.4	15.5	1	11/25/20 08:30	11/25/20 15:36	56-23-5	
Chlorobenzene	**<70.4**	ug/kg	70.4	8.4	1	11/25/20 08:30	11/25/20 15:36	108-90-7	
Chloroethane	**<352**	ug/kg	352	29.7	1	11/25/20 08:30	11/25/20 15:36	75-00-3	v2
Chloroform	**<352**	ug/kg	352	50.4	1	11/25/20 08:30	11/25/20 15:36	67-66-3	
Chloromethane	**<70.4**	ug/kg	70.4	26.8	1	11/25/20 08:30	11/25/20 15:36	74-87-3	
Dibromochloromethane	**<352**	ug/kg	352	241	1	11/25/20 08:30	11/25/20 15:36	124-48-1	v1
Dibromomethane	**<70.4**	ug/kg	70.4	20.8	1	11/25/20 08:30	11/25/20 15:36	74-95-3	
Dichlorodifluoromethane	**<70.4**	ug/kg	70.4	30.3	1	11/25/20 08:30	11/25/20 15:36	75-71-8	
Dichlorofluoromethane	**<70.4**	ug/kg	70.4	19.9	1	11/25/20 08:30	11/25/20 15:36	75-43-4	
Diethyl ether (Ethyl ether)	**<70.4**	ug/kg	70.4	21.8	1	11/25/20 08:30	11/25/20 15:36	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-16-SS(7.5-10) **Lab ID: 10539907020** Collected: 11/19/20 09:30 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<70.4**	ug/kg	70.4	16.8	1	11/25/20 08:30	11/25/20 15:36	100-41-4	
Hexachloro-1,3-butadiene	**<352**	ug/kg	352	140	1	11/25/20 08:30	11/25/20 15:36	87-68-3	
Isopropylbenzene (Cumene)	**<70.4**	ug/kg	70.4	19.0	1	11/25/20 08:30	11/25/20 15:36	98-82-8	
Methyl-tert-butyl ether	**<70.4**	ug/kg	70.4	20.7	1	11/25/20 08:30	11/25/20 15:36	1634-04-4	
Methylene Chloride	**<70.4**	ug/kg	70.4	19.6	1	11/25/20 08:30	11/25/20 15:36	75-09-2	
Naphthalene	**<352**	ug/kg	352	22.0	1	11/25/20 08:30	11/25/20 15:36	91-20-3	
Styrene	**<70.4**	ug/kg	70.4	18.0	1	11/25/20 08:30	11/25/20 15:36	100-42-5	
Tetrachloroethene	**<70.4**	ug/kg	70.4	27.3	1	11/25/20 08:30	11/25/20 15:36	127-18-4	
Tetrahydrofuran	**<352**	ug/kg	352	111	1	11/25/20 08:30	11/25/20 15:36	109-99-9	
Toluene	**<70.4**	ug/kg	70.4	17.7	1	11/25/20 08:30	11/25/20 15:36	108-88-3	
Trichloroethene	**<70.4**	ug/kg	70.4	26.3	1	11/25/20 08:30	11/25/20 15:36	79-01-6	
Trichlorofluoromethane	**<70.4**	ug/kg	70.4	20.4	1	11/25/20 08:30	11/25/20 15:36	75-69-4	
Vinyl chloride	**<70.4**	ug/kg	70.4	14.2	1	11/25/20 08:30	11/25/20 15:36	75-01-4	
Xylene (Total)	**<211**	ug/kg	211	50.9	1	11/25/20 08:30	11/25/20 15:36	1330-20-7	
cis-1,2-Dichloroethene	**<70.4**	ug/kg	70.4	15.1	1	11/25/20 08:30	11/25/20 15:36	156-59-2	
cis-1,3-Dichloropropene	**<352**	ug/kg	352	46.5	1	11/25/20 08:30	11/25/20 15:36	10061-01-5	
n-Butylbenzene	**<70.4**	ug/kg	70.4	32.3	1	11/25/20 08:30	11/25/20 15:36	104-51-8	
n-Propylbenzene	**<70.4**	ug/kg	70.4	16.9	1	11/25/20 08:30	11/25/20 15:36	103-65-1	
p-Isopropyltoluene	**<70.4**	ug/kg	70.4	21.4	1	11/25/20 08:30	11/25/20 15:36	99-87-6	
sec-Butylbenzene	**<70.4**	ug/kg	70.4	17.2	1	11/25/20 08:30	11/25/20 15:36	135-98-8	
tert-Butylbenzene	**<70.4**	ug/kg	70.4	22.1	1	11/25/20 08:30	11/25/20 15:36	98-06-6	
trans-1,2-Dichloroethene	**<70.4**	ug/kg	70.4	15.2	1	11/25/20 08:30	11/25/20 15:36	156-60-5	
trans-1,3-Dichloropropene	**<352**	ug/kg	352	201	1	11/25/20 08:30	11/25/20 15:36	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	94	%	58-145		1	11/25/20 08:30	11/25/20 15:36	1868-53-7	
Toluene-d8 (S)	96	%	56-140		1	11/25/20 08:30	11/25/20 15:36	2037-26-5	
4-Bromofluorobenzene (S)	93	%	52-137		1	11/25/20 08:30	11/25/20 15:36	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-17-SS(0-5) **Lab ID: 10539907021** Collected: 11/19/20 10:05 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**<12.7**	mg/kg	12.7	3.4	1	11/20/20 13:48	11/23/20 17:26		
Surrogates									
n-Triacontane (S)	89	%.	50-150		1	11/20/20 13:48	11/23/20 17:26	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**2.4J**	mg/kg	6.7	1.4	5	12/01/20 15:30	12/04/20 19:20	7440-38-2	D3
Barium	**142**	mg/kg	3.4	0.53	5	12/01/20 15:30	12/04/20 19:20	7440-39-3	M1,R1
Cadmium	**<1.0**	mg/kg	1.0	0.20	5	12/01/20 15:30	12/04/20 19:20	7440-43-9	D3
Chromium	**41.5**	mg/kg	3.4	0.67	5	12/01/20 15:30	12/04/20 19:20	7440-47-3	
Lead	**11.7**	mg/kg	3.4	0.76	5	12/01/20 15:30	12/04/20 19:20	7439-92-1	
Selenium	**<6.7**	mg/kg	6.7	2.2	5	12/01/20 15:30	12/04/20 19:20	7782-49-2	D3
Silver	**<3.4**	mg/kg	3.4	0.24	5	12/01/20 15:30	12/04/20 19:20	7440-22-4	D3
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**<0.026**	mg/kg	0.026	0.011	1	12/01/20 18:45	12/03/20 19:00	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**29.7**	%	0.10	0.10	1		11/23/20 13:11		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<14.2**	ug/kg	14.2	0.64	1	11/20/20 15:01	11/23/20 17:26	83-32-9	
Acenaphthylene	**<14.2**	ug/kg	14.2	0.97	1	11/20/20 15:01	11/23/20 17:26	208-96-8	
Anthracene	**<14.2**	ug/kg	14.2	0.45	1	11/20/20 15:01	11/23/20 17:26	120-12-7	
Benzo(a)anthracene	**1.1J**	ug/kg	14.2	0.59	1	11/20/20 15:01	11/23/20 17:26	56-55-3	
Benzo(a)pyrene	**<14.2**	ug/kg	14.2	0.80	1	11/20/20 15:01	11/23/20 17:26	50-32-8	
Benzo(b)fluoranthene	**0.95J**	ug/kg	14.2	0.66	1	11/20/20 15:01	11/23/20 17:26	205-99-2	
Benzo(g,h,i)perylene	**<14.2**	ug/kg	14.2	0.66	1	11/20/20 15:01	11/23/20 17:26	191-24-2	
Benzo(k)fluoranthene	**0.84J**	ug/kg	14.2	0.68	1	11/20/20 15:01	11/23/20 17:26	207-08-9	
Chrysene	**0.99J**	ug/kg	14.2	0.57	1	11/20/20 15:01	11/23/20 17:26	218-01-9	
Dibenz(a,h)anthracene	**<14.2**	ug/kg	14.2	0.93	1	11/20/20 15:01	11/23/20 17:26	53-70-3	
Fluoranthene	**1.7J**	ug/kg	14.2	0.86	1	11/20/20 15:01	11/23/20 17:26	206-44-0	
Fluorene	**<14.2**	ug/kg	14.2	0.86	1	11/20/20 15:01	11/23/20 17:26	86-73-7	
Indeno(1,2,3-cd)pyrene	**<14.2**	ug/kg	14.2	0.76	1	11/20/20 15:01	11/23/20 17:26	193-39-5	
Naphthalene	**<14.2**	ug/kg	14.2	0.64	1	11/20/20 15:01	11/23/20 17:26	91-20-3	
Phenanthrene	**<14.2**	ug/kg	14.2	1.0	1	11/20/20 15:01	11/23/20 17:26	85-01-8	
Pyrene	**1.3J**	ug/kg	14.2	0.92	1	11/20/20 15:01	11/23/20 17:26	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	63	%.	30-138		1	11/20/20 15:01	11/23/20 17:26	321-60-8	
p-Terphenyl-d14 (S)	66	%.	30-143		1	11/20/20 15:01	11/23/20 17:26	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-17-SS(0-5) **Lab ID: 10539907021** Collected: 11/19/20 10:05 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<71.1**	ug/kg	71.1	17.1	1	11/25/20 08:30	11/25/20 15:59	630-20-6	
1,1,1-Trichloroethane	**<71.1**	ug/kg	71.1	18.2	1	11/25/20 08:30	11/25/20 15:59	71-55-6	
1,1,2,2-Tetrachloroethane	**<71.1**	ug/kg	71.1	25.7	1	11/25/20 08:30	11/25/20 15:59	79-34-5	
1,1,2-Trichloroethane	**<71.1**	ug/kg	71.1	25.9	1	11/25/20 08:30	11/25/20 15:59	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<71.1**	ug/kg	71.1	23.2	1	11/25/20 08:30	11/25/20 15:59	76-13-1	
1,1-Dichloroethane	**<71.1**	ug/kg	71.1	18.2	1	11/25/20 08:30	11/25/20 15:59	75-34-3	
1,1-Dichloroethene	**<71.1**	ug/kg	71.1	23.6	1	11/25/20 08:30	11/25/20 15:59	75-35-4	
1,1-Dichloropropene	**<71.1**	ug/kg	71.1	23.0	1	11/25/20 08:30	11/25/20 15:59	563-58-6	
1,2,3-Trichlorobenzene	**<355**	ug/kg	355	79.2	1	11/25/20 08:30	11/25/20 15:59	87-61-6	
1,2,3-Trichloropropane	**<71.1**	ug/kg	71.1	34.6	1	11/25/20 08:30	11/25/20 15:59	96-18-4	
1,2,4-Trichlorobenzene	**<355**	ug/kg	355	58.6	1	11/25/20 08:30	11/25/20 15:59	120-82-1	
1,2,4-Trimethylbenzene	**<71.1**	ug/kg	71.1	21.2	1	11/25/20 08:30	11/25/20 15:59	95-63-6	
1,2-Dibromo-3-chloropropane	**<355**	ug/kg	355	55.2	1	11/25/20 08:30	11/25/20 15:59	96-12-8	
1,2-Dibromoethane (EDB)	**<71.1**	ug/kg	71.1	19.5	1	11/25/20 08:30	11/25/20 15:59	106-93-4	
1,2-Dichlorobenzene	**<71.1**	ug/kg	71.1	22.0	1	11/25/20 08:30	11/25/20 15:59	95-50-1	
1,2-Dichloroethane	**<71.1**	ug/kg	71.1	16.4	1	11/25/20 08:30	11/25/20 15:59	107-06-2	
1,2-Dichloropropane	**<71.1**	ug/kg	71.1	16.9	1	11/25/20 08:30	11/25/20 15:59	78-87-5	
1,3,5-Trimethylbenzene	**<71.1**	ug/kg	71.1	22.9	1	11/25/20 08:30	11/25/20 15:59	108-67-8	
1,3-Dichlorobenzene	**<71.1**	ug/kg	71.1	19.5	1	11/25/20 08:30	11/25/20 15:59	541-73-1	
1,3-Dichloropropane	**<71.1**	ug/kg	71.1	15.5	1	11/25/20 08:30	11/25/20 15:59	142-28-9	
1,4-Dichlorobenzene	**<71.1**	ug/kg	71.1	19.5	1	11/25/20 08:30	11/25/20 15:59	106-46-7	
2,2-Dichloropropane	**<71.1**	ug/kg	71.1	19.2	1	11/25/20 08:30	11/25/20 15:59	594-20-7	
2-Butanone (MEK)	**<1780**	ug/kg	1780	225	1	11/25/20 08:30	11/25/20 15:59	78-93-3	
2-Chlorotoluene	**<71.1**	ug/kg	71.1	23.0	1	11/25/20 08:30	11/25/20 15:59	95-49-8	
4-Chlorotoluene	**<71.1**	ug/kg	71.1	27.0	1	11/25/20 08:30	11/25/20 15:59	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1780**	ug/kg	1780	1040	1	11/25/20 08:30	11/25/20 15:59	108-10-1	
Acetone	**<1780**	ug/kg	1780	188	1	11/25/20 08:30	11/25/20 15:59	67-64-1	v1
Allyl chloride	**<355**	ug/kg	355	67.1	1	11/25/20 08:30	11/25/20 15:59	107-05-1	
Benzene	**<28.4**	ug/kg	28.4	16.9	1	11/25/20 08:30	11/25/20 15:59	71-43-2	
Bromobenzene	**<71.1**	ug/kg	71.1	27.7	1	11/25/20 08:30	11/25/20 15:59	108-86-1	
Bromochloromethane	**<71.1**	ug/kg	71.1	19.5	1	11/25/20 08:30	11/25/20 15:59	74-97-5	
Bromodichloromethane	**<71.1**	ug/kg	71.1	16.9	1	11/25/20 08:30	11/25/20 15:59	75-27-4	
Bromoform	**<355**	ug/kg	355	313	1	11/25/20 08:30	11/25/20 15:59	75-25-2	
Bromomethane	**<355**	ug/kg	355	99.7	1	11/25/20 08:30	11/25/20 15:59	74-83-9	v2
Carbon tetrachloride	**<71.1**	ug/kg	71.1	15.6	1	11/25/20 08:30	11/25/20 15:59	56-23-5	
Chlorobenzene	**<71.1**	ug/kg	71.1	8.5	1	11/25/20 08:30	11/25/20 15:59	108-90-7	
Chloroethane	**<355**	ug/kg	355	30.0	1	11/25/20 08:30	11/25/20 15:59	75-00-3	v2
Chloroform	**<355**	ug/kg	355	50.9	1	11/25/20 08:30	11/25/20 15:59	67-66-3	
Chloromethane	**<71.1**	ug/kg	71.1	27.0	1	11/25/20 08:30	11/25/20 15:59	74-87-3	
Dibromochloromethane	**<355**	ug/kg	355	243	1	11/25/20 08:30	11/25/20 15:59	124-48-1	v1
Dibromomethane	**<71.1**	ug/kg	71.1	21.0	1	11/25/20 08:30	11/25/20 15:59	74-95-3	
Dichlorodifluoromethane	**<71.1**	ug/kg	71.1	30.6	1	11/25/20 08:30	11/25/20 15:59	75-71-8	
Dichlorofluoromethane	**<71.1**	ug/kg	71.1	20.0	1	11/25/20 08:30	11/25/20 15:59	75-43-4	
Diethyl ether (Ethyl ether)	**<71.1**	ug/kg	71.1	22.0	1	11/25/20 08:30	11/25/20 15:59	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-17-SS(0-5) **Lab ID: 10539907021** Collected: 11/19/20 10:05 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<71.1**	ug/kg	71.1	16.9	1	11/25/20 08:30	11/25/20 15:59	100-41-4	
Hexachloro-1,3-butadiene	**<355**	ug/kg	355	141	1	11/25/20 08:30	11/25/20 15:59	87-68-3	
Isopropylbenzene (Cumene)	**<71.1**	ug/kg	71.1	19.2	1	11/25/20 08:30	11/25/20 15:59	98-82-8	
Methyl-tert-butyl ether	**<71.1**	ug/kg	71.1	20.9	1	11/25/20 08:30	11/25/20 15:59	1634-04-4	
Methylene Chloride	**<71.1**	ug/kg	71.1	19.8	1	11/25/20 08:30	11/25/20 15:59	75-09-2	
Naphthalene	**<355**	ug/kg	355	22.2	1	11/25/20 08:30	11/25/20 15:59	91-20-3	
Styrene	**<71.1**	ug/kg	71.1	18.2	1	11/25/20 08:30	11/25/20 15:59	100-42-5	
Tetrachloroethene	**<71.1**	ug/kg	71.1	27.6	1	11/25/20 08:30	11/25/20 15:59	127-18-4	
Tetrahydrofuran	**<355**	ug/kg	355	112	1	11/25/20 08:30	11/25/20 15:59	109-99-9	
Toluene	**<71.1**	ug/kg	71.1	17.9	1	11/25/20 08:30	11/25/20 15:59	108-88-3	
Trichloroethene	**<71.1**	ug/kg	71.1	26.6	1	11/25/20 08:30	11/25/20 15:59	79-01-6	
Trichlorofluoromethane	**<71.1**	ug/kg	71.1	20.6	1	11/25/20 08:30	11/25/20 15:59	75-69-4	
Vinyl chloride	**<71.1**	ug/kg	71.1	14.4	1	11/25/20 08:30	11/25/20 15:59	75-01-4	
Xylene (Total)	**<213**	ug/kg	213	51.3	1	11/25/20 08:30	11/25/20 15:59	1330-20-7	
cis-1,2-Dichloroethene	**<71.1**	ug/kg	71.1	15.2	1	11/25/20 08:30	11/25/20 15:59	156-59-2	
cis-1,3-Dichloropropene	**<355**	ug/kg	355	46.9	1	11/25/20 08:30	11/25/20 15:59	10061-01-5	
n-Butylbenzene	**<71.1**	ug/kg	71.1	32.6	1	11/25/20 08:30	11/25/20 15:59	104-51-8	
n-Propylbenzene	**<71.1**	ug/kg	71.1	17.1	1	11/25/20 08:30	11/25/20 15:59	103-65-1	
p-Isopropyltoluene	**<71.1**	ug/kg	71.1	21.6	1	11/25/20 08:30	11/25/20 15:59	99-87-6	
sec-Butylbenzene	**<71.1**	ug/kg	71.1	17.3	1	11/25/20 08:30	11/25/20 15:59	135-98-8	
tert-Butylbenzene	**<71.1**	ug/kg	71.1	22.3	1	11/25/20 08:30	11/25/20 15:59	98-06-6	
trans-1,2-Dichloroethene	**<71.1**	ug/kg	71.1	15.4	1	11/25/20 08:30	11/25/20 15:59	156-60-5	
trans-1,3-Dichloropropene	**<355**	ug/kg	355	203	1	11/25/20 08:30	11/25/20 15:59	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	94	%	58-145		1	11/25/20 08:30	11/25/20 15:59	1868-53-7	
Toluene-d8 (S)	91	%	56-140		1	11/25/20 08:30	11/25/20 15:59	2037-26-5	
4-Bromofluorobenzene (S)	86	%	52-137		1	11/25/20 08:30	11/25/20 15:59	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-17-SS(7.5-10) **Lab ID: 10539907022** Collected: 11/19/20 10:15 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**<12.9**	mg/kg	12.9	3.4	1	11/20/20 17:49	11/23/20 22:58		
Surrogates									
n-Triacontane (S)	99	%.	50-150		1	11/20/20 17:49	11/23/20 22:58	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**2.7J**	mg/kg	6.7	1.4	5	12/01/20 15:30	12/04/20 19:28	7440-38-2	D3
Barium	**280**	mg/kg	3.4	0.53	5	12/01/20 15:30	12/04/20 19:28	7440-39-3	
Cadmium	**<1.0**	mg/kg	1.0	0.20	5	12/01/20 15:30	12/04/20 19:28	7440-43-9	D3
Chromium	**49.4**	mg/kg	3.4	0.67	5	12/01/20 15:30	12/04/20 19:28	7440-47-3	
Lead	**13.8**	mg/kg	3.4	0.76	5	12/01/20 15:30	12/04/20 19:28	7439-92-1	
Selenium	**<6.7**	mg/kg	6.7	2.2	5	12/01/20 15:30	12/04/20 19:28	7782-49-2	D3
Silver	**<3.4**	mg/kg	3.4	0.24	5	12/01/20 15:30	12/04/20 19:28	7440-22-4	D3
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**<0.026**	mg/kg	0.026	0.011	1	12/01/20 18:45	12/03/20 19:05	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**31.1**	%	0.10	0.10	1		11/23/20 13:11		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<14.4**	ug/kg	14.4	0.64	1	11/20/20 15:01	11/23/20 17:49	83-32-9	
Acenaphthylene	**<14.4**	ug/kg	14.4	0.99	1	11/20/20 15:01	11/23/20 17:49	208-96-8	
Anthracene	**<14.4**	ug/kg	14.4	0.46	1	11/20/20 15:01	11/23/20 17:49	120-12-7	
Benzo(a)anthracene	**<14.4**	ug/kg	14.4	0.59	1	11/20/20 15:01	11/23/20 17:49	56-55-3	
Benzo(a)pyrene	**<14.4**	ug/kg	14.4	0.81	1	11/20/20 15:01	11/23/20 17:49	50-32-8	
Benzo(b)fluoranthene	**<14.4**	ug/kg	14.4	0.67	1	11/20/20 15:01	11/23/20 17:49	205-99-2	
Benzo(g,h,i)perylene	**<14.4**	ug/kg	14.4	0.67	1	11/20/20 15:01	11/23/20 17:49	191-24-2	
Benzo(k)fluoranthene	**<14.4**	ug/kg	14.4	0.69	1	11/20/20 15:01	11/23/20 17:49	207-08-9	
Chrysene	**<14.4**	ug/kg	14.4	0.58	1	11/20/20 15:01	11/23/20 17:49	218-01-9	
Dibenz(a,h)anthracene	**<14.4**	ug/kg	14.4	0.95	1	11/20/20 15:01	11/23/20 17:49	53-70-3	
Fluoranthene	**<14.4**	ug/kg	14.4	0.87	1	11/20/20 15:01	11/23/20 17:49	206-44-0	
Fluorene	**<14.4**	ug/kg	14.4	0.87	1	11/20/20 15:01	11/23/20 17:49	86-73-7	
Indeno(1,2,3-cd)pyrene	**<14.4**	ug/kg	14.4	0.77	1	11/20/20 15:01	11/23/20 17:49	193-39-5	
Naphthalene	**<14.4**	ug/kg	14.4	0.65	1	11/20/20 15:01	11/23/20 17:49	91-20-3	
Phenanthrene	**<14.4**	ug/kg	14.4	1.0	1	11/20/20 15:01	11/23/20 17:49	85-01-8	
Pyrene	**<14.4**	ug/kg	14.4	0.93	1	11/20/20 15:01	11/23/20 17:49	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	77	%.	30-138		1	11/20/20 15:01	11/23/20 17:49	321-60-8	
p-Terphenyl-d14 (S)	78	%.	30-143		1	11/20/20 15:01	11/23/20 17:49	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-17-SS(7.5-10) **Lab ID: 10539907022** Collected: 11/19/20 10:15 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<72.5**	ug/kg	72.5	17.4	1	11/25/20 08:30	11/25/20 16:22	630-20-6	
1,1,1-Trichloroethane	**<72.5**	ug/kg	72.5	18.6	1	11/25/20 08:30	11/25/20 16:22	71-55-6	
1,1,2,2-Tetrachloroethane	**<72.5**	ug/kg	72.5	26.3	1	11/25/20 08:30	11/25/20 16:22	79-34-5	
1,1,2-Trichloroethane	**<72.5**	ug/kg	72.5	26.4	1	11/25/20 08:30	11/25/20 16:22	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<72.5**	ug/kg	72.5	23.6	1	11/25/20 08:30	11/25/20 16:22	76-13-1	
1,1-Dichloroethane	**<72.5**	ug/kg	72.5	18.6	1	11/25/20 08:30	11/25/20 16:22	75-34-3	
1,1-Dichloroethene	**<72.5**	ug/kg	72.5	24.1	1	11/25/20 08:30	11/25/20 16:22	75-35-4	
1,1-Dichloropropene	**<72.5**	ug/kg	72.5	23.5	1	11/25/20 08:30	11/25/20 16:22	563-58-6	
1,2,3-Trichlorobenzene	**<363**	ug/kg	363	80.8	1	11/25/20 08:30	11/25/20 16:22	87-61-6	
1,2,3-Trichloropropane	**<72.5**	ug/kg	72.5	35.2	1	11/25/20 08:30	11/25/20 16:22	96-18-4	
1,2,4-Trichlorobenzene	**<363**	ug/kg	363	59.8	1	11/25/20 08:30	11/25/20 16:22	120-82-1	
1,2,4-Trimethylbenzene	**<72.5**	ug/kg	72.5	21.6	1	11/25/20 08:30	11/25/20 16:22	95-63-6	
1,2-Dibromo-3-chloropropane	**<363**	ug/kg	363	56.3	1	11/25/20 08:30	11/25/20 16:22	96-12-8	
1,2-Dibromoethane (EDB)	**<72.5**	ug/kg	72.5	19.9	1	11/25/20 08:30	11/25/20 16:22	106-93-4	
1,2-Dichlorobenzene	**<72.5**	ug/kg	72.5	22.5	1	11/25/20 08:30	11/25/20 16:22	95-50-1	
1,2-Dichloroethane	**<72.5**	ug/kg	72.5	16.7	1	11/25/20 08:30	11/25/20 16:22	107-06-2	
1,2-Dichloropropane	**<72.5**	ug/kg	72.5	17.3	1	11/25/20 08:30	11/25/20 16:22	78-87-5	
1,3,5-Trimethylbenzene	**<72.5**	ug/kg	72.5	23.4	1	11/25/20 08:30	11/25/20 16:22	108-67-8	
1,3-Dichlorobenzene	**<72.5**	ug/kg	72.5	19.9	1	11/25/20 08:30	11/25/20 16:22	541-73-1	
1,3-Dichloropropane	**<72.5**	ug/kg	72.5	15.8	1	11/25/20 08:30	11/25/20 16:22	142-28-9	
1,4-Dichlorobenzene	**<72.5**	ug/kg	72.5	19.9	1	11/25/20 08:30	11/25/20 16:22	106-46-7	
2,2-Dichloropropane	**<72.5**	ug/kg	72.5	19.6	1	11/25/20 08:30	11/25/20 16:22	594-20-7	
2-Butanone (MEK)	**<1810**	ug/kg	1810	229	1	11/25/20 08:30	11/25/20 16:22	78-93-3	
2-Chlorotoluene	**<72.5**	ug/kg	72.5	23.5	1	11/25/20 08:30	11/25/20 16:22	95-49-8	
4-Chlorotoluene	**<72.5**	ug/kg	72.5	27.6	1	11/25/20 08:30	11/25/20 16:22	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1810**	ug/kg	1810	1060	1	11/25/20 08:30	11/25/20 16:22	108-10-1	
Acetone	**<1810**	ug/kg	1810	191	1	11/25/20 08:30	11/25/20 16:22	67-64-1	v1
Allyl chloride	**<363**	ug/kg	363	68.5	1	11/25/20 08:30	11/25/20 16:22	107-05-1	
Benzene	**<29.0**	ug/kg	29.0	17.3	1	11/25/20 08:30	11/25/20 16:22	71-43-2	
Bromobenzene	**<72.5**	ug/kg	72.5	28.3	1	11/25/20 08:30	11/25/20 16:22	108-86-1	
Bromochloromethane	**<72.5**	ug/kg	72.5	19.9	1	11/25/20 08:30	11/25/20 16:22	74-97-5	
Bromodichloromethane	**<72.5**	ug/kg	72.5	17.3	1	11/25/20 08:30	11/25/20 16:22	75-27-4	
Bromoform	**<363**	ug/kg	363	319	1	11/25/20 08:30	11/25/20 16:22	75-25-2	
Bromomethane	**<363**	ug/kg	363	102	1	11/25/20 08:30	11/25/20 16:22	74-83-9	v2
Carbon tetrachloride	**<72.5**	ug/kg	72.5	16.0	1	11/25/20 08:30	11/25/20 16:22	56-23-5	
Chlorobenzene	**<72.5**	ug/kg	72.5	8.7	1	11/25/20 08:30	11/25/20 16:22	108-90-7	
Chloroethane	**<363**	ug/kg	363	30.6	1	11/25/20 08:30	11/25/20 16:22	75-00-3	v2
Chloroform	**<363**	ug/kg	363	51.9	1	11/25/20 08:30	11/25/20 16:22	67-66-3	
Chloromethane	**<72.5**	ug/kg	72.5	27.6	1	11/25/20 08:30	11/25/20 16:22	74-87-3	
Dibromochloromethane	**<363**	ug/kg	363	248	1	11/25/20 08:30	11/25/20 16:22	124-48-1	v1
Dibromomethane	**<72.5**	ug/kg	72.5	21.5	1	11/25/20 08:30	11/25/20 16:22	74-95-3	
Dichlorodifluoromethane	**<72.5**	ug/kg	72.5	31.2	1	11/25/20 08:30	11/25/20 16:22	75-71-8	
Dichlorofluoromethane	**<72.5**	ug/kg	72.5	20.5	1	11/25/20 08:30	11/25/20 16:22	75-43-4	
Diethyl ether (Ethyl ether)	**<72.5**	ug/kg	72.5	22.5	1	11/25/20 08:30	11/25/20 16:22	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-17-SS(7.5-10) **Lab ID: 10539907022** Collected: 11/19/20 10:15 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<72.5**	ug/kg	72.5	17.3	1	11/25/20 08:30	11/25/20 16:22	100-41-4	
Hexachloro-1,3-butadiene	**<363**	ug/kg	363	144	1	11/25/20 08:30	11/25/20 16:22	87-68-3	
Isopropylbenzene (Cumene)	**<72.5**	ug/kg	72.5	19.6	1	11/25/20 08:30	11/25/20 16:22	98-82-8	
Methyl-tert-butyl ether	**<72.5**	ug/kg	72.5	21.3	1	11/25/20 08:30	11/25/20 16:22	1634-04-4	
Methylene Chloride	**<72.5**	ug/kg	72.5	20.2	1	11/25/20 08:30	11/25/20 16:22	75-09-2	
Naphthalene	**<363**	ug/kg	363	22.6	1	11/25/20 08:30	11/25/20 16:22	91-20-3	
Styrene	**<72.5**	ug/kg	72.5	18.6	1	11/25/20 08:30	11/25/20 16:22	100-42-5	
Tetrachloroethene	**<72.5**	ug/kg	72.5	28.1	1	11/25/20 08:30	11/25/20 16:22	127-18-4	
Tetrahydrofuran	**<363**	ug/kg	363	114	1	11/25/20 08:30	11/25/20 16:22	109-99-9	
Toluene	**<72.5**	ug/kg	72.5	18.3	1	11/25/20 08:30	11/25/20 16:22	108-88-3	
Trichloroethene	**<72.5**	ug/kg	72.5	27.1	1	11/25/20 08:30	11/25/20 16:22	79-01-6	
Trichlorofluoromethane	**<72.5**	ug/kg	72.5	21.0	1	11/25/20 08:30	11/25/20 16:22	75-69-4	
Vinyl chloride	**<72.5**	ug/kg	72.5	14.6	1	11/25/20 08:30	11/25/20 16:22	75-01-4	
Xylene (Total)	**<218**	ug/kg	218	52.4	1	11/25/20 08:30	11/25/20 16:22	1330-20-7	
cis-1,2-Dichloroethene	**<72.5**	ug/kg	72.5	15.5	1	11/25/20 08:30	11/25/20 16:22	156-59-2	
cis-1,3-Dichloropropene	**<363**	ug/kg	363	47.9	1	11/25/20 08:30	11/25/20 16:22	10061-01-5	
n-Butylbenzene	**<72.5**	ug/kg	72.5	33.2	1	11/25/20 08:30	11/25/20 16:22	104-51-8	
n-Propylbenzene	**<72.5**	ug/kg	72.5	17.4	1	11/25/20 08:30	11/25/20 16:22	103-65-1	
p-Isopropyltoluene	**<72.5**	ug/kg	72.5	22.0	1	11/25/20 08:30	11/25/20 16:22	99-87-6	
sec-Butylbenzene	**<72.5**	ug/kg	72.5	17.7	1	11/25/20 08:30	11/25/20 16:22	135-98-8	
tert-Butylbenzene	**<72.5**	ug/kg	72.5	22.8	1	11/25/20 08:30	11/25/20 16:22	98-06-6	
trans-1,2-Dichloroethene	**<72.5**	ug/kg	72.5	15.7	1	11/25/20 08:30	11/25/20 16:22	156-60-5	
trans-1,3-Dichloropropene	**<363**	ug/kg	363	207	1	11/25/20 08:30	11/25/20 16:22	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	98	%	58-145		1	11/25/20 08:30	11/25/20 16:22	1868-53-7	
Toluene-d8 (S)	91	%	56-140		1	11/25/20 08:30	11/25/20 16:22	2037-26-5	
4-Bromofluorobenzene (S)	88	%	52-137		1	11/25/20 08:30	11/25/20 16:22	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-14-SS(0-5)DUP **Lab ID: 10539907023** Collected: 11/18/20 11:20 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**34.2**	mg/kg	9.4	2.5	1	11/20/20 13:48	11/23/20 15:09		T6
Surrogates									
n-Triacontane (S)	81	%.	50-150		1	11/20/20 13:48	11/23/20 15:09	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**2.5**	mg/kg	1.1	0.23	1	12/01/20 15:30	12/04/20 16:07	7440-38-2	
Barium	**59.1**	mg/kg	0.56	0.088	1	12/01/20 15:30	12/04/20 16:07	7440-39-3	
Cadmium	**0.25**	mg/kg	0.17	0.033	1	12/01/20 15:30	12/04/20 16:07	7440-43-9	
Chromium	**19.7**	mg/kg	0.56	0.11	1	12/01/20 15:30	12/04/20 16:07	7440-47-3	
Lead	**149**	mg/kg	0.56	0.13	1	12/01/20 15:30	12/04/20 16:07	7439-92-1	
Selenium	**<1.1**	mg/kg	1.1	0.36	1	12/01/20 15:30	12/04/20 16:07	7782-49-2	
Silver	**<0.56**	mg/kg	0.56	0.040	1	12/01/20 15:30	12/04/20 16:07	7440-22-4	
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**0.037**	mg/kg	0.021	0.0089	1	12/07/20 08:42	12/07/20 15:03	7439-97-6	
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**15.1**	%	0.10	0.10	1		12/04/20 14:15		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**2.8J**	ug/kg	11.8	0.53	1	11/20/20 15:01	11/23/20 18:12	83-32-9	
Acenaphthylene	**6.0J**	ug/kg	11.8	0.80	1	11/20/20 15:01	11/23/20 18:12	208-96-8	
Anthracene	**17.3**	ug/kg	11.8	0.37	1	11/20/20 15:01	11/23/20 18:12	120-12-7	
Benzo(a)anthracene	**57.3**	ug/kg	11.8	0.48	1	11/20/20 15:01	11/23/20 18:12	56-55-3	
Benzo(a)pyrene	**69.5**	ug/kg	11.8	0.66	1	11/20/20 15:01	11/23/20 18:12	50-32-8	
Benzo(b)fluoranthene	**94.2**	ug/kg	11.8	0.55	1	11/20/20 15:01	11/23/20 18:12	205-99-2	
Benzo(g,h,i)perylene	**48.4**	ug/kg	11.8	0.55	1	11/20/20 15:01	11/23/20 18:12	191-24-2	
Benzo(k)fluoranthene	**42.7**	ug/kg	11.8	0.57	1	11/20/20 15:01	11/23/20 18:12	207-08-9	
Chrysene	**70.2**	ug/kg	11.8	0.47	1	11/20/20 15:01	11/23/20 18:12	218-01-9	
Dibenz(a,h)anthracene	**13.4**	ug/kg	11.8	0.77	1	11/20/20 15:01	11/23/20 18:12	53-70-3	
Fluoranthene	**87.8**	ug/kg	11.8	0.71	1	11/20/20 15:01	11/23/20 18:12	206-44-0	
Fluorene	**4.9J**	ug/kg	11.8	0.71	1	11/20/20 15:01	11/23/20 18:12	86-73-7	
Indeno(1,2,3-cd)pyrene	**39.4**	ug/kg	11.8	0.63	1	11/20/20 15:01	11/23/20 18:12	193-39-5	
Naphthalene	**17.2**	ug/kg	11.8	0.53	1	11/20/20 15:01	11/23/20 18:12	91-20-3	
Phenanthrene	**41.5**	ug/kg	11.8	0.83	1	11/20/20 15:01	11/23/20 18:12	85-01-8	
Pyrene	**69.5**	ug/kg	11.8	0.76	1	11/20/20 15:01	11/23/20 18:12	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	69	%.	30-138		1	11/20/20 15:01	11/23/20 18:12	321-60-8	
p-Terphenyl-d14 (S)	72	%.	30-143		1	11/20/20 15:01	11/23/20 18:12	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-14-SS(0-5)DUP **Lab ID: 10539907023** Collected: 11/18/20 11:20 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<58.9**	ug/kg	58.9	14.1	1	11/25/20 08:30	11/25/20 16:44	630-20-6	
1,1,1-Trichloroethane	**<58.9**	ug/kg	58.9	15.1	1	11/25/20 08:30	11/25/20 16:44	71-55-6	
1,1,2,2-Tetrachloroethane	**<58.9**	ug/kg	58.9	21.3	1	11/25/20 08:30	11/25/20 16:44	79-34-5	
1,1,2-Trichloroethane	**<58.9**	ug/kg	58.9	21.4	1	11/25/20 08:30	11/25/20 16:44	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<58.9**	ug/kg	58.9	19.2	1	11/25/20 08:30	11/25/20 16:44	76-13-1	
1,1-Dichloroethane	**<58.9**	ug/kg	58.9	15.1	1	11/25/20 08:30	11/25/20 16:44	75-34-3	
1,1-Dichloroethene	**<58.9**	ug/kg	58.9	19.6	1	11/25/20 08:30	11/25/20 16:44	75-35-4	
1,1-Dichloropropene	**<58.9**	ug/kg	58.9	19.1	1	11/25/20 08:30	11/25/20 16:44	563-58-6	
1,2,3-Trichlorobenzene	**<294**	ug/kg	294	65.6	1	11/25/20 08:30	11/25/20 16:44	87-61-6	
1,2,3-Trichloropropane	**<58.9**	ug/kg	58.9	28.6	1	11/25/20 08:30	11/25/20 16:44	96-18-4	
1,2,4-Trichlorobenzene	**<294**	ug/kg	294	48.5	1	11/25/20 08:30	11/25/20 16:44	120-82-1	
1,2,4-Trimethylbenzene	**<58.9**	ug/kg	58.9	17.5	1	11/25/20 08:30	11/25/20 16:44	95-63-6	
1,2-Dibromo-3-chloropropane	**<294**	ug/kg	294	45.7	1	11/25/20 08:30	11/25/20 16:44	96-12-8	
1,2-Dibromoethane (EDB)	**<58.9**	ug/kg	58.9	16.1	1	11/25/20 08:30	11/25/20 16:44	106-93-4	
1,2-Dichlorobenzene	**<58.9**	ug/kg	58.9	18.3	1	11/25/20 08:30	11/25/20 16:44	95-50-1	
1,2-Dichloroethane	**<58.9**	ug/kg	58.9	13.5	1	11/25/20 08:30	11/25/20 16:44	107-06-2	
1,2-Dichloropropane	**<58.9**	ug/kg	58.9	14.0	1	11/25/20 08:30	11/25/20 16:44	78-87-5	
1,3,5-Trimethylbenzene	**<58.9**	ug/kg	58.9	19.0	1	11/25/20 08:30	11/25/20 16:44	108-67-8	
1,3-Dichlorobenzene	**<58.9**	ug/kg	58.9	16.1	1	11/25/20 08:30	11/25/20 16:44	541-73-1	
1,3-Dichloropropane	**<58.9**	ug/kg	58.9	12.8	1	11/25/20 08:30	11/25/20 16:44	142-28-9	
1,4-Dichlorobenzene	**<58.9**	ug/kg	58.9	16.1	1	11/25/20 08:30	11/25/20 16:44	106-46-7	
2,2-Dichloropropane	**<58.9**	ug/kg	58.9	15.9	1	11/25/20 08:30	11/25/20 16:44	594-20-7	
2-Butanone (MEK)	**<1470**	ug/kg	1470	186	1	11/25/20 08:30	11/25/20 16:44	78-93-3	
2-Chlorotoluene	**<58.9**	ug/kg	58.9	19.1	1	11/25/20 08:30	11/25/20 16:44	95-49-8	
4-Chlorotoluene	**<58.9**	ug/kg	58.9	22.4	1	11/25/20 08:30	11/25/20 16:44	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1470**	ug/kg	1470	861	1	11/25/20 08:30	11/25/20 16:44	108-10-1	
Acetone	**<1470**	ug/kg	1470	155	1	11/25/20 08:30	11/25/20 16:44	67-64-1	v1
Allyl chloride	**<294**	ug/kg	294	55.6	1	11/25/20 08:30	11/25/20 16:44	107-05-1	
Benzene	**<23.6**	ug/kg	23.6	14.0	1	11/25/20 08:30	11/25/20 16:44	71-43-2	
Bromobenzene	**<58.9**	ug/kg	58.9	23.0	1	11/25/20 08:30	11/25/20 16:44	108-86-1	
Bromochloromethane	**<58.9**	ug/kg	58.9	16.1	1	11/25/20 08:30	11/25/20 16:44	74-97-5	
Bromodichloromethane	**<58.9**	ug/kg	58.9	14.0	1	11/25/20 08:30	11/25/20 16:44	75-27-4	
Bromoform	**<294**	ug/kg	294	259	1	11/25/20 08:30	11/25/20 16:44	75-25-2	
Bromomethane	**<294**	ug/kg	294	82.6	1	11/25/20 08:30	11/25/20 16:44	74-83-9	v2
Carbon tetrachloride	**<58.9**	ug/kg	58.9	13.0	1	11/25/20 08:30	11/25/20 16:44	56-23-5	
Chlorobenzene	**<58.9**	ug/kg	58.9	7.1	1	11/25/20 08:30	11/25/20 16:44	108-90-7	
Chloroethane	**<294**	ug/kg	294	24.9	1	11/25/20 08:30	11/25/20 16:44	75-00-3	v2
Chloroform	**<294**	ug/kg	294	42.2	1	11/25/20 08:30	11/25/20 16:44	67-66-3	
Chloromethane	**<58.9**	ug/kg	58.9	22.4	1	11/25/20 08:30	11/25/20 16:44	74-87-3	
Dibromochloromethane	**<294**	ug/kg	294	201	1	11/25/20 08:30	11/25/20 16:44	124-48-1	v1
Dibromomethane	**<58.9**	ug/kg	58.9	17.4	1	11/25/20 08:30	11/25/20 16:44	74-95-3	
Dichlorodifluoromethane	**<58.9**	ug/kg	58.9	25.3	1	11/25/20 08:30	11/25/20 16:44	75-71-8	
Dichlorofluoromethane	**<58.9**	ug/kg	58.9	16.6	1	11/25/20 08:30	11/25/20 16:44	75-43-4	
Diethyl ether (Ethyl ether)	**<58.9**	ug/kg	58.9	18.3	1	11/25/20 08:30	11/25/20 16:44	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-14-SS(0-5)DUP **Lab ID: 10539907023** Collected: 11/18/20 11:20 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<58.9**	ug/kg	58.9	14.0	1	11/25/20 08:30	11/25/20 16:44	100-41-4	
Hexachloro-1,3-butadiene	**<294**	ug/kg	294	117	1	11/25/20 08:30	11/25/20 16:44	87-68-3	
Isopropylbenzene (Cumene)	**<58.9**	ug/kg	58.9	15.9	1	11/25/20 08:30	11/25/20 16:44	98-82-8	
Methyl-tert-butyl ether	**<58.9**	ug/kg	58.9	17.3	1	11/25/20 08:30	11/25/20 16:44	1634-04-4	
Methylene Chloride	**<58.9**	ug/kg	58.9	16.4	1	11/25/20 08:30	11/25/20 16:44	75-09-2	
Naphthalene	**<294**	ug/kg	294	18.4	1	11/25/20 08:30	11/25/20 16:44	91-20-3	
Styrene	**<58.9**	ug/kg	58.9	15.1	1	11/25/20 08:30	11/25/20 16:44	100-42-5	
Tetrachloroethene	**<58.9**	ug/kg	58.9	22.8	1	11/25/20 08:30	11/25/20 16:44	127-18-4	
Tetrahydrofuran	**<294**	ug/kg	294	92.8	1	11/25/20 08:30	11/25/20 16:44	109-99-9	
Toluene	**<58.9**	ug/kg	58.9	14.8	1	11/25/20 08:30	11/25/20 16:44	108-88-3	
Trichloroethene	**<58.9**	ug/kg	58.9	22.0	1	11/25/20 08:30	11/25/20 16:44	79-01-6	
Trichlorofluoromethane	**<58.9**	ug/kg	58.9	17.1	1	11/25/20 08:30	11/25/20 16:44	75-69-4	
Vinyl chloride	**<58.9**	ug/kg	58.9	11.9	1	11/25/20 08:30	11/25/20 16:44	75-01-4	
Xylene (Total)	**<177**	ug/kg	177	42.5	1	11/25/20 08:30	11/25/20 16:44	1330-20-7	
cis-1,2-Dichloroethene	**<58.9**	ug/kg	58.9	12.6	1	11/25/20 08:30	11/25/20 16:44	156-59-2	
cis-1,3-Dichloropropene	**<294**	ug/kg	294	38.9	1	11/25/20 08:30	11/25/20 16:44	10061-01-5	
n-Butylbenzene	**<58.9**	ug/kg	58.9	27.0	1	11/25/20 08:30	11/25/20 16:44	104-51-8	
n-Propylbenzene	**<58.9**	ug/kg	58.9	14.1	1	11/25/20 08:30	11/25/20 16:44	103-65-1	
p-Isopropyltoluene	**<58.9**	ug/kg	58.9	17.9	1	11/25/20 08:30	11/25/20 16:44	99-87-6	
sec-Butylbenzene	**<58.9**	ug/kg	58.9	14.4	1	11/25/20 08:30	11/25/20 16:44	135-98-8	
tert-Butylbenzene	**<58.9**	ug/kg	58.9	18.5	1	11/25/20 08:30	11/25/20 16:44	98-06-6	
trans-1,2-Dichloroethene	**<58.9**	ug/kg	58.9	12.7	1	11/25/20 08:30	11/25/20 16:44	156-60-5	
trans-1,3-Dichloropropene	**<294**	ug/kg	294	168	1	11/25/20 08:30	11/25/20 16:44	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	93	%	58-145		1	11/25/20 08:30	11/25/20 16:44	1868-53-7	
Toluene-d8 (S)	88	%	56-140		1	11/25/20 08:30	11/25/20 16:44	2037-26-5	
4-Bromofluorobenzene (S)	84	%	52-137		1	11/25/20 08:30	11/25/20 16:44	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-19-SS(0-5)DUP **Lab ID: 10539907024** Collected: 11/18/20 14:25 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS	Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO Pace Analytical Services - Minneapolis								
WDRO C10-C28	**<11.3**	mg/kg	11.3	3.0	1	11/20/20 13:48	11/23/20 16:21		
Surrogates									
n-Triacontane (S)	97	%.	50-150		1	11/20/20 13:48	11/23/20 16:21	638-68-6	
6010D MET ICP	Analytical Method: EPA 6010D Preparation Method: EPA 3050B Pace Analytical Services - Minneapolis								
Arsenic	**2.2**	mg/kg	1.3	0.26	1	12/01/20 15:30	12/04/20 16:08	7440-38-2	
Barium	**158**	mg/kg	0.63	0.10	1	12/01/20 15:30	12/04/20 16:08	7440-39-3	
Cadmium	**<0.19**	mg/kg	0.19	0.038	1	12/01/20 15:30	12/04/20 16:08	7440-43-9	
Chromium	**34.6**	mg/kg	0.63	0.13	1	12/01/20 15:30	12/04/20 16:08	7440-47-3	
Lead	**9.1**	mg/kg	0.63	0.14	1	12/01/20 15:30	12/04/20 16:08	7439-92-1	
Selenium	**<1.3**	mg/kg	1.3	0.41	1	12/01/20 15:30	12/04/20 16:08	7782-49-2	
Silver	**<0.63**	mg/kg	0.63	0.046	1	12/01/20 15:30	12/04/20 16:08	7440-22-4	
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B Pace Analytical Services - Minneapolis								
Mercury	**<0.025**	mg/kg	0.025	0.010	1	12/01/20 18:45	12/03/20 19:08	7439-97-6	L1
Dry Weight / %M by ASTM D2974	Analytical Method: ASTM D2974 Pace Analytical Services - Minneapolis								
Percent Moisture	**25.4**	%	0.10	0.10	1		12/04/20 14:15		N2
8270E MSSV PAH by SIM	Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3550C Pace Analytical Services - Minneapolis								
Acenaphthene	**<13.3**	ug/kg	13.3	0.59	1	11/20/20 15:01	11/23/20 18:35	83-32-9	
Acenaphthylene	**<13.3**	ug/kg	13.3	0.91	1	11/20/20 15:01	11/23/20 18:35	208-96-8	
Anthracene	**<13.3**	ug/kg	13.3	0.42	1	11/20/20 15:01	11/23/20 18:35	120-12-7	
Benzo(a)anthracene	**1.0J**	ug/kg	13.3	0.55	1	11/20/20 15:01	11/23/20 18:35	56-55-3	
Benzo(a)pyrene	**0.99J**	ug/kg	13.3	0.75	1	11/20/20 15:01	11/23/20 18:35	50-32-8	
Benzo(b)fluoranthene	**1.3J**	ug/kg	13.3	0.62	1	11/20/20 15:01	11/23/20 18:35	205-99-2	
Benzo(g,h,i)perylene	**<13.3**	ug/kg	13.3	0.62	1	11/20/20 15:01	11/23/20 18:35	191-24-2	
Benzo(k)fluoranthene	**0.65J**	ug/kg	13.3	0.64	1	11/20/20 15:01	11/23/20 18:35	207-08-9	
Chrysene	**1.3J**	ug/kg	13.3	0.53	1	11/20/20 15:01	11/23/20 18:35	218-01-9	
Dibenz(a,h)anthracene	**<13.3**	ug/kg	13.3	0.87	1	11/20/20 15:01	11/23/20 18:35	53-70-3	
Fluoranthene	**2.5J**	ug/kg	13.3	0.80	1	11/20/20 15:01	11/23/20 18:35	206-44-0	
Fluorene	**<13.3**	ug/kg	13.3	0.80	1	11/20/20 15:01	11/23/20 18:35	86-73-7	
Indeno(1,2,3-cd)pyrene	**<13.3**	ug/kg	13.3	0.71	1	11/20/20 15:01	11/23/20 18:35	193-39-5	
Naphthalene	**<13.3**	ug/kg	13.3	0.60	1	11/20/20 15:01	11/23/20 18:35	91-20-3	
Phenanthrene	**1.4J**	ug/kg	13.3	0.94	1	11/20/20 15:01	11/23/20 18:35	85-01-8	
Pyrene	**1.8J**	ug/kg	13.3	0.86	1	11/20/20 15:01	11/23/20 18:35	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	69	%.	30-138		1	11/20/20 15:01	11/23/20 18:35	321-60-8	
p-Terphenyl-d14 (S)	70	%.	30-143		1	11/20/20 15:01	11/23/20 18:35	1718-51-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-19-SS(0-5)DUP **Lab ID: 10539907024** Collected: 11/18/20 14:25 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<67.0**	ug/kg	67.0	16.1	1	11/25/20 08:30	11/25/20 17:07	630-20-6	
1,1,1-Trichloroethane	**<67.0**	ug/kg	67.0	17.2	1	11/25/20 08:30	11/25/20 17:07	71-55-6	
1,1,2,2-Tetrachloroethane	**<67.0**	ug/kg	67.0	24.3	1	11/25/20 08:30	11/25/20 17:07	79-34-5	
1,1,2-Trichloroethane	**<67.0**	ug/kg	67.0	24.4	1	11/25/20 08:30	11/25/20 17:07	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<67.0**	ug/kg	67.0	21.8	1	11/25/20 08:30	11/25/20 17:07	76-13-1	
1,1-Dichloroethane	**<67.0**	ug/kg	67.0	17.2	1	11/25/20 08:30	11/25/20 17:07	75-34-3	
1,1-Dichloroethene	**<67.0**	ug/kg	67.0	22.2	1	11/25/20 08:30	11/25/20 17:07	75-35-4	
1,1-Dichloropropene	**<67.0**	ug/kg	67.0	21.7	1	11/25/20 08:30	11/25/20 17:07	563-58-6	
1,2,3-Trichlorobenzene	**<335**	ug/kg	335	74.6	1	11/25/20 08:30	11/25/20 17:07	87-61-6	
1,2,3-Trichloropropane	**<67.0**	ug/kg	67.0	32.6	1	11/25/20 08:30	11/25/20 17:07	96-18-4	
1,2,4-Trichlorobenzene	**<335**	ug/kg	335	55.2	1	11/25/20 08:30	11/25/20 17:07	120-82-1	
1,2,4-Trimethylbenzene	**<67.0**	ug/kg	67.0	20.0	1	11/25/20 08:30	11/25/20 17:07	95-63-6	
1,2-Dibromo-3-chloropropane	**<335**	ug/kg	335	52.0	1	11/25/20 08:30	11/25/20 17:07	96-12-8	
1,2-Dibromoethane (EDB)	**<67.0**	ug/kg	67.0	18.4	1	11/25/20 08:30	11/25/20 17:07	106-93-4	
1,2-Dichlorobenzene	**<67.0**	ug/kg	67.0	20.8	1	11/25/20 08:30	11/25/20 17:07	95-50-1	
1,2-Dichloroethane	**<67.0**	ug/kg	67.0	15.4	1	11/25/20 08:30	11/25/20 17:07	107-06-2	
1,2-Dichloropropane	**<67.0**	ug/kg	67.0	15.9	1	11/25/20 08:30	11/25/20 17:07	78-87-5	
1,3,5-Trimethylbenzene	**<67.0**	ug/kg	67.0	21.6	1	11/25/20 08:30	11/25/20 17:07	108-67-8	
1,3-Dichlorobenzene	**<67.0**	ug/kg	67.0	18.4	1	11/25/20 08:30	11/25/20 17:07	541-73-1	
1,3-Dichloropropane	**<67.0**	ug/kg	67.0	14.6	1	11/25/20 08:30	11/25/20 17:07	142-28-9	
1,4-Dichlorobenzene	**<67.0**	ug/kg	67.0	18.4	1	11/25/20 08:30	11/25/20 17:07	106-46-7	
2,2-Dichloropropane	**<67.0**	ug/kg	67.0	18.1	1	11/25/20 08:30	11/25/20 17:07	594-20-7	
2-Butanone (MEK)	**<1680**	ug/kg	1680	212	1	11/25/20 08:30	11/25/20 17:07	78-93-3	
2-Chlorotoluene	**<67.0**	ug/kg	67.0	21.7	1	11/25/20 08:30	11/25/20 17:07	95-49-8	
4-Chlorotoluene	**<67.0**	ug/kg	67.0	25.5	1	11/25/20 08:30	11/25/20 17:07	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1680**	ug/kg	1680	980	1	11/25/20 08:30	11/25/20 17:07	108-10-1	
Acetone	**<1680**	ug/kg	1680	177	1	11/25/20 08:30	11/25/20 17:07	67-64-1	v1
Allyl chloride	**<335**	ug/kg	335	63.3	1	11/25/20 08:30	11/25/20 17:07	107-05-1	
Benzene	**<26.8**	ug/kg	26.8	15.9	1	11/25/20 08:30	11/25/20 17:07	71-43-2	
Bromobenzene	**<67.0**	ug/kg	67.0	26.1	1	11/25/20 08:30	11/25/20 17:07	108-86-1	
Bromochloromethane	**<67.0**	ug/kg	67.0	18.4	1	11/25/20 08:30	11/25/20 17:07	74-97-5	
Bromodichloromethane	**<67.0**	ug/kg	67.0	15.9	1	11/25/20 08:30	11/25/20 17:07	75-27-4	
Bromoform	**<335**	ug/kg	335	295	1	11/25/20 08:30	11/25/20 17:07	75-25-2	
Bromomethane	**<335**	ug/kg	335	93.9	1	11/25/20 08:30	11/25/20 17:07	74-83-9	v2
Carbon tetrachloride	**<67.0**	ug/kg	67.0	14.7	1	11/25/20 08:30	11/25/20 17:07	56-23-5	
Chlorobenzene	**<67.0**	ug/kg	67.0	8.0	1	11/25/20 08:30	11/25/20 17:07	108-90-7	
Chloroethane	**<335**	ug/kg	335	28.3	1	11/25/20 08:30	11/25/20 17:07	75-00-3	v2
Chloroform	**<335**	ug/kg	335	48.0	1	11/25/20 08:30	11/25/20 17:07	67-66-3	
Chloromethane	**<67.0**	ug/kg	67.0	25.5	1	11/25/20 08:30	11/25/20 17:07	74-87-3	
Dibromochloromethane	**<335**	ug/kg	335	229	1	11/25/20 08:30	11/25/20 17:07	124-48-1	v1
Dibromomethane	**<67.0**	ug/kg	67.0	19.8	1	11/25/20 08:30	11/25/20 17:07	74-95-3	
Dichlorodifluoromethane	**<67.0**	ug/kg	67.0	28.8	1	11/25/20 08:30	11/25/20 17:07	75-71-8	
Dichlorofluoromethane	**<67.0**	ug/kg	67.0	18.9	1	11/25/20 08:30	11/25/20 17:07	75-43-4	
Diethyl ether (Ethyl ether)	**<67.0**	ug/kg	67.0	20.8	1	11/25/20 08:30	11/25/20 17:07	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: SB-19-SS(0-5)DUP **Lab ID: 10539907024** Collected: 11/18/20 14:25 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<67.0**	ug/kg	67.0	15.9	1	11/25/20 08:30	11/25/20 17:07	100-41-4	
Hexachloro-1,3-butadiene	**<335**	ug/kg	335	133	1	11/25/20 08:30	11/25/20 17:07	87-68-3	
Isopropylbenzene (Cumene)	**<67.0**	ug/kg	67.0	18.1	1	11/25/20 08:30	11/25/20 17:07	98-82-8	
Methyl-tert-butyl ether	**<67.0**	ug/kg	67.0	19.7	1	11/25/20 08:30	11/25/20 17:07	1634-04-4	
Methylene Chloride	**<67.0**	ug/kg	67.0	18.6	1	11/25/20 08:30	11/25/20 17:07	75-09-2	
Naphthalene	**<335**	ug/kg	335	20.9	1	11/25/20 08:30	11/25/20 17:07	91-20-3	
Styrene	**<67.0**	ug/kg	67.0	17.2	1	11/25/20 08:30	11/25/20 17:07	100-42-5	
Tetrachloroethene	**<67.0**	ug/kg	67.0	26.0	1	11/25/20 08:30	11/25/20 17:07	127-18-4	
Tetrahydrofuran	**<335**	ug/kg	335	106	1	11/25/20 08:30	11/25/20 17:07	109-99-9	
Toluene	**<67.0**	ug/kg	67.0	16.9	1	11/25/20 08:30	11/25/20 17:07	108-88-3	
Trichloroethene	**<67.0**	ug/kg	67.0	25.1	1	11/25/20 08:30	11/25/20 17:07	79-01-6	
Trichlorofluoromethane	**<67.0**	ug/kg	67.0	19.4	1	11/25/20 08:30	11/25/20 17:07	75-69-4	
Vinyl chloride	**<67.0**	ug/kg	67.0	13.5	1	11/25/20 08:30	11/25/20 17:07	75-01-4	
Xylene (Total)	**<201**	ug/kg	201	48.4	1	11/25/20 08:30	11/25/20 17:07	1330-20-7	
cis-1,2-Dichloroethene	**<67.0**	ug/kg	67.0	14.3	1	11/25/20 08:30	11/25/20 17:07	156-59-2	
cis-1,3-Dichloropropene	**<335**	ug/kg	335	44.2	1	11/25/20 08:30	11/25/20 17:07	10061-01-5	
n-Butylbenzene	**<67.0**	ug/kg	67.0	30.7	1	11/25/20 08:30	11/25/20 17:07	104-51-8	
n-Propylbenzene	**<67.0**	ug/kg	67.0	16.1	1	11/25/20 08:30	11/25/20 17:07	103-65-1	
p-Isopropyltoluene	**<67.0**	ug/kg	67.0	20.4	1	11/25/20 08:30	11/25/20 17:07	99-87-6	
sec-Butylbenzene	**<67.0**	ug/kg	67.0	16.3	1	11/25/20 08:30	11/25/20 17:07	135-98-8	
tert-Butylbenzene	**<67.0**	ug/kg	67.0	21.0	1	11/25/20 08:30	11/25/20 17:07	98-06-6	
trans-1,2-Dichloroethene	**<67.0**	ug/kg	67.0	14.5	1	11/25/20 08:30	11/25/20 17:07	156-60-5	
trans-1,3-Dichloropropene	**<335**	ug/kg	335	192	1	11/25/20 08:30	11/25/20 17:07	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	101	%	58-145		1	11/25/20 08:30	11/25/20 17:07	1868-53-7	
Toluene-d8 (S)	96	%	56-140		1	11/25/20 08:30	11/25/20 17:07	2037-26-5	
4-Bromofluorobenzene (S)	93	%	52-137		1	11/25/20 08:30	11/25/20 17:07	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: TB-01 **Lab ID: 10539907025** Collected: 11/18/20 09:45 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
1,1,1,2-Tetrachloroethane	**<50.0**	ug/kg	50.0	12.0	1	11/25/20 08:30	11/25/20 12:34	630-20-6	
1,1,1-Trichloroethane	**<50.0**	ug/kg	50.0	12.8	1	11/25/20 08:30	11/25/20 12:34	71-55-6	
1,1,2,2-Tetrachloroethane	**<50.0**	ug/kg	50.0	18.1	1	11/25/20 08:30	11/25/20 12:34	79-34-5	
1,1,2-Trichloroethane	**<50.0**	ug/kg	50.0	18.2	1	11/25/20 08:30	11/25/20 12:34	79-00-5	
1,1,2-Trichlorotrifluoroethane	**<50.0**	ug/kg	50.0	16.3	1	11/25/20 08:30	11/25/20 12:34	76-13-1	
1,1-Dichloroethane	**<50.0**	ug/kg	50.0	12.8	1	11/25/20 08:30	11/25/20 12:34	75-34-3	
1,1-Dichloroethene	**<50.0**	ug/kg	50.0	16.6	1	11/25/20 08:30	11/25/20 12:34	75-35-4	
1,1-Dichloropropene	**<50.0**	ug/kg	50.0	16.2	1	11/25/20 08:30	11/25/20 12:34	563-58-6	
1,2,3-Trichlorobenzene	**<250**	ug/kg	250	55.7	1	11/25/20 08:30	11/25/20 12:34	87-61-6	
1,2,3-Trichloropropane	**<50.0**	ug/kg	50.0	24.3	1	11/25/20 08:30	11/25/20 12:34	96-18-4	
1,2,4-Trichlorobenzene	**<250**	ug/kg	250	41.2	1	11/25/20 08:30	11/25/20 12:34	120-82-1	
1,2,4-Trimethylbenzene	**<50.0**	ug/kg	50.0	14.9	1	11/25/20 08:30	11/25/20 12:34	95-63-6	
1,2-Dibromo-3-chloropropane	**<250**	ug/kg	250	38.8	1	11/25/20 08:30	11/25/20 12:34	96-12-8	
1,2-Dibromoethane (EDB)	**<50.0**	ug/kg	50.0	13.7	1	11/25/20 08:30	11/25/20 12:34	106-93-4	
1,2-Dichlorobenzene	**<50.0**	ug/kg	50.0	15.5	1	11/25/20 08:30	11/25/20 12:34	95-50-1	
1,2-Dichloroethane	**<50.0**	ug/kg	50.0	11.5	1	11/25/20 08:30	11/25/20 12:34	107-06-2	
1,2-Dichloropropane	**<50.0**	ug/kg	50.0	11.9	1	11/25/20 08:30	11/25/20 12:34	78-87-5	
1,3,5-Trimethylbenzene	**<50.0**	ug/kg	50.0	16.1	1	11/25/20 08:30	11/25/20 12:34	108-67-8	
1,3-Dichlorobenzene	**<50.0**	ug/kg	50.0	13.7	1	11/25/20 08:30	11/25/20 12:34	541-73-1	
1,3-Dichloropropane	**<50.0**	ug/kg	50.0	10.9	1	11/25/20 08:30	11/25/20 12:34	142-28-9	
1,4-Dichlorobenzene	**<50.0**	ug/kg	50.0	13.7	1	11/25/20 08:30	11/25/20 12:34	106-46-7	
2,2-Dichloropropane	**<50.0**	ug/kg	50.0	13.5	1	11/25/20 08:30	11/25/20 12:34	594-20-7	
2-Butanone (MEK)	**<1250**	ug/kg	1250	158	1	11/25/20 08:30	11/25/20 12:34	78-93-3	
2-Chlorotoluene	**<50.0**	ug/kg	50.0	16.2	1	11/25/20 08:30	11/25/20 12:34	95-49-8	
4-Chlorotoluene	**<50.0**	ug/kg	50.0	19.0	1	11/25/20 08:30	11/25/20 12:34	106-43-4	
4-Methyl-2-pentanone (MIBK)	**<1250**	ug/kg	1250	731	1	11/25/20 08:30	11/25/20 12:34	108-10-1	
Acetone	**<1250**	ug/kg	1250	132	1	11/25/20 08:30	11/25/20 12:34	67-64-1	v1
Allyl chloride	**<250**	ug/kg	250	47.2	1	11/25/20 08:30	11/25/20 12:34	107-05-1	
Benzene	**<20.0**	ug/kg	20.0	11.9	1	11/25/20 08:30	11/25/20 12:34	71-43-2	
Bromobenzene	**<50.0**	ug/kg	50.0	19.5	1	11/25/20 08:30	11/25/20 12:34	108-86-1	
Bromochloromethane	**<50.0**	ug/kg	50.0	13.7	1	11/25/20 08:30	11/25/20 12:34	74-97-5	
Bromodichloromethane	**<50.0**	ug/kg	50.0	11.9	1	11/25/20 08:30	11/25/20 12:34	75-27-4	
Bromoform	**<250**	ug/kg	250	220	1	11/25/20 08:30	11/25/20 12:34	75-25-2	
Bromomethane	**<250**	ug/kg	250	70.1	1	11/25/20 08:30	11/25/20 12:34	74-83-9	v2
Carbon tetrachloride	**<50.0**	ug/kg	50.0	11.0	1	11/25/20 08:30	11/25/20 12:34	56-23-5	
Chlorobenzene	**<50.0**	ug/kg	50.0	6.0	1	11/25/20 08:30	11/25/20 12:34	108-90-7	
Chloroethane	**<250**	ug/kg	250	21.1	1	11/25/20 08:30	11/25/20 12:34	75-00-3	v2
Chloroform	**<250**	ug/kg	250	35.8	1	11/25/20 08:30	11/25/20 12:34	67-66-3	
Chloromethane	**<50.0**	ug/kg	50.0	19.0	1	11/25/20 08:30	11/25/20 12:34	74-87-3	
Dibromochloromethane	**<250**	ug/kg	250	171	1	11/25/20 08:30	11/25/20 12:34	124-48-1	v1
Dibromomethane	**<50.0**	ug/kg	50.0	14.8	1	11/25/20 08:30	11/25/20 12:34	74-95-3	
Dichlorodifluoromethane	**<50.0**	ug/kg	50.0	21.5	1	11/25/20 08:30	11/25/20 12:34	75-71-8	
Dichlorofluoromethane	**<50.0**	ug/kg	50.0	14.1	1	11/25/20 08:30	11/25/20 12:34	75-43-4	
Diethyl ether (Ethyl ether)	**<50.0**	ug/kg	50.0	15.5	1	11/25/20 08:30	11/25/20 12:34	60-29-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Sample: TB-01 **Lab ID: 10539907025** Collected: 11/18/20 09:45 Received: 11/19/20 19:00 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List	Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B Pace Analytical Services - Green Bay								
Ethylbenzene	**<50.0**	ug/kg	50.0	11.9	1	11/25/20 08:30	11/25/20 12:34	100-41-4	
Hexachloro-1,3-butadiene	**<250**	ug/kg	250	99.4	1	11/25/20 08:30	11/25/20 12:34	87-68-3	
Isopropylbenzene (Cumene)	**<50.0**	ug/kg	50.0	13.5	1	11/25/20 08:30	11/25/20 12:34	98-82-8	
Methyl-tert-butyl ether	**<50.0**	ug/kg	50.0	14.7	1	11/25/20 08:30	11/25/20 12:34	1634-04-4	
Methylene Chloride	**<50.0**	ug/kg	50.0	13.9	1	11/25/20 08:30	11/25/20 12:34	75-09-2	
Naphthalene	**<250**	ug/kg	250	15.6	1	11/25/20 08:30	11/25/20 12:34	91-20-3	
Styrene	**<50.0**	ug/kg	50.0	12.8	1	11/25/20 08:30	11/25/20 12:34	100-42-5	
Tetrachloroethene	**<50.0**	ug/kg	50.0	19.4	1	11/25/20 08:30	11/25/20 12:34	127-18-4	
Tetrahydrofuran	**<250**	ug/kg	250	78.8	1	11/25/20 08:30	11/25/20 12:34	109-99-9	
Toluene	**<50.0**	ug/kg	50.0	12.6	1	11/25/20 08:30	11/25/20 12:34	108-88-3	
Trichloroethene	**<50.0**	ug/kg	50.0	18.7	1	11/25/20 08:30	11/25/20 12:34	79-01-6	
Trichlorofluoromethane	**<50.0**	ug/kg	50.0	14.5	1	11/25/20 08:30	11/25/20 12:34	75-69-4	
Vinyl chloride	**<50.0**	ug/kg	50.0	10.1	1	11/25/20 08:30	11/25/20 12:34	75-01-4	
Xylene (Total)	**<150**	ug/kg	150	36.1	1	11/25/20 08:30	11/25/20 12:34	1330-20-7	
cis-1,2-Dichloroethene	**<50.0**	ug/kg	50.0	10.7	1	11/25/20 08:30	11/25/20 12:34	156-59-2	
cis-1,3-Dichloropropene	**<250**	ug/kg	250	33.0	1	11/25/20 08:30	11/25/20 12:34	10061-01-5	
n-Butylbenzene	**<50.0**	ug/kg	50.0	22.9	1	11/25/20 08:30	11/25/20 12:34	104-51-8	
n-Propylbenzene	**<50.0**	ug/kg	50.0	12.0	1	11/25/20 08:30	11/25/20 12:34	103-65-1	
p-Isopropyltoluene	**<50.0**	ug/kg	50.0	15.2	1	11/25/20 08:30	11/25/20 12:34	99-87-6	
sec-Butylbenzene	**<50.0**	ug/kg	50.0	12.2	1	11/25/20 08:30	11/25/20 12:34	135-98-8	
tert-Butylbenzene	**<50.0**	ug/kg	50.0	15.7	1	11/25/20 08:30	11/25/20 12:34	98-06-6	
trans-1,2-Dichloroethene	**<50.0**	ug/kg	50.0	10.8	1	11/25/20 08:30	11/25/20 12:34	156-60-5	
trans-1,3-Dichloropropene	**<250**	ug/kg	250	143	1	11/25/20 08:30	11/25/20 12:34	10061-02-6	
Surrogates									
Dibromofluoromethane (S)	94	%	58-145		1	11/25/20 08:30	11/25/20 12:34	1868-53-7	
Toluene-d8 (S)	93	%	56-140		1	11/25/20 08:30	11/25/20 12:34	2037-26-5	
4-Bromofluorobenzene (S)	101	%	52-137		1	11/25/20 08:30	11/25/20 12:34	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

QC Batch: 713518
QC Batch Method: EPA 7471B
Analysis Method: EPA 7471B
Analysis Description: 7471B Mercury Solids
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 10539907001, 10539907002, 10539907003, 10539907004, 10539907006, 10539907007, 10539907010, 10539907011, 10539907012, 10539907013, 10539907014, 10539907015, 10539907016, 10539907017, 10539907018, 10539907019, 10539907020

METHOD BLANK: 3809404 Matrix: Solid
Associated Lab Samples: 10539907001, 10539907002, 10539907003, 10539907004, 10539907006, 10539907007, 10539907010, 10539907011, 10539907012, 10539907013, 10539907014, 10539907015, 10539907016, 10539907017, 10539907018, 10539907019, 10539907020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.018	0.018	0.0075	12/03/20 16:54	

LABORATORY CONTROL SAMPLE: 3809405

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.44	0.55	126	80-120	L1

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3809406 3809407

Parameter	Units	10539907001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	<0.024	0.57	0.63	0.74	0.82	128	129	80-120	10	20	M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

QC Batch: 713520
QC Batch Method: EPA 7471B
Analysis Method: EPA 7471B
Analysis Description: 7471B Mercury Solids
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 10539907021, 10539907022, 10539907024

METHOD BLANK: 3809412 Matrix: Solid
Associated Lab Samples: 10539907021, 10539907022, 10539907024

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.018	0.018	0.0075	12/03/20 18:57	

LABORATORY CONTROL SAMPLE: 3809413

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.48	0.62	128	80-120	L1

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3809414 3809415

Parameter	Units	10539907021 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	<0.026	0.71	0.68	0.85	0.82	118	118	80-120	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

QC Batch: 714546
QC Batch Method: EPA 7471B
Analysis Method: EPA 7471B
Analysis Description: 7471B Mercury Solids
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 10539907005, 10539907008, 10539907009, 10539907023

METHOD BLANK: 3814386 Matrix: Solid
Associated Lab Samples: 10539907005, 10539907008, 10539907009, 10539907023

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.019	0.019	0.0080	12/07/20 14:52	

LABORATORY CONTROL SAMPLE: 3814387

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.48	0.48	100	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814388 3814389

Parameter	Units	10539907005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	0.045	0.57	0.56	0.61	0.60	98	98	80-120	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

QC Batch: 713506
QC Batch Method: EPA 3050B
Analysis Method: EPA 6010D
Analysis Description: 6010D Solids
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 10539907001, 10539907002, 10539907003, 10539907004, 10539907005, 10539907006, 10539907007, 10539907008, 10539907009, 10539907010, 10539907011, 10539907012, 10539907013, 10539907014, 10539907015, 10539907016, 10539907017, 10539907018, 10539907019, 10539907020

METHOD BLANK: 3809374 Matrix: Solid
Associated Lab Samples: 10539907001, 10539907002, 10539907003, 10539907004, 10539907005, 10539907006, 10539907007, 10539907008, 10539907009, 10539907010, 10539907011, 10539907012, 10539907013, 10539907014, 10539907015, 10539907016, 10539907017, 10539907018, 10539907019, 10539907020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	mg/kg	<0.99	0.99	0.20	12/02/20 14:53	
Barium	mg/kg	<0.50	0.50	0.078	12/02/20 14:53	
Cadmium	mg/kg	<0.15	0.15	0.030	12/02/20 14:53	
Chromium	mg/kg	<0.50	0.50	0.099	12/02/20 14:53	
Lead	mg/kg	<0.50	0.50	0.11	12/02/20 14:53	
Selenium	mg/kg	<0.99	0.99	0.32	12/02/20 14:53	
Silver	mg/kg	<0.50	0.50	0.036	12/02/20 14:53	

LABORATORY CONTROL SAMPLE: 3809375

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	47.2	42.3	90	80-120	
Barium	mg/kg	47.2	45.8	97	80-120	
Cadmium	mg/kg	47.2	46.2	98	80-120	
Chromium	mg/kg	47.2	45.7	97	80-120	
Lead	mg/kg	47.2	45.6	97	80-120	
Selenium	mg/kg	47.2	41.6	88	80-120	
Silver	mg/kg	23.6	22.1	94	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3809376 3809377

Parameter	Units	10539907001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Arsenic	mg/kg	2.6	58.8	58.8	47.5	47.5	76	76	75-125	0	20	
Barium	mg/kg	167	58.8	58.8	208	216	70	84	75-125	4	20	M1
Cadmium	mg/kg	<0.36	58.8	58.8	48.6	46.6	82	79	75-125	4	20	
Chromium	mg/kg	37.8	58.8	58.8	85.8	85.3	82	81	75-125	1	20	
Lead	mg/kg	14.7	58.8	58.8	61.3	65.0	79	85	75-125	6	20	
Selenium	mg/kg	<2.4	58.8	58.8	44.5	43.7	76	74	75-125	2	20	M1
Silver	mg/kg	<1.2	29.5	29.5	24.5	24.1	83	82	75-125	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

QC Batch: 713507
QC Batch Method: EPA 3050B
Analysis Method: EPA 6010D
Analysis Description: 6010D Solids
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 10539907021, 10539907022, 10539907023, 10539907024

METHOD BLANK: 3809378 Matrix: Solid
Associated Lab Samples: 10539907021, 10539907022, 10539907023, 10539907024

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	mg/kg	<0.98	0.98	0.20	12/04/20 15:46	
Barium	mg/kg	<0.49	0.49	0.078	12/04/20 15:46	
Cadmium	mg/kg	0.055J	0.15	0.029	12/04/20 15:46	
Chromium	mg/kg	<0.49	0.49	0.098	12/04/20 15:46	
Lead	mg/kg	<0.49	0.49	0.11	12/04/20 15:46	
Selenium	mg/kg	<0.98	0.98	0.32	12/04/20 15:46	
Silver	mg/kg	<0.49	0.49	0.036	12/04/20 15:46	

LABORATORY CONTROL SAMPLE: 3809379

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	48.5	44.3	91	80-120	
Barium	mg/kg	48.5	48.5	100	80-120	
Cadmium	mg/kg	48.5	49.5	102	80-120	
Chromium	mg/kg	48.5	49.0	101	80-120	
Lead	mg/kg	48.5	48.4	100	80-120	
Selenium	mg/kg	48.5	44.2	91	80-120	
Silver	mg/kg	24.3	23.6	97	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3809380 3809381

Parameter	Units	10539907021 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Arsenic	mg/kg	2.4J	67.7	69	59.7	58.5	85	81	75-125	2	20	
Barium	mg/kg	142	67.7	69	254	200	165	84	75-125	24	20	M1,R1
Cadmium	mg/kg	<1.0	67.7	69	62.7	62.1	92	90	75-125	1	20	
Chromium	mg/kg	41.5	67.7	69	115	112	109	103	75-125	3	20	
Lead	mg/kg	11.7	67.7	69	75.8	74.6	95	91	75-125	2	20	
Selenium	mg/kg	<6.7	67.7	69	55.4	58.0	82	84	75-125	5	20	
Silver	mg/kg	<3.4	33.8	34.6	29.9	29.8	88	86	75-125	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

QC Batch: 712279
QC Batch Method: ASTM D2974
Analysis Method: ASTM D2974
Analysis Description: Dry Weight / %M by ASTM D2974
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 10539907001, 10539907003, 10539907004, 10539907005, 10539907006, 10539907007, 10539907008, 10539907009, 10539907010, 10539907011, 10539907012, 10539907013, 10539907014, 10539907016

SAMPLE DUPLICATE: 3803251

Parameter	Units	10539894005 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	17.3	17.8	3	30	N2

SAMPLE DUPLICATE: 3803252

Parameter	Units	10539907006 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	18.0	17.3	4	30	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

QC Batch: 712281
QC Batch Method: ASTM D2974
Analysis Method: ASTM D2974
Analysis Description: Dry Weight / %M by ASTM D2974
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 10539907017, 10539907018, 10539907019, 10539907020, 10539907021, 10539907022

SAMPLE DUPLICATE: 3803270

Parameter	Units	10539896001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	9.3	8.6	8	30	N2

SAMPLE DUPLICATE: 3803271

Parameter	Units	10539907020 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	29.0	29.7	2	30	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

QC Batch: 714389
QC Batch Method: ASTM D2974
Analysis Method: ASTM D2974
Analysis Description: Dry Weight / %M by ASTM D2974
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 10539907002, 10539907015, 10539907023, 10539907024

SAMPLE DUPLICATE: 3813305

Parameter	Units	10540049011 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	50.6	46.8	8	30	N2

SAMPLE DUPLICATE: 3813416

Parameter	Units	10539907002 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	25.4	26.7	5	30	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

QC Batch: 372136
QC Batch Method: EPA 5035/5030B
Analysis Method: EPA 8260
Analysis Description: 8260 MSV Med Level Normal List
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 10539907001, 10539907002, 10539907003, 10539907004, 10539907005, 10539907006, 10539907007, 10539907008, 10539907009, 10539907010, 10539907011, 10539907012, 10539907013

METHOD BLANK: 2152173
Matrix: Solid
Associated Lab Samples: 10539907001, 10539907002, 10539907003, 10539907004, 10539907005, 10539907006, 10539907007, 10539907008, 10539907009, 10539907010, 10539907011, 10539907012, 10539907013

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<50.0	50.0	12.0	11/23/20 10:10	
1,1,1-Trichloroethane	ug/kg	<50.0	50.0	12.8	11/23/20 10:10	
1,1,2,2-Tetrachloroethane	ug/kg	<50.0	50.0	18.1	11/23/20 10:10	
1,1,2-Trichloroethane	ug/kg	<50.0	50.0	18.2	11/23/20 10:10	
1,1,2-Trichlorotrifluoroethane	ug/kg	<50.0	50.0	16.3	11/23/20 10:10	v2
1,1-Dichloroethane	ug/kg	<50.0	50.0	12.8	11/23/20 10:10	
1,1-Dichloroethene	ug/kg	<50.0	50.0	16.6	11/23/20 10:10	
1,1-Dichloropropene	ug/kg	<50.0	50.0	16.2	11/23/20 10:10	
1,2,3-Trichlorobenzene	ug/kg	<250	250	55.7	11/23/20 10:10	
1,2,3-Trichloropropane	ug/kg	<50.0	50.0	24.3	11/23/20 10:10	
1,2,4-Trichlorobenzene	ug/kg	<250	250	41.2	11/23/20 10:10	
1,2,4-Trimethylbenzene	ug/kg	<50.0	50.0	14.9	11/23/20 10:10	
1,2-Dibromo-3-chloropropane	ug/kg	<250	250	38.8	11/23/20 10:10	
1,2-Dibromoethane (EDB)	ug/kg	<50.0	50.0	13.7	11/23/20 10:10	
1,2-Dichlorobenzene	ug/kg	<50.0	50.0	15.5	11/23/20 10:10	
1,2-Dichloroethane	ug/kg	<50.0	50.0	11.5	11/23/20 10:10	
1,2-Dichloropropane	ug/kg	<50.0	50.0	11.9	11/23/20 10:10	
1,3,5-Trimethylbenzene	ug/kg	<50.0	50.0	16.1	11/23/20 10:10	
1,3-Dichlorobenzene	ug/kg	<50.0	50.0	13.7	11/23/20 10:10	
1,3-Dichloropropane	ug/kg	<50.0	50.0	10.9	11/23/20 10:10	
1,4-Dichlorobenzene	ug/kg	<50.0	50.0	13.7	11/23/20 10:10	
2,2-Dichloropropane	ug/kg	<50.0	50.0	13.5	11/23/20 10:10	v1
2-Butanone (MEK)	ug/kg	<1250	1250	158	11/23/20 10:10	
2-Chlorotoluene	ug/kg	<50.0	50.0	16.2	11/23/20 10:10	
4-Chlorotoluene	ug/kg	<50.0	50.0	19.0	11/23/20 10:10	
4-Methyl-2-pentanone (MIBK)	ug/kg	<1250	1250	731	11/23/20 10:10	
Acetone	ug/kg	<1250	1250	132	11/23/20 10:10	
Allyl chloride	ug/kg	<250	250	47.2	11/23/20 10:10	
Benzene	ug/kg	<20.0	20.0	11.9	11/23/20 10:10	
Bromobenzene	ug/kg	<50.0	50.0	19.5	11/23/20 10:10	
Bromochloromethane	ug/kg	<50.0	50.0	13.7	11/23/20 10:10	
Bromodichloromethane	ug/kg	<50.0	50.0	11.9	11/23/20 10:10	
Bromoform	ug/kg	<250	250	220	11/23/20 10:10	
Bromomethane	ug/kg	<250	250	70.1	11/23/20 10:10	v2
Carbon tetrachloride	ug/kg	<50.0	50.0	11.0	11/23/20 10:10	
Chlorobenzene	ug/kg	<50.0	50.0	6.0	11/23/20 10:10	
Chloroethane	ug/kg	<250	250	21.1	11/23/20 10:10	v2
Chloroform	ug/kg	<250	250	35.8	11/23/20 10:10	
Chloromethane	ug/kg	<50.0	50.0	19.0	11/23/20 10:10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

METHOD BLANK: 2152173 Matrix: Solid

Associated Lab Samples: 10539907001, 10539907002, 10539907003, 10539907004, 10539907005, 10539907006, 10539907007, 10539907008, 10539907009, 10539907010, 10539907011, 10539907012, 10539907013

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ug/kg	<50.0	50.0	10.7	11/23/20 10:10	
cis-1,3-Dichloropropene	ug/kg	<250	250	33.0	11/23/20 10:10	
Dibromochloromethane	ug/kg	<250	250	171	11/23/20 10:10	v1
Dibromomethane	ug/kg	<50.0	50.0	14.8	11/23/20 10:10	
Dichlorodifluoromethane	ug/kg	<50.0	50.0	21.5	11/23/20 10:10	v2
Dichlorofluoromethane	ug/kg	<50.0	50.0	14.1	11/23/20 10:10	
Diethyl ether (Ethyl ether)	ug/kg	<50.0	50.0	15.5	11/23/20 10:10	
Ethylbenzene	ug/kg	<50.0	50.0	11.9	11/23/20 10:10	
Hexachloro-1,3-butadiene	ug/kg	<250	250	99.4	11/23/20 10:10	
Isopropylbenzene (Cumene)	ug/kg	<50.0	50.0	13.5	11/23/20 10:10	
Methyl-tert-butyl ether	ug/kg	<50.0	50.0	14.7	11/23/20 10:10	
Methylene Chloride	ug/kg	<50.0	50.0	13.9	11/23/20 10:10	
n-Butylbenzene	ug/kg	<50.0	50.0	22.9	11/23/20 10:10	
n-Propylbenzene	ug/kg	<50.0	50.0	12.0	11/23/20 10:10	
Naphthalene	ug/kg	<250	250	15.6	11/23/20 10:10	
p-Isopropyltoluene	ug/kg	<50.0	50.0	15.2	11/23/20 10:10	
sec-Butylbenzene	ug/kg	<50.0	50.0	12.2	11/23/20 10:10	
Styrene	ug/kg	<50.0	50.0	12.8	11/23/20 10:10	
tert-Butylbenzene	ug/kg	<50.0	50.0	15.7	11/23/20 10:10	
Tetrachloroethene	ug/kg	<50.0	50.0	19.4	11/23/20 10:10	
Tetrahydrofuran	ug/kg	<250	250	78.8	11/23/20 10:10	
Toluene	ug/kg	<50.0	50.0	12.6	11/23/20 10:10	
trans-1,2-Dichloroethene	ug/kg	<50.0	50.0	10.8	11/23/20 10:10	
trans-1,3-Dichloropropene	ug/kg	<250	250	143	11/23/20 10:10	
Trichloroethene	ug/kg	<50.0	50.0	18.7	11/23/20 10:10	
Trichlorofluoromethane	ug/kg	<50.0	50.0	14.5	11/23/20 10:10	
Vinyl chloride	ug/kg	<50.0	50.0	10.1	11/23/20 10:10	
Xylene (Total)	ug/kg	<150	150	36.1	11/23/20 10:10	
4-Bromofluorobenzene (S)	%	98	52-137		11/23/20 10:10	
Dibromofluoromethane (S)	%	93	58-145		11/23/20 10:10	
Toluene-d8 (S)	%	94	56-140		11/23/20 10:10	

LABORATORY CONTROL SAMPLE: 2152174

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2540	102	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2420	97	70-130	
1,1,2-Trichloroethane	ug/kg	2500	2410	96	70-130	
1,1,2-Trichlorotrifluoroethane	ug/kg	2500	2160	86	50-150	v3
1,1-Dichloroethane	ug/kg	2500	2500	100	69-143	
1,1-Dichloroethene	ug/kg	2500	2320	93	73-118	
1,2,4-Trichlorobenzene	ug/kg	2500	2310	92	60-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2680	107	66-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

LABORATORY CONTROL SAMPLE: 2152174

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dibromoethane (EDB)	ug/kg	2500	2380	95	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2430	97	70-130	
1,2-Dichloroethane	ug/kg	2500	2610	105	70-130	
1,2-Dichloropropane	ug/kg	2500	2380	95	78-126	
1,3-Dichlorobenzene	ug/kg	2500	2440	98	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2410	96	70-130	
Benzene	ug/kg	2500	2250	90	70-130	
Bromodichloromethane	ug/kg	2500	2640	106	70-130	
Bromoform	ug/kg	2500	2350	94	67-130	
Bromomethane	ug/kg	2500	1600	64	45-134	v3
Carbon tetrachloride	ug/kg	2500	2650	106	70-130	
Chlorobenzene	ug/kg	2500	2370	95	70-130	
Chloroethane	ug/kg	2500	1630	65	58-143	v3
Chloroform	ug/kg	2500	2500	100	76-122	
Chloromethane	ug/kg	2500	2070	83	45-120	
cis-1,2-Dichloroethene	ug/kg	2500	2240	90	69-130	
cis-1,3-Dichloropropene	ug/kg	2500	2610	104	70-130	
Dibromochloromethane	ug/kg	2500	2860	115	70-130	v1
Dichlorodifluoromethane	ug/kg	2500	1680	67	26-99	v3
Ethylbenzene	ug/kg	2500	2380	95	80-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2440	98	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2400	96	70-130	
Methylene Chloride	ug/kg	2500	2240	90	70-130	
Styrene	ug/kg	2500	2650	106	70-130	
Tetrachloroethene	ug/kg	2500	2370	95	70-130	
Toluene	ug/kg	2500	2400	96	80-120	
trans-1,2-Dichloroethene	ug/kg	2500	2410	96	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2330	93	70-130	
Trichloroethene	ug/kg	2500	2500	100	70-130	
Trichlorofluoromethane	ug/kg	2500	2390	96	70-128	
Vinyl chloride	ug/kg	2500	2120	85	53-110	
Xylene (Total)	ug/kg	7500	7310	97	70-130	
4-Bromofluorobenzene (S)	%			111	52-137	
Dibromofluoromethane (S)	%			102	58-145	
Toluene-d8 (S)	%			100	56-140	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2152175 2152176

Parameter	Units	10539907012 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/kg	<68.6	1710	1710	1680	1740	98	102	66-130	4	20	
1,1,2,2-Tetrachloroethane	ug/kg	<68.6	1710	1710	1680	1650	98	96	70-133	2	20	
1,1,2-Trichloroethane	ug/kg	<68.6	1710	1710	1700	1690	99	99	70-130	0	20	
1,1,2-Trichlorotrifluoroethane	ug/kg	<68.6	1710	1710	1370	1420	80	83	50-150	3	29	v3

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2152175 2152176

Parameter	Units	10539907012 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1-Dichloroethane	ug/kg	<68.6	1710	1710	1530	1760	89	103	69-143	14	20	
1,1-Dichloroethene	ug/kg	<68.6	1710	1710	1540	1560	90	91	58-120	1	20	
1,2,4-Trichlorobenzene	ug/kg	<343	1710	1710	1920	1810	112	105	60-130	6	20	
1,2-Dibromo-3-chloropropane	ug/kg	<343	1710	1710	1920	1860	112	108	59-136	3	20	
1,2-Dibromoethane (EDB)	ug/kg	<68.6	1710	1710	1660	1730	97	101	70-130	4	20	
1,2-Dichlorobenzene	ug/kg	<68.6	1710	1710	1780	1750	104	102	70-130	1	20	
1,2-Dichloroethane	ug/kg	<68.6	1710	1710	1760	1800	103	105	70-136	2	20	
1,2-Dichloropropane	ug/kg	<68.6	1710	1710	1610	1700	94	99	78-128	6	20	
1,3-Dichlorobenzene	ug/kg	<68.6	1710	1710	1740	1730	102	101	70-130	1	20	
1,4-Dichlorobenzene	ug/kg	<68.6	1710	1710	1750	1750	102	102	70-130	0	20	
Benzene	ug/kg	<27.4	1710	1710	1540	1600	90	93	70-130	4	20	
Bromodichloromethane	ug/kg	<68.6	1710	1710	1760	1810	103	106	70-130	3	20	
Bromoform	ug/kg	<343	1710	1710	1550	1650	90	96	63-130	7	20	
Bromomethane	ug/kg	<343	1710	1710	1150	1160	67	68	33-146	1	20	v3
Carbon tetrachloride	ug/kg	<68.6	1710	1710	1690	1820	99	106	65-130	7	20	
Chlorobenzene	ug/kg	<68.6	1710	1710	1630	1690	95	99	70-130	3	20	
Chloroethane	ug/kg	<343	1710	1710	1130	1160	66	68	46-156	3	20	v3
Chloroform	ug/kg	<343	1710	1710	1720	1770	100	103	75-130	3	20	
Chloromethane	ug/kg	<68.6	1710	1710	1280	1330	74	77	20-139	4	20	
cis-1,2-Dichloroethene	ug/kg	<68.6	1710	1710	1540	1610	90	94	69-130	5	20	
cis-1,3-Dichloropropene	ug/kg	<343	1710	1710	1770	1820	103	106	70-130	3	20	
Dibromochloromethane	ug/kg	<343	1710	1710	1930	2050	113	119	70-130	6	20	v1
Dichlorodifluoromethane	ug/kg	<68.6	1710	1710	888	971	52	57	10-99	9	22	v3
Ethylbenzene	ug/kg	<68.6	1710	1710	1570	1690	92	99	80-120	7	20	
Isopropylbenzene (Cumene)	ug/kg	<68.6	1710	1710	1610	1720	94	100	70-130	7	20	
Methyl-tert-butyl ether	ug/kg	<68.6	1710	1710	1620	1680	95	98	70-130	4	20	
Methylene Chloride	ug/kg	<68.6	1710	1710	1490	1560	87	91	70-136	4	20	
Styrene	ug/kg	<68.6	1710	1710	1790	1870	104	109	70-130	5	20	
Tetrachloroethene	ug/kg	<68.6	1710	1710	1620	1700	94	99	68-130	5	20	
Toluene	ug/kg	<68.6	1710	1710	1640	1710	96	100	80-120	4	20	
trans-1,2-Dichloroethene	ug/kg	<68.6	1710	1710	1690	1730	99	101	70-130	2	20	
trans-1,3-Dichloropropene	ug/kg	<343	1710	1710	1590	1570	93	92	70-130	1	20	
Trichloroethene	ug/kg	<68.6	1710	1710	1730	1790	101	105	70-130	4	20	
Trichlorofluoromethane	ug/kg	<68.6	1710	1710	1520	1640	89	96	53-128	7	20	
Vinyl chloride	ug/kg	<68.6	1710	1710	1330	1350	77	79	32-118	1	20	
Xylene (Total)	ug/kg	<206	5140	5140	4930	5160	96	100	70-130	5	20	
4-Bromofluorobenzene (S)	%						105	101	52-137			
Dibromofluoromethane (S)	%						99	95	58-145			
Toluene-d8 (S)	%						98	92	56-140			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

QC Batch: 372394
QC Batch Method: EPA 5035/5030B
Analysis Method: EPA 8260
Analysis Description: 8260 MSV Med Level Normal List
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 10539907014, 10539907015, 10539907016, 10539907017, 10539907018, 10539907019, 10539907020, 10539907021, 10539907022, 10539907023, 10539907024, 10539907025

METHOD BLANK: 2153115
Matrix: Solid
Associated Lab Samples: 10539907014, 10539907015, 10539907016, 10539907017, 10539907018, 10539907019, 10539907020, 10539907021, 10539907022, 10539907023, 10539907024, 10539907025

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<50.0	50.0	12.0	11/25/20 10:39	
1,1,1-Trichloroethane	ug/kg	<50.0	50.0	12.8	11/25/20 10:39	
1,1,2,2-Tetrachloroethane	ug/kg	<50.0	50.0	18.1	11/25/20 10:39	
1,1,2-Trichloroethane	ug/kg	<50.0	50.0	18.2	11/25/20 10:39	
1,1,2-Trichlorotrifluoroethane	ug/kg	<50.0	50.0	16.3	11/25/20 10:39	
1,1-Dichloroethane	ug/kg	<50.0	50.0	12.8	11/25/20 10:39	
1,1-Dichloroethene	ug/kg	<50.0	50.0	16.6	11/25/20 10:39	
1,1-Dichloropropene	ug/kg	<50.0	50.0	16.2	11/25/20 10:39	
1,2,3-Trichlorobenzene	ug/kg	<250	250	55.7	11/25/20 10:39	
1,2,3-Trichloropropane	ug/kg	<50.0	50.0	24.3	11/25/20 10:39	
1,2,4-Trichlorobenzene	ug/kg	<250	250	41.2	11/25/20 10:39	
1,2,4-Trimethylbenzene	ug/kg	<50.0	50.0	14.9	11/25/20 10:39	
1,2-Dibromo-3-chloropropane	ug/kg	<250	250	38.8	11/25/20 10:39	
1,2-Dibromoethane (EDB)	ug/kg	<50.0	50.0	13.7	11/25/20 10:39	
1,2-Dichlorobenzene	ug/kg	<50.0	50.0	15.5	11/25/20 10:39	
1,2-Dichloroethane	ug/kg	<50.0	50.0	11.5	11/25/20 10:39	
1,2-Dichloropropane	ug/kg	<50.0	50.0	11.9	11/25/20 10:39	
1,3,5-Trimethylbenzene	ug/kg	<50.0	50.0	16.1	11/25/20 10:39	
1,3-Dichlorobenzene	ug/kg	<50.0	50.0	13.7	11/25/20 10:39	
1,3-Dichloropropane	ug/kg	<50.0	50.0	10.9	11/25/20 10:39	
1,4-Dichlorobenzene	ug/kg	<50.0	50.0	13.7	11/25/20 10:39	
2,2-Dichloropropane	ug/kg	<50.0	50.0	13.5	11/25/20 10:39	
2-Butanone (MEK)	ug/kg	<1250	1250	158	11/25/20 10:39	
2-Chlorotoluene	ug/kg	<50.0	50.0	16.2	11/25/20 10:39	
4-Chlorotoluene	ug/kg	<50.0	50.0	19.0	11/25/20 10:39	
4-Methyl-2-pentanone (MIBK)	ug/kg	<1250	1250	731	11/25/20 10:39	
Acetone	ug/kg	<1250	1250	132	11/25/20 10:39	v1
Allyl chloride	ug/kg	<250	250	47.2	11/25/20 10:39	
Benzene	ug/kg	<20.0	20.0	11.9	11/25/20 10:39	
Bromobenzene	ug/kg	<50.0	50.0	19.5	11/25/20 10:39	
Bromochloromethane	ug/kg	<50.0	50.0	13.7	11/25/20 10:39	
Bromodichloromethane	ug/kg	<50.0	50.0	11.9	11/25/20 10:39	
Bromoform	ug/kg	<250	250	220	11/25/20 10:39	
Bromomethane	ug/kg	<250	250	70.1	11/25/20 10:39	v2
Carbon tetrachloride	ug/kg	<50.0	50.0	11.0	11/25/20 10:39	
Chlorobenzene	ug/kg	<50.0	50.0	6.0	11/25/20 10:39	
Chloroethane	ug/kg	<250	250	21.1	11/25/20 10:39	v2
Chloroform	ug/kg	<250	250	35.8	11/25/20 10:39	
Chloromethane	ug/kg	<50.0	50.0	19.0	11/25/20 10:39	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

METHOD BLANK: 2153115 Matrix: Solid

Associated Lab Samples: 10539907014, 10539907015, 10539907016, 10539907017, 10539907018, 10539907019, 10539907020, 10539907021, 10539907022, 10539907023, 10539907024, 10539907025

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ug/kg	<50.0	50.0	10.7	11/25/20 10:39	
cis-1,3-Dichloropropene	ug/kg	<250	250	33.0	11/25/20 10:39	
Dibromochloromethane	ug/kg	<250	250	171	11/25/20 10:39	v1
Dibromomethane	ug/kg	<50.0	50.0	14.8	11/25/20 10:39	
Dichlorodifluoromethane	ug/kg	<50.0	50.0	21.5	11/25/20 10:39	
Dichlorofluoromethane	ug/kg	<50.0	50.0	14.1	11/25/20 10:39	
Diethyl ether (Ethyl ether)	ug/kg	<50.0	50.0	15.5	11/25/20 10:39	
Ethylbenzene	ug/kg	<50.0	50.0	11.9	11/25/20 10:39	
Hexachloro-1,3-butadiene	ug/kg	<250	250	99.4	11/25/20 10:39	
Isopropylbenzene (Cumene)	ug/kg	<50.0	50.0	13.5	11/25/20 10:39	
Methyl-tert-butyl ether	ug/kg	<50.0	50.0	14.7	11/25/20 10:39	
Methylene Chloride	ug/kg	<50.0	50.0	13.9	11/25/20 10:39	
n-Butylbenzene	ug/kg	<50.0	50.0	22.9	11/25/20 10:39	
n-Propylbenzene	ug/kg	<50.0	50.0	12.0	11/25/20 10:39	
Naphthalene	ug/kg	<250	250	15.6	11/25/20 10:39	
p-Isopropyltoluene	ug/kg	<50.0	50.0	15.2	11/25/20 10:39	
sec-Butylbenzene	ug/kg	<50.0	50.0	12.2	11/25/20 10:39	
Styrene	ug/kg	<50.0	50.0	12.8	11/25/20 10:39	
tert-Butylbenzene	ug/kg	<50.0	50.0	15.7	11/25/20 10:39	
Tetrachloroethene	ug/kg	<50.0	50.0	19.4	11/25/20 10:39	
Tetrahydrofuran	ug/kg	<250	250	78.8	11/25/20 10:39	
Toluene	ug/kg	<50.0	50.0	12.6	11/25/20 10:39	
trans-1,2-Dichloroethene	ug/kg	<50.0	50.0	10.8	11/25/20 10:39	
trans-1,3-Dichloropropene	ug/kg	<250	250	143	11/25/20 10:39	
Trichloroethene	ug/kg	<50.0	50.0	18.7	11/25/20 10:39	
Trichlorofluoromethane	ug/kg	<50.0	50.0	14.5	11/25/20 10:39	
Vinyl chloride	ug/kg	<50.0	50.0	10.1	11/25/20 10:39	
Xylene (Total)	ug/kg	<150	150	36.1	11/25/20 10:39	
4-Bromofluorobenzene (S)	%	86	52-137		11/25/20 10:39	
Dibromofluoromethane (S)	%	88	58-145		11/25/20 10:39	
Toluene-d8 (S)	%	87	56-140		11/25/20 10:39	

LABORATORY CONTROL SAMPLE: 2153116

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2540	101	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2250	90	70-130	
1,1,2-Trichloroethane	ug/kg	2500	2390	96	70-130	
1,1,2-Trichlorotrifluoroethane	ug/kg	2500	2140	85	50-150	
1,1-Dichloroethane	ug/kg	2500	2380	95	69-143	
1,1-Dichloroethene	ug/kg	2500	2270	91	73-118	
1,2,4-Trichlorobenzene	ug/kg	2500	2030	81	60-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2240	89	66-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

LABORATORY CONTROL SAMPLE: 2153116

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dibromoethane (EDB)	ug/kg	2500	2310	92	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2220	89	70-130	
1,2-Dichloroethane	ug/kg	2500	2570	103	70-130	
1,2-Dichloropropane	ug/kg	2500	2390	96	78-126	
1,3-Dichlorobenzene	ug/kg	2500	2240	90	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2180	87	70-130	
Benzene	ug/kg	2500	2290	92	70-130	
Bromodichloromethane	ug/kg	2500	2670	107	70-130	
Bromoform	ug/kg	2500	2150	86	67-130	
Bromomethane	ug/kg	2500	1600	64	45-134	v3
Carbon tetrachloride	ug/kg	2500	2690	107	70-130	
Chlorobenzene	ug/kg	2500	2270	91	70-130	
Chloroethane	ug/kg	2500	1710	69	58-143	v3
Chloroform	ug/kg	2500	2390	96	76-122	
Chloromethane	ug/kg	2500	1910	76	45-120	
cis-1,2-Dichloroethene	ug/kg	2500	2150	86	69-130	
cis-1,3-Dichloropropene	ug/kg	2500	2580	103	70-130	
Dibromochloromethane	ug/kg	2500	2750	110	70-130	v1
Dichlorodifluoromethane	ug/kg	2500	1500	60	26-99	
Ethylbenzene	ug/kg	2500	2300	92	80-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2330	93	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2350	94	70-130	
Methylene Chloride	ug/kg	2500	2180	87	70-130	
Styrene	ug/kg	2500	2560	102	70-130	
Tetrachloroethene	ug/kg	2500	2350	94	70-130	
Toluene	ug/kg	2500	2340	94	80-120	
trans-1,2-Dichloroethene	ug/kg	2500	2220	89	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2230	89	70-130	
Trichloroethene	ug/kg	2500	2480	99	70-130	
Trichlorofluoromethane	ug/kg	2500	2300	92	70-128	
Vinyl chloride	ug/kg	2500	2020	81	53-110	
Xylene (Total)	ug/kg	7500	7060	94	70-130	
4-Bromofluorobenzene (S)	%			105	52-137	
Dibromofluoromethane (S)	%			98	58-145	
Toluene-d8 (S)	%			98	56-140	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2153117 2153118

Parameter	Units	10539907019 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/kg	<61.5	1540	1540	1590	1510	104	98	66-130	6	20	
1,1,2,2-Tetrachloroethane	ug/kg	<61.5	1540	1540	1560	1570	101	102	70-133	1	20	
1,1,2-Trichloroethane	ug/kg	<61.5	1540	1540	1590	1610	103	105	70-130	1	20	
1,1,2-Trichlorotrifluoroethane	ug/kg	<61.5	1540	1540	1250	1260	81	82	50-150	1	29	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2153117 2153118

Parameter	Units	10539907019 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1-Dichloroethane	ug/kg	<61.5	1540	1540	1560	1510	101	98	69-143	3	20	
1,1-Dichloroethene	ug/kg	<61.5	1540	1540	1320	1310	86	85	58-120	0	20	
1,2,4-Trichlorobenzene	ug/kg	<308	1540	1540	1580	1500	103	97	60-130	5	20	
1,2-Dibromo-3-chloropropane	ug/kg	<308	1540	1540	1560	1720	101	112	59-136	10	20	
1,2-Dibromoethane (EDB)	ug/kg	<61.5	1540	1540	1520	1560	99	101	70-130	2	20	
1,2-Dichlorobenzene	ug/kg	<61.5	1540	1540	1590	1530	103	99	70-130	4	20	
1,2-Dichloroethane	ug/kg	<61.5	1540	1540	1730	1690	113	110	70-136	3	20	
1,2-Dichloropropane	ug/kg	<61.5	1540	1540	1590	1570	103	102	78-128	1	20	
1,3-Dichlorobenzene	ug/kg	<61.5	1540	1540	1560	1510	102	98	70-130	3	20	
1,4-Dichlorobenzene	ug/kg	<61.5	1540	1540	1550	1540	101	100	70-130	1	20	
Benzene	ug/kg	<24.6	1540	1540	1450	1430	94	93	70-130	1	20	
Bromodichloromethane	ug/kg	<61.5	1540	1540	1740	1740	113	113	70-130	0	20	
Bromoform	ug/kg	<308	1540	1540	1410	1420	92	92	63-130	1	20	
Bromomethane	ug/kg	<308	1540	1540	1070	922	69	60	33-146	15	20	v3
Carbon tetrachloride	ug/kg	<61.5	1540	1540	1620	1510	105	98	65-130	7	20	
Chlorobenzene	ug/kg	<61.5	1540	1540	1560	1520	101	99	70-130	2	20	
Chloroethane	ug/kg	<308	1540	1540	1030	1000	67	65	46-156	2	20	v3
Chloroform	ug/kg	<308	1540	1540	1620	1650	105	107	75-130	2	20	
Chloromethane	ug/kg	<61.5	1540	1540	1180	1090	77	71	20-139	8	20	
cis-1,2-Dichloroethene	ug/kg	<61.5	1540	1540	1500	1380	98	90	69-130	9	20	
cis-1,3-Dichloropropene	ug/kg	<308	1540	1540	1650	1630	107	106	70-130	1	20	
Dibromochloromethane	ug/kg	<308	1540	1540	1780	1830	116	119	70-130	2	20	v1
Dichlorodifluoromethane	ug/kg	<61.5	1540	1540	757	713	49	46	10-99	6	22	
Ethylbenzene	ug/kg	<61.5	1540	1540	1480	1470	96	96	80-120	0	20	
Isopropylbenzene (Cumene)	ug/kg	<61.5	1540	1540	1470	1440	95	94	70-130	2	20	
Methyl-tert-butyl ether	ug/kg	<61.5	1540	1540	1650	1630	107	106	70-130	1	20	
Methylene Chloride	ug/kg	<61.5	1540	1540	1420	1330	93	86	70-136	7	20	
Styrene	ug/kg	<61.5	1540	1540	1650	1620	108	105	70-130	2	20	
Tetrachloroethene	ug/kg	<61.5	1540	1540	1470	1390	96	90	68-130	6	20	
Toluene	ug/kg	<61.5	1540	1540	1490	1480	97	96	80-120	1	20	
trans-1,2-Dichloroethene	ug/kg	<61.5	1540	1540	1520	1400	99	91	70-130	8	20	
trans-1,3-Dichloropropene	ug/kg	<308	1540	1540	1440	1440	93	94	70-130	0	20	
Trichloroethene	ug/kg	<61.5	1540	1540	1610	1600	105	104	70-130	1	20	
Trichlorofluoromethane	ug/kg	<61.5	1540	1540	1380	1290	90	84	53-128	7	20	
Vinyl chloride	ug/kg	<61.5	1540	1540	1180	1080	77	70	32-118	9	20	
Xylene (Total)	ug/kg	<185	4610	4610	4540	4470	98	97	70-130	2	20	
4-Bromofluorobenzene (S)	%						104	103	52-137			
Dibromofluoromethane (S)	%						103	97	58-145			
Toluene-d8 (S)	%						97	94	56-140			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

QC Batch: 712160
QC Batch Method: EPA 3550C
Analysis Method: EPA 8270E by SIM
Analysis Description: 8270E Solid PAH by SIM MSSV
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 10539907001, 10539907002, 10539907003, 10539907004, 10539907005, 10539907006, 10539907007, 10539907008, 10539907009, 10539907010, 10539907011, 10539907012, 10539907013

METHOD BLANK: 3802792 Matrix: Solid
Associated Lab Samples: 10539907001, 10539907002, 10539907003, 10539907004, 10539907005, 10539907006, 10539907007, 10539907008, 10539907009, 10539907010, 10539907011, 10539907012, 10539907013

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Acenaphthene	ug/kg	<10.0	10.0	0.45	11/24/20 10:51	
Acenaphthylene	ug/kg	<10.0	10.0	0.68	11/24/20 10:51	
Anthracene	ug/kg	<10.0	10.0	0.32	11/24/20 10:51	
Benzo(a)anthracene	ug/kg	<10.0	10.0	0.41	11/24/20 10:51	
Benzo(a)pyrene	ug/kg	<10.0	10.0	0.56	11/24/20 10:51	
Benzo(b)fluoranthene	ug/kg	<10.0	10.0	0.47	11/24/20 10:51	
Benzo(g,h,i)perylene	ug/kg	<10.0	10.0	0.46	11/24/20 10:51	
Benzo(k)fluoranthene	ug/kg	<10.0	10.0	0.48	11/24/20 10:51	
Chrysene	ug/kg	<10.0	10.0	0.40	11/24/20 10:51	
Dibenz(a,h)anthracene	ug/kg	<10.0	10.0	0.66	11/24/20 10:51	
Fluoranthene	ug/kg	<10.0	10.0	0.60	11/24/20 10:51	
Fluorene	ug/kg	<10.0	10.0	0.60	11/24/20 10:51	
Indeno(1,2,3-cd)pyrene	ug/kg	<10.0	10.0	0.54	11/24/20 10:51	
Naphthalene	ug/kg	<10.0	10.0	0.45	11/24/20 10:51	
Phenanthrene	ug/kg	<10.0	10.0	0.70	11/24/20 10:51	
Pyrene	ug/kg	<10.0	10.0	0.65	11/24/20 10:51	
2-Fluorobiphenyl (S)	%.	71	30-138		11/24/20 10:51	
p-Terphenyl-d14 (S)	%.	78	30-143		11/24/20 10:51	

LABORATORY CONTROL SAMPLE: 3802793

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Acenaphthene	ug/kg	33.3	28.2	85	49-125	
Acenaphthylene	ug/kg	33.3	28.6	86	53-125	
Anthracene	ug/kg	33.3	26.6	80	59-125	
Benzo(a)anthracene	ug/kg	33.3	32.8	99	58-125	
Benzo(a)pyrene	ug/kg	33.3	35.3	106	64-125	
Benzo(b)fluoranthene	ug/kg	33.3	38.1	114	61-125	
Benzo(g,h,i)perylene	ug/kg	33.3	37.0	111	64-125	
Benzo(k)fluoranthene	ug/kg	33.3	33.2	100	62-125	
Chrysene	ug/kg	33.3	34.5	104	65-125	
Dibenz(a,h)anthracene	ug/kg	33.3	37.8	113	63-125	
Fluoranthene	ug/kg	33.3	33.6	101	68-125	
Fluorene	ug/kg	33.3	28.6	86	54-125	
Indeno(1,2,3-cd)pyrene	ug/kg	33.3	36.9	111	63-125	
Naphthalene	ug/kg	33.3	25.3	76	45-125	
Phenanthrene	ug/kg	33.3	30.6	92	63-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

LABORATORY CONTROL SAMPLE: 3802793

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Pyrene	ug/kg	33.3	29.4	88	65-125	
2-Fluorobiphenyl (S)	%.			87	30-138	
p-Terphenyl-d14 (S)	%.			86	30-143	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3802794 3802795

Parameter	Units	10539902001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Acenaphthene	ug/kg	<0.00056 mg/kg	41.9	41.9	31.7	29.3	75	70	30-125	8	30	
Acenaphthylene	ug/kg	<0.00086 mg/kg	41.9	41.9	31.9	29.7	76	71	30-150	7	30	
Anthracene	ug/kg	<0.00040 mg/kg	41.9	41.9	29.5	27.9	70	67	30-150	5	30	
Benzo(a)anthracene	ug/kg	<0.00052 mg/kg	41.9	41.9	35.5	34.9	84	82	30-150	2	30	
Benzo(a)pyrene	ug/kg	<0.00071 mg/kg	41.9	41.9	38.0	37.6	90	90	30-150	1	30	
Benzo(b)fluoranthene	ug/kg	<0.00059 mg/kg	41.9	41.9	40.0	39.5	95	94	30-150	1	30	
Benzo(g,h,i)perylene	ug/kg	<0.00058 mg/kg	41.9	41.9	38.5	37.7	92	90	30-150	2	30	
Benzo(k)fluoranthene	ug/kg	<0.00061 mg/kg	41.9	41.9	36.0	35.6	86	85	30-150	1	30	
Chrysene	ug/kg	<0.00051 mg/kg	41.9	41.9	36.6	36.2	87	86	30-150	1	30	
Dibenz(a,h)anthracene	ug/kg	<0.00083 mg/kg	41.9	41.9	39.4	38.4	94	92	30-147	2	30	
Fluoranthene	ug/kg	<0.00076 mg/kg	41.9	41.9	35.8	35.3	84	83	30-150	2	30	
Fluorene	ug/kg	<0.00076 mg/kg	41.9	41.9	31.5	29.3	75	70	30-150	7	30	
Indeno(1,2,3-cd)pyrene	ug/kg	<0.00067 mg/kg	41.9	41.9	38.3	37.6	91	90	30-150	2	30	
Naphthalene	ug/kg	<0.00057 mg/kg	41.9	41.9	32.2	29.6	77	71	30-141	8	30	
Phenanthrene	ug/kg	<0.00089 mg/kg	41.9	41.9	33.0	31.7	78	75	30-150	4	30	
Pyrene	ug/kg	<0.00081 mg/kg	41.9	41.9	31.7	31.4	75	74	30-150	1	30	
2-Fluorobiphenyl (S)	%.						71	63	30-138			
p-Terphenyl-d14 (S)	%.						62	52	30-143			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

QC Batch: 712233
QC Batch Method: EPA 3550C
Analysis Method: EPA 8270E by SIM
Analysis Description: 8270E Solid PAH by SIM MSSV
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 10539907014, 10539907015, 10539907016, 10539907017, 10539907018, 10539907019, 10539907020, 10539907021, 10539907022, 10539907023, 10539907024

METHOD BLANK: 3803033 Matrix: Solid
Associated Lab Samples: 10539907014, 10539907015, 10539907016, 10539907017, 10539907018, 10539907019, 10539907020, 10539907021, 10539907022, 10539907023, 10539907024

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Acenaphthene	ug/kg	<10.0	10.0	0.45	11/23/20 12:49	
Acenaphthylene	ug/kg	<10.0	10.0	0.68	11/23/20 12:49	
Anthracene	ug/kg	<10.0	10.0	0.32	11/23/20 12:49	
Benzo(a)anthracene	ug/kg	<10.0	10.0	0.41	11/23/20 12:49	
Benzo(a)pyrene	ug/kg	<10.0	10.0	0.56	11/23/20 12:49	
Benzo(b)fluoranthene	ug/kg	<10.0	10.0	0.47	11/23/20 12:49	
Benzo(g,h,i)perylene	ug/kg	<10.0	10.0	0.46	11/23/20 12:49	
Benzo(k)fluoranthene	ug/kg	<10.0	10.0	0.48	11/23/20 12:49	
Chrysene	ug/kg	<10.0	10.0	0.40	11/23/20 12:49	
Dibenz(a,h)anthracene	ug/kg	<10.0	10.0	0.66	11/23/20 12:49	
Fluoranthene	ug/kg	<10.0	10.0	0.60	11/23/20 12:49	
Fluorene	ug/kg	<10.0	10.0	0.60	11/23/20 12:49	
Indeno(1,2,3-cd)pyrene	ug/kg	<10.0	10.0	0.54	11/23/20 12:49	
Naphthalene	ug/kg	<10.0	10.0	0.45	11/23/20 12:49	
Phenanthrene	ug/kg	<10.0	10.0	0.70	11/23/20 12:49	
Pyrene	ug/kg	<10.0	10.0	0.65	11/23/20 12:49	
2-Fluorobiphenyl (S)	%.	85	30-138		11/23/20 12:49	
p-Terphenyl-d14 (S)	%.	83	30-143		11/23/20 12:49	

LABORATORY CONTROL SAMPLE: 3803034

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Acenaphthene	ug/kg	33.3	26.3	79	49-125	
Acenaphthylene	ug/kg	33.3	26.9	81	53-125	
Anthracene	ug/kg	33.3	24.8	75	59-125	
Benzo(a)anthracene	ug/kg	33.3	31.0	93	58-125	
Benzo(a)pyrene	ug/kg	33.3	33.1	99	64-125	
Benzo(b)fluoranthene	ug/kg	33.3	36.2	108	61-125	
Benzo(g,h,i)perylene	ug/kg	33.3	30.7	92	64-125	
Benzo(k)fluoranthene	ug/kg	33.3	30.4	91	62-125	
Chrysene	ug/kg	33.3	31.7	95	65-125	
Dibenz(a,h)anthracene	ug/kg	33.3	31.9	96	63-125	
Fluoranthene	ug/kg	33.3	31.0	93	68-125	
Fluorene	ug/kg	33.3	26.2	79	54-125	
Indeno(1,2,3-cd)pyrene	ug/kg	33.3	31.4	94	63-125	
Naphthalene	ug/kg	33.3	26.4	79	45-125	
Phenanthrene	ug/kg	33.3	27.5	82	63-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

LABORATORY CONTROL SAMPLE: 3803034

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Pyrene	ug/kg	33.3	27.8	83	65-125	
2-Fluorobiphenyl (S)	%.			83	30-138	
p-Terphenyl-d14 (S)	%.			80	30-143	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3803035 3803036

Parameter	Units	10539907014 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Acenaphthene	ug/kg	<13.3	44.2	44.1	33.4	32.8	76	75	30-125	2	30	
Acenaphthylene	ug/kg	<13.3	44.2	44.1	34.4	33.8	78	77	30-150	2	30	
Anthracene	ug/kg	<13.3	44.2	44.1	33.0	32.5	75	74	30-150	2	30	
Benzo(a)anthracene	ug/kg	<13.3	44.2	44.1	40.3	39.9	91	91	30-150	1	30	
Benzo(a)pyrene	ug/kg	<13.3	44.2	44.1	43.0	42.5	97	97	30-150	1	30	
Benzo(b)fluoranthene	ug/kg	<13.3	44.2	44.1	41.7	42.0	94	95	30-150	1	30	
Benzo(g,h,i)perylene	ug/kg	<13.3	44.2	44.1	39.3	39.5	89	90	30-150	0	30	
Benzo(k)fluoranthene	ug/kg	<13.3	44.2	44.1	45.3	44.6	102	101	30-150	2	30	
Chrysene	ug/kg	<13.3	44.2	44.1	42.1	41.9	95	95	30-150	0	30	
Dibenz(a,h)anthracene	ug/kg	<13.3	44.2	44.1	41.0	40.8	93	93	30-147	1	30	
Fluoranthene	ug/kg	<13.3	44.2	44.1	41.1	40.7	92	91	30-150	1	30	
Fluorene	ug/kg	<13.3	44.2	44.1	33.6	33.0	76	75	30-150	2	30	
Indeno(1,2,3-cd)pyrene	ug/kg	<13.3	44.2	44.1	40.0	39.9	90	91	30-150	0	30	
Naphthalene	ug/kg	<13.3	44.2	44.1	33.7	33.1	76	75	30-141	2	30	
Phenanthrene	ug/kg	<13.3	44.2	44.1	36.4	36.1	81	81	30-150	1	30	
Pyrene	ug/kg	<13.3	44.2	44.1	36.6	36.6	81	82	30-150	0	30	
2-Fluorobiphenyl (S)	%.						74	71	30-138			
p-Terphenyl-d14 (S)	%.						74	73	30-143			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

QC Batch: 712152
QC Batch Method: WI MOD DRO
Analysis Method: WI MOD DRO
Analysis Description: WIDRO GCS
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 10539907001, 10539907002, 10539907003

METHOD BLANK: 3802781 Matrix: Solid
Associated Lab Samples: 10539907001, 10539907002, 10539907003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
WDRO C10-C28	mg/kg	<10.0	10.0	2.7	11/23/20 19:14	
n-Triacontane (S)	%.	113	50-150		11/23/20 19:14	

LABORATORY CONTROL SAMPLE & LCSD: 3802782 3802783

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
WDRO C10-C28	mg/kg	80	76.0	74.6	95	93	70-120	2	20	
n-Triacontane (S)	%.				101	102	50-150			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

QC Batch: 712266
QC Batch Method: WI MOD DRO
Analysis Method: WI MOD DRO
Analysis Description: WIDRO GCS
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 10539907004, 10539907005, 10539907006, 10539907007, 10539907008, 10539907009, 10539907010, 10539907011, 10539907012, 10539907013, 10539907014, 10539907015, 10539907016, 10539907017, 10539907018, 10539907019, 10539907020, 10539907021, 10539907023, 10539907024

METHOD BLANK: 3803229
Matrix: Solid
Associated Lab Samples: 10539907004, 10539907005, 10539907006, 10539907007, 10539907008, 10539907009, 10539907010, 10539907011, 10539907012, 10539907013, 10539907014, 10539907015, 10539907016, 10539907017, 10539907018, 10539907019, 10539907020, 10539907021, 10539907023, 10539907024

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
WDRO C10-C28	mg/kg	<10.0	10.0	2.7	11/23/20 14:54	
n-Triacontane (S)	%.	73	50-150		11/23/20 14:54	

LABORATORY CONTROL SAMPLE & LCSD: 3803230 3803231

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
WDRO C10-C28	mg/kg	80	74.2	68.7	93	86	70-120	8	20	
n-Triacontane (S)	%.				99	98	50-150			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

QC Batch: 712353
QC Batch Method: WI MOD DRO
Analysis Method: WI MOD DRO
Analysis Description: WIDRO GCS
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10539907022

METHOD BLANK: 3803744 Matrix: Solid
Associated Lab Samples: 10539907022

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
WDRO C10-C28	mg/kg	<10.0	10.0	2.7	11/23/20 22:07	
n-Triacontane (S)	%.	107	50-150		11/23/20 22:07	

LABORATORY CONTROL SAMPLE & LCSD: 3803745 3803746

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
WDRO C10-C28	mg/kg	80	63.4	75.1	79	94	70-120	17	20	
n-Triacontane (S)	%.				97	106	50-150			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALIFIERS

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D3	Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
L1	Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
N2	The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.
R1	RPD value was outside control limits.
T6	High boiling point hydrocarbons are present in the sample.
v1	The continuing calibration verification was above the method acceptance limit. Any detection for the analyte in the associated samples may have a high bias.
v2	The continuing calibration verification was below the method acceptance limit. The analyte was not detected in the associated samples and the sensitivity of the instrument was verified with a reporting limit check standard.
v3	The continuing calibration verification was below the method acceptance limit. Any detection for the analyte in the associated samples may have a low bias.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10539907001	SB-12-SS(0-5)	WI MOD DRO	712152	WI MOD DRO	712654
10539907002	SB-12-SS(7.5-10)	WI MOD DRO	712152	WI MOD DRO	712654
10539907003	SB-13-SS(0-5)	WI MOD DRO	712152	WI MOD DRO	712654
10539907004	SB-13-SS(5-10)	WI MOD DRO	712266	WI MOD DRO	712653
10539907005	SB-14-SS(0-5)	WI MOD DRO	712266	WI MOD DRO	712653
10539907006	SB-14-SS(7.5-10)	WI MOD DRO	712266	WI MOD DRO	712653
10539907007	SB-15-SS(0-5)	WI MOD DRO	712266	WI MOD DRO	712653
10539907008	SB-15-SS(7.5-10)	WI MOD DRO	712266	WI MOD DRO	712653
10539907009	SB-21-SS(0-5)	WI MOD DRO	712266	WI MOD DRO	712653
10539907010	SB-21-SS(7.5-10)	WI MOD DRO	712266	WI MOD DRO	712653
10539907011	SB-22-SS(0-5)	WI MOD DRO	712266	WI MOD DRO	712653
10539907012	SB-22-SS(7.5-10)	WI MOD DRO	712266	WI MOD DRO	712653
10539907013	SB-18-SS(0-5)	WI MOD DRO	712266	WI MOD DRO	712653
10539907014	SB-18-SS(7.5-10)	WI MOD DRO	712266	WI MOD DRO	712653
10539907015	SB-19-SS(0-5)	WI MOD DRO	712266	WI MOD DRO	712653
10539907016	SB-19-SS(7.5-10)	WI MOD DRO	712266	WI MOD DRO	712653
10539907017	SB-20-SS(0-5)	WI MOD DRO	712266	WI MOD DRO	712653
10539907018	SB-20-SS(7.5-10)	WI MOD DRO	712266	WI MOD DRO	712653
10539907019	SB-16-SS(0-5)	WI MOD DRO	712266	WI MOD DRO	712653
10539907020	SB-16-SS(7.5-10)	WI MOD DRO	712266	WI MOD DRO	712653
10539907021	SB-17-SS(0-5)	WI MOD DRO	712266	WI MOD DRO	712653
10539907022	SB-17-SS(7.5-10)	WI MOD DRO	712353	WI MOD DRO	712655
10539907023	SB-14-SS(0-5)DUP	WI MOD DRO	712266	WI MOD DRO	712653
10539907024	SB-19-SS(0-5)DUP	WI MOD DRO	712266	WI MOD DRO	712653
10539907001	SB-12-SS(0-5)	EPA 3050B	713506	EPA 6010D	713806
10539907002	SB-12-SS(7.5-10)	EPA 3050B	713506	EPA 6010D	713806
10539907003	SB-13-SS(0-5)	EPA 3050B	713506	EPA 6010D	713806
10539907004	SB-13-SS(5-10)	EPA 3050B	713506	EPA 6010D	713806
10539907005	SB-14-SS(0-5)	EPA 3050B	713506	EPA 6010D	713806
10539907006	SB-14-SS(7.5-10)	EPA 3050B	713506	EPA 6010D	713806
10539907007	SB-15-SS(0-5)	EPA 3050B	713506	EPA 6010D	713806
10539907008	SB-15-SS(7.5-10)	EPA 3050B	713506	EPA 6010D	713806
10539907009	SB-21-SS(0-5)	EPA 3050B	713506	EPA 6010D	713806
10539907010	SB-21-SS(7.5-10)	EPA 3050B	713506	EPA 6010D	713806
10539907011	SB-22-SS(0-5)	EPA 3050B	713506	EPA 6010D	713806
10539907012	SB-22-SS(7.5-10)	EPA 3050B	713506	EPA 6010D	713806
10539907013	SB-18-SS(0-5)	EPA 3050B	713506	EPA 6010D	713806
10539907014	SB-18-SS(7.5-10)	EPA 3050B	713506	EPA 6010D	713806
10539907015	SB-19-SS(0-5)	EPA 3050B	713506	EPA 6010D	713806
10539907016	SB-19-SS(7.5-10)	EPA 3050B	713506	EPA 6010D	713806
10539907017	SB-20-SS(0-5)	EPA 3050B	713506	EPA 6010D	713806
10539907018	SB-20-SS(7.5-10)	EPA 3050B	713506	EPA 6010D	713806
10539907019	SB-16-SS(0-5)	EPA 3050B	713506	EPA 6010D	713806
10539907020	SB-16-SS(7.5-10)	EPA 3050B	713506	EPA 6010D	713806
10539907021	SB-17-SS(0-5)	EPA 3050B	713507	EPA 6010D	713804
10539907022	SB-17-SS(7.5-10)	EPA 3050B	713507	EPA 6010D	713804

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10539907023	**SB-14-SS(0-5)DUP**	EPA 3050B	713507	EPA 6010D	713804
10539907024	**SB-19-SS(0-5)DUP**	EPA 3050B	713507	EPA 6010D	713804
10539907001	**SB-12-SS(0-5)**	EPA 7471B	713518	EPA 7471B	713856
10539907002	**SB-12-SS(7.5-10)**	EPA 7471B	713518	EPA 7471B	713856
10539907003	**SB-13-SS(0-5)**	EPA 7471B	713518	EPA 7471B	713856
10539907004	**SB-13-SS(5-10)**	EPA 7471B	713518	EPA 7471B	713856
10539907005	**SB-14-SS(0-5)**	EPA 7471B	714546	EPA 7471B	714647
10539907006	**SB-14-SS(7.5-10)**	EPA 7471B	713518	EPA 7471B	713856
10539907007	**SB-15-SS(0-5)**	EPA 7471B	713518	EPA 7471B	713856
10539907008	**SB-15-SS(7.5-10)**	EPA 7471B	714546	EPA 7471B	714647
10539907009	**SB-21-SS(0-5)**	EPA 7471B	714546	EPA 7471B	714647
10539907010	**SB-21-SS(7.5-10)**	EPA 7471B	713518	EPA 7471B	713856
10539907011	**SB-22-SS(0-5)**	EPA 7471B	713518	EPA 7471B	713856
10539907012	**SB-22-SS(7.5-10)**	EPA 7471B	713518	EPA 7471B	713856
10539907013	**SB-18-SS(0-5)**	EPA 7471B	713518	EPA 7471B	713856
10539907014	**SB-18-SS(7.5-10)**	EPA 7471B	713518	EPA 7471B	713856
10539907015	**SB-19-SS(0-5)**	EPA 7471B	713518	EPA 7471B	713856
10539907016	**SB-19-SS(7.5-10)**	EPA 7471B	713518	EPA 7471B	713856
10539907017	**SB-20-SS(0-5)**	EPA 7471B	713518	EPA 7471B	713856
10539907018	**SB-20-SS(7.5-10)**	EPA 7471B	713518	EPA 7471B	713856
10539907019	**SB-16-SS(0-5)**	EPA 7471B	713518	EPA 7471B	713856
10539907020	**SB-16-SS(7.5-10)**	EPA 7471B	713518	EPA 7471B	713856
10539907021	**SB-17-SS(0-5)**	EPA 7471B	713520	EPA 7471B	713850
10539907022	**SB-17-SS(7.5-10)**	EPA 7471B	713520	EPA 7471B	713850
10539907023	**SB-14-SS(0-5)DUP**	EPA 7471B	714546	EPA 7471B	714647
10539907024	**SB-19-SS(0-5)DUP**	EPA 7471B	713520	EPA 7471B	713850
10539907001	**SB-12-SS(0-5)**	ASTM D2974	712279		
10539907002	**SB-12-SS(7.5-10)**	ASTM D2974	714389		
10539907003	**SB-13-SS(0-5)**	ASTM D2974	712279		
10539907004	**SB-13-SS(5-10)**	ASTM D2974	712279		
10539907005	**SB-14-SS(0-5)**	ASTM D2974	712279		
10539907006	**SB-14-SS(7.5-10)**	ASTM D2974	712279		
10539907007	**SB-15-SS(0-5)**	ASTM D2974	712279		
10539907008	**SB-15-SS(7.5-10)**	ASTM D2974	712279		
10539907009	**SB-21-SS(0-5)**	ASTM D2974	712279		
10539907010	**SB-21-SS(7.5-10)**	ASTM D2974	712279		
10539907011	**SB-22-SS(0-5)**	ASTM D2974	712279		
10539907012	**SB-22-SS(7.5-10)**	ASTM D2974	712279		
10539907013	**SB-18-SS(0-5)**	ASTM D2974	712279		
10539907014	**SB-18-SS(7.5-10)**	ASTM D2974	712279		
10539907015	**SB-19-SS(0-5)**	ASTM D2974	714389		
10539907016	**SB-19-SS(7.5-10)**	ASTM D2974	712279		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10539907017	SB-20-SS(0-5)	ASTM D2974	712281		
10539907018	SB-20-SS(7.5-10)	ASTM D2974	712281		
10539907019	SB-16-SS(0-5)	ASTM D2974	712281		
10539907020	SB-16-SS(7.5-10)	ASTM D2974	712281		
10539907021	SB-17-SS(0-5)	ASTM D2974	712281		
10539907022	SB-17-SS(7.5-10)	ASTM D2974	712281		
10539907023	SB-14-SS(0-5)DUP	ASTM D2974	714389		
10539907024	SB-19-SS(0-5)DUP	ASTM D2974	714389		
10539907001	SB-12-SS(0-5)	EPA 3550C	712160	EPA 8270E by SIM	712782
10539907002	SB-12-SS(7.5-10)	EPA 3550C	712160	EPA 8270E by SIM	712782
10539907003	SB-13-SS(0-5)	EPA 3550C	712160	EPA 8270E by SIM	712782
10539907004	SB-13-SS(5-10)	EPA 3550C	712160	EPA 8270E by SIM	712782
10539907005	SB-14-SS(0-5)	EPA 3550C	712160	EPA 8270E by SIM	712782
10539907006	SB-14-SS(7.5-10)	EPA 3550C	712160	EPA 8270E by SIM	712782
10539907007	SB-15-SS(0-5)	EPA 3550C	712160	EPA 8270E by SIM	712782
10539907008	SB-15-SS(7.5-10)	EPA 3550C	712160	EPA 8270E by SIM	712782
10539907009	SB-21-SS(0-5)	EPA 3550C	712160	EPA 8270E by SIM	712782
10539907010	SB-21-SS(7.5-10)	EPA 3550C	712160	EPA 8270E by SIM	712782
10539907011	SB-22-SS(0-5)	EPA 3550C	712160	EPA 8270E by SIM	712782
10539907012	SB-22-SS(7.5-10)	EPA 3550C	712160	EPA 8270E by SIM	712782
10539907013	SB-18-SS(0-5)	EPA 3550C	712160	EPA 8270E by SIM	712782
10539907014	SB-18-SS(7.5-10)	EPA 3550C	712233	EPA 8270E by SIM	712595
10539907015	SB-19-SS(0-5)	EPA 3550C	712233	EPA 8270E by SIM	712595
10539907016	SB-19-SS(7.5-10)	EPA 3550C	712233	EPA 8270E by SIM	712595
10539907017	SB-20-SS(0-5)	EPA 3550C	712233	EPA 8270E by SIM	712595
10539907018	SB-20-SS(7.5-10)	EPA 3550C	712233	EPA 8270E by SIM	712595
10539907019	SB-16-SS(0-5)	EPA 3550C	712233	EPA 8270E by SIM	712595
10539907020	SB-16-SS(7.5-10)	EPA 3550C	712233	EPA 8270E by SIM	712595
10539907021	SB-17-SS(0-5)	EPA 3550C	712233	EPA 8270E by SIM	712595
10539907022	SB-17-SS(7.5-10)	EPA 3550C	712233	EPA 8270E by SIM	712595
10539907023	SB-14-SS(0-5)DUP	EPA 3550C	712233	EPA 8270E by SIM	712595
10539907024	SB-19-SS(0-5)DUP	EPA 3550C	712233	EPA 8270E by SIM	712595
10539907001	SB-12-SS(0-5)	EPA 5035/5030B	372136	EPA 8260	372139
10539907002	SB-12-SS(7.5-10)	EPA 5035/5030B	372136	EPA 8260	372139
10539907003	SB-13-SS(0-5)	EPA 5035/5030B	372136	EPA 8260	372139
10539907004	SB-13-SS(5-10)	EPA 5035/5030B	372136	EPA 8260	372139
10539907005	SB-14-SS(0-5)	EPA 5035/5030B	372136	EPA 8260	372139
10539907006	SB-14-SS(7.5-10)	EPA 5035/5030B	372136	EPA 8260	372139
10539907007	SB-15-SS(0-5)	EPA 5035/5030B	372136	EPA 8260	372139
10539907008	SB-15-SS(7.5-10)	EPA 5035/5030B	372136	EPA 8260	372139
10539907009	SB-21-SS(0-5)	EPA 5035/5030B	372136	EPA 8260	372139
10539907010	SB-21-SS(7.5-10)	EPA 5035/5030B	372136	EPA 8260	372139
10539907011	SB-22-SS(0-5)	EPA 5035/5030B	372136	EPA 8260	372139
10539907012	SB-22-SS(7.5-10)	EPA 5035/5030B	372136	EPA 8260	372139
10539907013	SB-18-SS(0-5)	EPA 5035/5030B	372136	EPA 8260	372139
10539907014	SB-18-SS(7.5-10)	EPA 5035/5030B	372394	EPA 8260	372395

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 200956 BF1563 Clinton Place
Pace Project No.: 10539907

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10539907015	**SB-19-SS(0-5)**	EPA 5035/5030B	372394	EPA 8260	372395
10539907016	**SB-19-SS(7.5-10)**	EPA 5035/5030B	372394	EPA 8260	372395
10539907017	**SB-20-SS(0-5)**	EPA 5035/5030B	372394	EPA 8260	372395
10539907018	**SB-20-SS(7.5-10)**	EPA 5035/5030B	372394	EPA 8260	372395
10539907019	**SB-16-SS(0-5)**	EPA 5035/5030B	372394	EPA 8260	372395
10539907020	**SB-16-SS(7.5-10)**	EPA 5035/5030B	372394	EPA 8260	372395
10539907021	**SB-17-SS(0-5)**	EPA 5035/5030B	372394	EPA 8260	372395
10539907022	**SB-17-SS(7.5-10)**	EPA 5035/5030B	372394	EPA 8260	372395
10539907023	**SB-14-SS(0-5)DUP**	EPA 5035/5030B	372394	EPA 8260	372395
10539907024	**SB-19-SS(0-5)DUP**	EPA 5035/5030B	372394	EPA 8260	372395
10539907025	**TB-01**	EPA 5035/5030B	372394	EPA 8260	372395

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY / Analytical Request Document

Bay West — Customer-Focused Environmental & Industrial Solutions

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A — Required Client Information:		Section B — Required Project Information:		Section C — Invoice Information:		Section D — Laboratory Information		Section E — MPCA Information	
Company:	Bay West	Project Name:	BF1563 Clinton Place	Attention:	Accounts Payable	Lab Name:	Pace	COC ID:	
Address:	5 Empire Dr. St.Paul MN, 55103	Project Number:	200956	Company Name:	Bay West LLC	Adress:	1700 Elm St. Minneapolis MN, 55414	Work Order No.	3000027475
Project Manager :	Erik Nimlos	Turnaround Time:	Standard	Address:	5 Empire Dr. St. Paul, MN 55103	Lab Project Manager	Colin Lynch	Facility Code:	BF0001563
Email To:	enimlos@baywest.com	Site Location (State):	MN	Purchase Order No.	206755	Lab Phone:	612-656-2286	Project Task Code:	PRJ08105
Phone:	651-291-3493	Copy To:						Program Code	
Copy To:	Eweaver@baywest.com	Copy To:							

Matrix Code: SE=Sediment; SO=Soil; QC=Soil QC; W=Aqueous; WG=Groundwater; S=Surface

Lab Matrix Codes: DW=Drinking Water; NW=Non-potable Water; SD=Soil/Solid; WP=Wipe; AR=Air; BL=Biological Material; OT=Other

Field Matrix Codes: Wtr-Ground=Ground Water; WTR-Surf=Surface Water; QC-Blank=Artificial Blank Water; Leachate=Leachate Sample; Soil-Surf= Soil Surface; Soil-Sub= Soil Subsurface

Sample Type Codes: Sample=Routine Sample; S-CWOP=Composite Sample; S-IVP=Integrated Vertical Profile Sample; QC-FB=Field Blank Sample; QC-FR=Field Replicate Sample; QC-TB=Trip Blank Sample

WO# : 10539907

10539907

ITEM #	Location Unique ID	Sample Common ID	Start Depth ft	End Depth ft	Sample Type Code (MPCA ONLY)	SAMPLE TYPE (G=GRAB C=COMP)	Matrix Code	Lab Matrix Code (MPCA ONLY)	Field Matrix Code (MPCA ONLY)	Date	Time	# of Cont.	Preservatives	DRO WI DRO	PAH EPA 8270D SIM	RCRA metals (As, Ba, Cd, Cr, Pb, Hg, Se, Ag) EPA 6010C/7471B	VOC EPA 8260B							Comments
1	2001007621	SB-12-SS(0-5)	0	5	Sample	G	SO	SD	Soil-Sub	11/18/20	1005	7		X	X	X	X							001
2	2001007621	SB-12-SS(7.5-10)	7.5	10	Sample	G	SO	SD	Soil-Sub	11/18/20	1015	7		X	X	X	X							002
3	2001007622	SB-13-SS(0-5)	0	5	Sample	G	SO	SD	Soil-Sub	11/18/20	1040	7		X	X	X	X							003
4	2001007622	SB-13-SS(5-10)	5	10	Sample	G	SO	SD	Soil-Sub	11/18/20	1050	7		X	X	X	X							004
5	2001007623	SB-14-SS(0-5)	0	5	Sample	G	SO	SD	Soil-Sub	11/18/20	1115	7		X	X	X	X							
6	2001007623	SB-14-SS(7.5-10)	7.5	10	Sample	G	SO	SD	Soil-Sub	11/18/20	1130	7		X	X	X	X							
7	2001007624	SB-15-SS(0-5)	0	5	Sample	G	SO	SD	Soil-Sub	11/18/20	1145	7		X	X	X	X							
8	2001007624	SB-15-SS(7.5-10)	7.5	10	Sample	G	SO	SD	Soil-Sub	11/18/20	1155	7		X	X	X	X							
9	2001007625	SB-21-SS(0-5)	0	5	Sample	G	SO	SD	Soil-Sub	11/18/20	1240	7		X	X	X	X							
10	2001007625	SB-21-SS(7.5-10)	7.5	10	Sample	G	SO	SD	Soil-Sub	11/18/20	1250	7		X	X	X	X							
11	2001007626	SB-22-SS(0-5)	0	5	Sample	G	SO	SD	Soil-Sub	11/18/20	1305	7		X	X	X	X							
12	2001007626	SB-22-SS(7.5-10)	7.5	10	Sample	G	SO	SD	Soil-Sub	11/18/20	1315	7		X	X	X	X							

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
	[signature]	11/19/20	1135	Delacruch/Pace	11/19/20	11:35	4.3.7.3.2 -1.5 -2.3
	Delacruch/Pace	11/19/20	11:40	[signature]	11/19/20	1900	

SAMPLER NAME AND SIGNATURE				
PRINT Name of SAMPLER:	Brandon Flaska	Temp (°C)	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
SIGNATURE of SAMPLER:	[signature]				
DATE Signed (MM/DD/YY):	11/18/20				

CHAIN-OF-CUSTODY / Analytical Request Document

Bay West — Customer-Focused Environmental & Industrial Solutions

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A — Required Client Information:		Section B — Required Project Information:		Section C — Invoice Information:		Section D — Laboratory Information		Section E — MPCA Information	
Company:	Bay West	Project Name:	BF1563 Clinton Place	Attention:	Accounts Payable	Lab Name:	Pace	COC ID:	
Address:	5 Empire Dr. St.Paul MN, 55103	Project Number:	200956	Company Name:	Bay West LLC	Adress:	1700 Elm St. Minneapolis MN, 55414	Work Order No.	3000027475
Project Manager :	Erik Nimlos	Turnaround Time:	Standard	Address:	5 Empire Dr. St. Paul, MN 55103	Lab Project Manager	Colin Lynch	Facility Code:	BF0001563
Email To:	enimlos@baywest.com	Site Location (State):	MN	Purchase Order No.	206755	Lab Phone:	612-656-2286	Project Task Code:	PRJ08105
Phone:	651-291-3493	Copy To:						Program Code	
Copy To:	Eweaver@baywest.com	Copy To:							

Matrix Code: SE=Sediment; SO=Soil; QC=Soil QC; W=Aqueous; WG=Groundwater; S=Surface

Lab Matrix Codes: DW=Drinking Water; NW=Non-potable Water; SD=Soil/Solid; WP=Wipe; AR=Air; BL=Biological Material; OT=Other

Field Matrix Codes: Wtr-Ground=Ground Water; WTR-Surf=Surface Water; QC-Blank=Artificial Blank Water; Leachate=Leachate Sample; Soil-Surf= Soil Surface; Soil-Sub= Soil Subsurface

Sample Type Codes: Sample=Routine Sample; S-CWOP=Composite Sample; S-IVP=Integrated Vertical Profile Sample; QC-FB=Field Blank Sample; QC-FR=Field Replicate Sample; QC-TB=Trip Blank Sample

Preservatives

Requested Analysis

ITEM #	Location Unique ID	Sample Common ID	Start Depth ft	End Depth ft	Sample Type Code (MPCA ONLY)	SAMPLE TYPE (G=GRAB C=COMP)	Matrix Code	Lab Matrix Code (MPCA ONLY)	Field Matrix Code (MPCA ONLY)	Date	Time	# of Cont.	DRO WI DRO	PAH EPA 8270D SIM	RCRA metals (As, Ba, Cd, Cr, Pb, Hg, Se, Ag) EPA 6010C/7471B	VOC EPA 8260B	Comments
1	2001007627	SB-18-SS (0-5)	0	5	Sample	G	SO	SD	Soil-Sub	11/18/20	1350	7	X	X	X	X	
2	2001007627	SB-18-SS (7.5-10)	7.5	10	Sample	G	SO	SD	Soil-Sub	11/18/20	1400	7	X	X	X	X	
3	2001007628	SB-19-SS (0-5)	0	5	Sample	G	SO	SD	Soil-Sub	11/18/20	1420	7	X	X	X	X	
4	2001007628	SB-19-SS (7.5-10)	7.5	10	Sample	G	SO	SD	Soil-Sub	11/18/20	1435	7	X	X	X	X	
5	2001007629	SB-20-SS (0-5)	0	5	Sample	G	SO	SD	Soil-Sub	11/18/20	1500	7	X	X	X	X	
6	2001007629	SB-20-SS (7.5-10)	7.5	10	Sample	G	SO	SD	Soil-Sub	11/18/20	1510	7	X	X	X	X	
7	2001007630	SB-16-SS (0-5)	0	5	Sample	G	SO	SD	Soil-Sub	11/19/20	0920	7	X	X	X	X	
8	2001007630	SB-16-SS (7.5-10)	7.5	10	Sample	G	SO	SD	Soil-Sub	11/19/20	0930	7	X	X	X	X	
9	2001007631	SB-17-SS (0-5)	0	5	Sample	G	SO	SD	Soil-Sub	11/19/20	1005	7	X	X	X	X	
10	2001007631	SB-17-SS (7.5-10)	7.5	10	Sample	G	SO	SD	Soil-Sub	11/19/20	1015	7	X	X	X	X	
11	2001007623	SB-14-SS (0-5) MP	0	5	QC-FR	G	SO	SD	Soil-Sub	11/18/20	1120	7	X	X	X	X	
12	2001007628	SB-14-SS (0-5) MP	0	5	QC-FR	G	SO	SD	Soil-Sub	11/18/20	1425	7	X	X	X	X	

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
		11/19/20	1135	Delacide/Pace	11/19/20	11:35	3.7, 3.2, 1.5, 2.3 @ 7
	Delacide/Pace	11/19/20	11:40		11/19/20	1400	

Temp (°C)	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Brandon Flaska

SIGNATURE of SAMPLER: [signature]

DATE Signed (MM/DD/YY): 11/18/20

CHAIN-OF-CUSTODY / Analytical Request Document

Bay West — Customer-Focused Environmental & Industrial Solutions

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A — Required Client Information:		Section B — Required Project Information:		Section C — Invoice Information:		Section D — Laboratory Information		Section E — MPCA Information	
Company:	Bay West	Project Name:	BF1563 Clinton Place	Attention:	Accounts Payable	Lab Name:	Pace	COC ID:	
Address:	5 Empire Dr. St.Paul MN, 55103	Project Number:	200956	Company Name:	Bay West LLC	Adress:	1700 Elm St. Minneapolis MN, 55414	Work Order No.	3000027475
Project Manager :	Erik Nimlos	Turnaround Time:	Standard	Address:	5 Empire Dr. St. Paul, MN 55103	Lab Project Manager	Colin Lynch	Facility Code:	BF0001563
Email To:	enimlos@baywest.com	Site Location (State):	MN	Purchase Order No.	206755	Lab Phone:	612-656-2286	Project Task Code:	PRJ08105
Phone:	651-291-3493	Copy To:						Program Code	
Copy To:	Eweaver@baywest.com	Copy To:							

Matrix Code	Lab Matrix Codes	Field Matrix Codes	Sample Type Codes
SE=Sediment	DW=Drinking Water	Wtr-Ground=Ground Water	Sample=Routine Sample
SO=Soil	NW=Non-potable Water	WTR-Surf=Surface Water	S-CWOP=Composite Sample
QC=Soil QC	SD=Soil/Solid	QC-Blank=Artificial Blank Water	S-IVP=Integrated Vertical Profile Sample
W=Aqueous	WP=Wipe	Leachate=Leachate Sample	QC-FB=Field Blank Sample
WG=Groundwater	AR=Air	Soil-Surf= Soil Surface	QC-FR=Field Replicate Sample
S=Surface	BL=Biological Material	Soil-Sub= Soil Subsurface	QC-TB=Trip Blank Sample
	OT=Other		

ITEM #	Location Unique ID	Sample Common ID	Start Depth ft	End Depth ft	Sample Type Code (MPCA ONLY)	SAMPLE TYPE (G=GRAB C=COMP)	Matrix Code	Lab Matrix Code (MPCA ONLY)	Field Matrix Code (MPCA ONLY)	Date	Time	# of Cont.	Preservatives	Requested Analysis: DRO WI DRO	PAH EPA 8270D SIM	RCRA metals (As, Ba, Cd, Cr, Pb, Hg, Se, Ag) EPA 6010C/7471B	VOC EPA 8260B	Comments
1	Trip Blank	TB-01	NA	NA	QC-TB	G	QC	OT	QC-Blank	11/18/20	0945	1					X	
2																		
3																		
4																		
5																		
6																		
7																		
8																		
9																		
10																		
11																		
12																		

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS: Temp (°C)	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
	[signature]	11/19/20	1135	Stelacich/Pace	11/19/20	11:35	3.7, 3.2, 1.3, 2.3, 0.7			
	Stelacich/Pace	11/19/20	11:40	[signature]	11/19/20	1900				

SAMPLER NAME AND SIGNATURE	
PRINT Name of SAMPLER:	Brandon Haake
SIGNATURE of SAMPLER:	[signature]
DATE Signed (MM/DD/YY):	11/18/20

Pace Analytical®	Document Name: **Sample Condition Upon Receipt (SCUR) - MN**	Document Revised: 12Aug2020 **Page 1 of 1**
	Document No.: **ENV-FRM-MIN4-0150 Rev.01**	Pace Analytical Services - **Minneapolis**

Sample Condition Upon Receipt

Client Name: Bay West

Project #:

WO#: 10539907

PM: CL1 Due Date: 12/08/20

CLIENT: BW-BAY WEST

Courier: ☐Fed Ex ☐UPS ☐USPS ☐Client ☒Pace ☐SpeeDee ☐Commercial

Tracking Number: _____ See Exceptions ☐ ENV-FRM-MIN4-0142

Custody Seal on Cooler/Box Present? ☐Yes ☒No **Seals Intact?** ☐Yes ☒No **Biological Tissue Frozen?** ☐Yes ☐No ☒N/A

Packing Material: ☒Bubble Wrap ☒Bubble Bags ☐None ☐Other:_____ **Temp Blank?** ☒Yes ☐No

Thermometer: ☐T1(0461) ☐T2(1336) ☐T3(0459) ☐T4(0254) ☒T5(0489) **Type of Ice:** ☒Wet ☐Blue ☐None ☐Dry ☐Melted

Did Samples Originate in West Virginia? ☐Yes ☒No **Were All Container Temps Taken?** ☐Yes ☐No ☒N/A

Temp should be above freezing to 6°C **Cooler Temp Read w/temp blank:** 3.7, 3.2, -1.5, -2.3, 0.7 °C

Correction Factor: +0.0 **Cooler Temp Corrected w/temp blank:** 3.7, 3.2, -1.5, -2.3, 0.7 °C

Average Corrected Temp (no temp blank only): _____ °C ☐See Exceptions ENV-FRM-MIN4-0142 ☐1 Container

USDA Regulated Soil: (☐ N/A, water sample/Other:_____)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA. MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? ☐Yes ☒No

Date/Initials of Person Examining Contents: TK 11/19/20

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? ☐Yes ☒No

If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

				COMMENTS:
Chain of Custody Present and Filled Out?	☒Yes	☐No		1.
Chain of Custody Relinquished?	☒Yes	☐No		2.
Sampler Name and/or Signature on COC?	☒Yes	☐No	☐N/A	3.
Samples Arrived within Hold Time?	☒Yes	☐No		4.
Short Hold Time Analysis (<72 hr)?	☐Yes	☒No		5. ☐Fecal Coliform ☐HPC ☐Total Coliform/E coli ☐BOD/cBOD ☐Hex Chrome ☐Turbidity ☐Nitrate ☐Nitrite ☐Orthophos ☐Other_____
Rush Turn Around Time Requested?	☐Yes	☒No		6.
Sufficient Volume?	☒Yes	☐No		7.
Correct Containers Used?	☒Yes	☐No		8.
-Pace Containers Used?	☒Yes	☐No		
Containers Intact?	☒Yes	☐No		9.
Field Filtered Volume Received for Dissolved Tests?	☐Yes	☐No	☒N/A	10. Is sediment visible in the dissolved container? ☐Yes ☐No
Is sufficient information available to reconcile the samples to the COC?	☒Yes	☐No		11. **If no, write ID/ Date/Time on Container Below:** **See Exception** ☐ **ENV-FRM-MIN4-0142**
Matrix: ☒Water ☒Soil ☐Oil ☐Other_____				
All containers needing acid/base preservation have been checked?	☐Yes	☐No	☒N/A	12. Sample #
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO_3, H_2SO_4, <2pH, NaOH >9 Sulfide, NaOH>10 Cyanide)	☐Yes	☐No	☒N/A	☐ NaOH ☐ HNO_3 ☐ H_2SO_4 ☐Zinc Acetate
Exceptions: VOA, Coliform, TOC/DOC Oil and Grease, DRO/8015 (water) and Dioxin/PFAS	☐Yes	☐No	☒N/A	Positive for Res. Chlorine? ☐Yes ☐No **pH Paper Lot#** **See Exception** ☐ **ENV-FRM-MIN4-0142**
				Res. Chlorine | 0-6 Roll | 0-6 Strip | 0-14 Strip
Extra labels present on soil VOA or WIDRO containers?	☒Yes	☐No	☐N/A	13. **See Exception** ☐ **ENV-FRM-MIN4-0140**
Headspace in VOA Vials (greater than 6mm)?	☐Yes	☐No	☒N/A	
Trip Blank Present?	☒Yes	☐No	☐N/A	14.
Trip Blank Custody Seals Present?	☒Yes	☐No	☐N/A	Pace Trip Blank Lot # (if purchased): 092120-3(1)

CLIENT NOTIFICATION/RESOLUTION **Field Data Required?** ☐Yes ☐No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: _____ **Date:** 11/20/20

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers).

Labeled by: MKL (1)

Internal Transfer Chain of Custody

4021882

Pace Analytical®
www.pacelabs.com

[X] Samples Pre-Logged into eCOC.

State Of Origin: MN-ADMIN
Cert. Needed: [X] Yes [ ] No

Workorder: 10539907 **Workorder Name:** 200956 BF1563 Clinton Place

Owner Received Date: 11/19/2020 Results Requested By: 12/8/2020

Report To	Subcontract To
Colin Lynch Pace Analytical Minnesota 1700 Elm Street Suite 200 Minneapolis, MN 55414 Phone (612)607-1700	Pace Analytical Green Bay 1241 Bellevue Street Suite 9 Green Bay, WI 54302 Phone (920)469-2436

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers: MeOH VG9M	VOCs by EPA 8260D	LAB USE ONLY
1	SB-12-SS(0-5)	PS	11/18/2020 10:05	10539907001	Solid	2	X	001
2	SB-12-SS(7.5-10)	PS	11/18/2020 10:15	10539907002	Solid	2	X	002
3	SB-13-SS(0-5)	PS	11/18/2020 10:40	10539907003	Solid	2	X	003
4	SB-13-SS(5-10)	PS	11/18/2020 10:50	10539907004	Solid	2	X	004
5	SB-14-SS(0-5)	PS	11/18/2020 11:15	10539907005	Solid	2	X	005
6	SB-14-SS(7.5-10)	PS	11/18/2020 11:30	10539907006	Solid	2	X	006
7	SB-15-SS(0-5)	PS	11/18/2020 11:45	10539907007	Solid	2	X	007
8	SB-15-SS(7.5-10)	PS	11/18/2020 11:55	10539907008	Solid	2	X	008
9	SB-21-SS(0-5)	PS	11/18/2020 12:40	10539907009	Solid	2	X	009
10	SB-21-SS(7.5-10)	PS	11/18/2020 12:50	10539907010	Solid	2	X	010
11	SB-22-SS(0-5)	PS	11/18/2020 13:05	10539907011	Solid	2	X	011
12	SB-22-SS(7.5-10)	PS	11/18/2020 13:15	10539907012	Solid	2	X	012
13	SB-18-SS(0-5)	PS	11/18/2020 13:50	10539907013	Solid	2	X	013
14	SB-18-SS(7.5-10)	PS	11/18/2020 14:00	10539907014	Solid	2	X	014
15	SB-19-SS(0-5)	PS	11/18/2020 14:20	10539907015	Solid	2	X	015
16	SB-19-SS(7.5-10)	PS	11/18/2020 14:35	10539907016	Solid	2	X	016
17	SB-20-SS(0-5)	PS	11/18/2020 15:00	10539907017	Solid	2	X	017
18	SB-20-SS(7.5-10)	PS	11/18/2020 15:10	10539907018	Solid	2	X	018
19	SB-16-SS(0-5)	PS	11/19/2020 09:20	10539907019	Solid	2	X	019

Internal Transfer Chain of Custody

40218882

Pace Analytical®
www.pacelabs.com

[X] Samples Pre-Logged into eCOC.

State Of Origin: MN-ADMIN
Cert. Needed: [X] Yes [ ] No

Workorder: 10539907 **Workorder Name:** 200956 BF1563 Clinton Place

Owner Received Date: 11/19/2020 Results Requested By: 12/8/2020

Report To	Subcontract To
Colin Lynch Pace Analytical Minnesota 1700 Elm Street Suite 200 Minneapolis, MN 55414 Phone (612)607-1700	Pace Analytical Green Bay 1241 Bellevue Street Suite 9 Green Bay, WI 54302 Phone (920)469-2436

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers: MeOH VG9M	VOCs by EPA 8260D	LAB USE ONLY
20	SB-16-SS(7.5-10)	PS	11/19/2020 09:30	10539907020	Solid	2	X	020
21	SB-17-SS(0-5)	PS	11/19/2020 10:05	10539907021	Solid	2	X	021
22	SB-17-SS(7.5-10)	PS	11/19/2020 10:15	10539907022	Solid	2	X	022
23	SB-14-SS(0-5)DUP	PS	11/18/2020 11:20	10539907023	Solid	2	X	023
24	SB-19-SS(0-5)DUP	PS	11/18/2020 14:25	10539907024	Solid	2	X	024
25	TB-01	PS	11/18/2020 09:45	10539907025	Solid	1	X	025

Transfers	Released By	Date/Time	Received By	Date/Time
1	Pace	11/18/20 1215		
2	Waltco	11/21/20	Pace	11/21/20 0955
3				

Comments

Cooler Temperature on Receipt 0.5°C **Custody Seal** (Y) or N **Received on Ice** (Y) or N **Samples Intact** (Y) or N

****In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document. This chain of custody is considered complete as is since this information is available in the owner laboratory.*

Sample Preservation Receipt Form

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Client Name: Pace MN Project # 40218882

All containers needing preservation have been checked and noted below: □Yes □No ☑N/A Initial when completed: Date/ Time:

Lab Lot# of pH paper: Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass								Plastic					Vials						Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN							
001																		2															2.5 / 5 / 10
002																		2															2.5 / 5 / 10
003																		2															2.5 / 5 / 10
004																		2															2.5 / 5 / 10
005																		2															2.5 / 5 / 10
006																		2															2.5 / 5 / 10
007																		2															2.5 / 5 / 10
008																		2															2.5 / 5 / 10
009																		2															2.5 / 5 / 10
010																		2															2.5 / 5 / 10
011																		2															2.5 / 5 / 10
012																		2															2.5 / 5 / 10
013																		2															2.5 / 5 / 10
014																		2															2.5 / 5 / 10
015																		2															2.5 / 5 / 10
016																		2															2.5 / 5 / 10
017																		2															2.5 / 5 / 10
018																		2															2.5 / 5 / 10
019																		2															2.5 / 5 / 10
020																		2															2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other:_____ Headspace in VOA Vials (>6mm) : □Yes □No ☑N/A *If yes look in headspace column

AG1U	1 liter amber glass
BG1U	1 liter clear glass
AG1H	1 liter amber glass HCL
AG4S	125 mL amber glass H2SO4
AG4U	120 mL amber glass unpres
AG5U	100 mL amber glass unpres
AG2S	500 mL amber glass H2SO4
BG3U	250 mL clear glass unpres

BP1U	1 liter plastic unpres
BP3U	250 mL plastic unpres
BP3B	250 mL plastic NaOH
BP3N	250 mL plastic HNO3
BP3S	250 mL plastic H2SO4

VG9A	40 mL clear ascorbic
DG9T	40 mL amber Na Thio
VG9U	40 mL clear vial unpres
VG9H	40 mL clear vial HCL
VG9M	40 mL clear vial MeOH
VG9D	40 mL clear vial DI

JGFU	4 oz amber jar unpres
JG9U	9 oz amber jar unpres
WGFU	4 oz clear jar unpres
WPFU	4 oz plastic jar unpres
SP5T	120 mL plastic Na Thiosulfate
ZPLC	ziploc bag
GN	

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Sample Preservation Receipt Form

Client Name: Pace MN Project #: 40218882

Pace Lab #	Glass: AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	Plastic: BP1U	BP3U	BP3B	BP3N	BP3S	Vials: VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	Jars: JGFU	JG9U	WGFU	WPFU	General: SP5T	ZPLC	GN	VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)
021																		-2															2.5 / 5 / 10
022																																	2.5 / 5 / 10
023																																	2.5 / 5 / 10
024																																	2.5 / 5 / 10
025																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10
																																	2.5 / 5 / 10

11/12/20 12

Pace Analytical® 1241 Bellevue Street, Green Bay, WI 54302	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 26Mar2020
	Document No.: ENV-FRM-GBAY-0014-Rev.00	Author: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Project #: WO#: 40218882

40218882

Client Name: Pace MN

Courier: ☐ CS Logistics ☐ Fed Ex ☐ Speedee ☐ UPS ☒ Waltco ☐ Client ☐ Pace Other:

Tracking #: 2659007-2, 2659007-3, 2659007-1

Custody Seal on Cooler/Box Present: ☒ yes ☐ no Seals intact: ☒ yes ☐ no

Custody Seal on Samples Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Packing Material: ☒ Bubble Wrap ☒ Bubble Bags ☐ None ☐ Other

Thermometer Used SR - 86 **Type of Ice:** (Wet) Blue Dry None ☒ Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 0 /Corr: 0.5

Person examining contents: Date: 11/21/20 /Initials: LP

Temp Blank Present: ☒ yes ☐ no **Biological Tissue is Frozen:** ☐ yes ☐ no

Labeled By Initials: LA

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	☒Yes ☐No ☐N/A	1.
Chain of Custody Filled Out:	☒Yes ☐No ☐N/A	2.
Chain of Custody Relinquished:	☒Yes ☐No ☐N/A	3.
Sampler Name & Signature on COC:	☐Yes ☐No ☒N/A	4. TRWO 11/21/20
Samples Arrived within Hold Time:	☒Yes ☐No	5.
- VOA Samples frozen upon receipt	☐Yes ☐No	Date/Time:
Short Hold Time Analysis (<72hr):	☐Yes ☒No	6.
Rush Turn Around Time Requested:	☐Yes ☒No	7.
Sufficient Volume: For Analysis: ☒Yes ☐No MS/MSD: ☐Yes ☒No ☐N/A		8.
Correct Containers Used:	☒Yes ☐No	9.
-Pace Containers Used:	☐Yes ☐No ☒N/A	
-Pace IR Containers Used:	☒Yes ☐No ☐N/A	
Containers Intact:	☒Yes ☐No	10.
Filtered volume received for Dissolved tests	☐Yes ☐No ☒N/A	11.
Sample Labels match COC: -Includes date/time/ID/Analysis Matrix: S	☒Yes ☐No ☐N/A	12. All tare weights covered except 009, 017, 018, 020, 024- 11/21/20
Trip Blank Present:	☒Yes ☐No ☐N/A	13.
Trip Blank Custody Seals Present	☐Yes ☒No ☐N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: If checked, see attached form for additional comments ☐


Person Contacted: Date/Time:

Comments/ Resolution:

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logi


Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000085.D
Date : 23-NOV-2020 20:55
Client ID: SB-12-SS(0-5)
Sample Info: 10539907001
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056

Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000091.D
Date : 23-NOV-2020 21:38
Client ID: SB-12-SS(7.5-10)
Sample Info: 10539907002
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056

Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000092.D
Date : 23-NOV-2020 21:45
Client ID: SB-13-SS(0-5)
Sample Info: 10539907003
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056

Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000042.D
Date : 23-NOV-2020 15:45
Client ID: SB-13-SS(5-10)
Sample Info: 10539907004
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056

Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000038.D
Date : 23-NOV-2020 15:16
Client ID: SB-14-SS(0-5)
Instrument: 10gcs9.i
Sample Info: 10539907005
Volume Injected (uL): 1.0
Operator: TT2
Column phase: DB-5-US20180056
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000044.D
Date : 23-NOV-2020 16:00
Client ID: SB-14-SS(7.5-10)
Sample Info: 10539907006
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056

Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000045.D
Date : 23-NOV-2020 16:07
Client ID: SB-15-SS(0-5)
Instrument: 10gcs9.i
Sample Info: 10539907007
Volume Injected (uL): 1.0
Operator: TT2
Column phase: DB-5-US20180056
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000041.D
Date : 23-NOV-2020 15:38
Client ID: SB-15-SS(7.5-10)
Sample Info: 10539907008
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056

Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000039.D
Date : 23-NOV-2020 15:23
Client ID: SB-21-SS(0-5)
Sample Info: 10539907009
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056

Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000048.D
Date : 23-NOV-2020 16:28
Client ID: SB-21-SS(7.5-10)
Sample Info: 10539907010
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056

Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000040.D
Date : 23-NOV-2020 15:31
Client ID: SB-22-SS(0-5)
Sample Info: 10539907011
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056

Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000049.D
Date : 23-NOV-2020 16:36
Client ID: SB-22-SS(7.5-10)
Sample Info: 10539907012
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056

Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000050.D
Date : 23-NOV-2020 16:43
Client ID: SB-18-SS(0-5)
Sample Info: 10539907013
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056


Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32



Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000051.D
Date : 23-NOV-2020 16:50
Client ID: SB-18-SS(7.5-10)
Instrument: 10gcs9.i
Sample Info: 10539907014
Volume Injected (uL): 1.0
Operator: TT2
Column phase: DB-5-US20180056
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000052.D
Date : 23-NOV-2020 16:57
Client ID: SB-19-SS(0-5)
Instrument: 10gcs9.i
Sample Info: 10539907015
Volume Injected (uL): 1.0
Operator: TT2
Column phase: DB-5-US20180056
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000053.D
Date : 23-NOV-2020 17:05
Client ID: SB-19-SS(7.5-10)
Sample Info: 10539907016
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056

Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000043.D
Date : 23-NOV-2020 15:52
Client ID: SB-20-SS(0-5)
Sample Info: 10539907017
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056

Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000054.D
Date : 23-NOV-2020 17:12
Client ID: SB-20-SS(7.5-10)
Sample Info: 10539907018
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056

Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000046.D
Date : 23-NOV-2020 16:14
Client ID: SB-16-SS(0-5)
Sample Info: 10539907019
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056

Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000055.D
Date : 23-NOV-2020 17:19
Client ID: SB-16-SS(7.5-10)
Sample Info: 10539907020
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056


Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32



Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000056.D
Date : 23-NOV-2020 17:26
Client ID: SB-17-SS(0-5)
Instrument: 10gcs9.i
Sample Info: 10539907021
Volume Injected (uL): 1.0
Operator: TT2
Column phase: DB-5-US20180056
Column diameter: 0.32




Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000102.D
Date : 23-NOV-2020 22:58
Client ID: SB-17-SS(7.5-10)
Instrument: 10gcs9.i
Sample Info: 10539907022
Volume Injected (uL): 1.0
Operator: TT2
Column phase: DB-5-US20180056
Column diameter: 0.32



Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000037.D
Date : 23-NOV-2020 15:09
Client ID: SB-14-SS(0-5)DUP
Sample Info: 10539907023
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056

Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32



Data File: \\192.168.10.12\chem\10gcs9.i\112320dro.b\112320000047.D
Date : 23-NOV-2020 16:21
Client ID: SB-19-SS(0-5)DUP
Sample Info: 10539907024
Volume Injected (uL): 1.0
Column phase: DB-5-US20180056

Instrument: 10gcs9.i
Operator: TT2
Column diameter: 0.32

